| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|-----------|---------|---------|--------|---------|
| AGE : Age in years at admission | 7,800,241 | 10,521 | 0.00 | 119.00 | 48.19 | 27.78 |
| AGEDAY : Age in days (when age < 1 year) | 745,054 | 7,065,708 | 0.00 | 364.00 | 11.21 | 47.69 |
| AMONTH : Admission month | 7,118,184 | 692,578 | 1.00 | 12.00 | 6.46 | 3.44 |
| ASOURCE : Admission source (uniform) | 1,686,970 | 6,123,792 | 1.00 | 5.00 | 3.09 | 1.95 |
| ATYPE : Admission type | 6,891,588 | 919,174 | 1.00 | 6.00 | 1.98 | 1.07 |
| AWEEKEND : Admission day is a weekend | 7,808,284 | 2,478 | 0.00 | 1.00 | 0.20 | 0.40 |
| DIED : Died during hospitalization | 7,805,171 | 5,591 | 0.00 | 1.00 | 0.02 | 0.14 |
| DISCWT : Weight to discharges in AHA universe | 7,810,762 | 0 | 3.14 | 22.14 | 5.05 | 0.54 |
| DISPUB04 : Disposition of patient (UB-04 standard coding) | 6,743,095 | 1,067,667 | 1.00 | 99.00 | 4.63 | 12.04 |
| DISPUNIFORM : Disposition of patient (uniform) | 7,805,171 | 5,591 | 1.00 | 99.00 | 2.50 | 3.89 |
| DQTR : Discharge quarter | 7,793,565 | 17,197 | 1.00 | 4.00 | 2.49 | 1.12 |
| DQTR_X : Discharge quarter (as received from source) | 7,793,565 | 17,197 | 1.00 | 4.00 | 2.49 | 1.12 |
| DRG : DRG in effect on discharge date | 7,810,762 | 0 | 1.00 | 999.00 | 536.33 | 271.77 |
| DRG24 : DRG, version 24 | 7,810,762 | 0 | 1.00 | 579.00 | 310.41 | 161.22 |
| DRGVER : DRG grouper version used on discharge date | 7,810,762 | 0 | 26.00 | 27.00 | 26.25 | 0.43 |
| DRG_NoPOA : DRG in use on discharge date, calculated without POA | 7,810,762 | 0 | 1.00 | 999.00 | 532.01 | 269.75 |
| DXCCS1 : CCS: diagnosis 1 | 7,808,833 | 1,929 | 1.00 | 670.00 | 179.17 | 130.91 |
| DXCCS2 : CCS: diagnosis 2 | 7,405,800 | 404,962 | 1.00 | 670.00 | 165.82 | 146.06 |
| DXCCS3 : CCS: diagnosis 3 | 6,630,678 | 1,180,084 | 1.00 | 670.00 | 169.51 | 158.13 |
| DXCCS4 : CCS: diagnosis 4 | 5,925,277 | 1,885,485 | 1.00 | 670.00 | 170.45 | 163.33 |
| DXCCS5 : CCS: diagnosis 5 | 5,270,268 | 2,540,494 | 1.00 | 670.00 | 171.03 | 166.43 |
| DXCCS6 : CCS: diagnosis 6 | 4,664,803 | 3,145,959 | 1.00 | 670.00 | 172.17 | 167.64 |
| DXCCS7 : CCS: diagnosis 7 | 4,099,163 | 3,711,599 | 1.00 | 670.00 | 172.75 | 167.74 |
| DXCCS8 : CCS: diagnosis 8 | 3,577,046 | 4,233,716 | 1.00 | 670.00 | 173.85 | 166.94 |
| DXCCS9 : CCS: diagnosis 9 | 3,087,625 | 4,723,137 | 1.00 | 670.00 | 174.80 | 166.72 |
| DXCCS10 : CCS: diagnosis 10 | 2,281,375 | 5,529,387 | 1.00 | 670.00 | 176.27 | 166.11 |
| DXCCS11 : CCS: diagnosis 11 | 1,914,185 | 5,896,577 | 1.00 | 670.00 | 177.53 | 165.60 |
| DXCCS12 : CCS: diagnosis 12 | 1,622,406 | 6,188,356 | 1.00 | 670.00 | 176.29 | 162.79 |
| DXCCS13 : CCS: diagnosis 13 | 1,368,852 | 6,441,910 | 1.00 | 670.00 | 176.33 | 160.89 |
| DXCCS14 : CCS: diagnosis 14 | 1,128,022 | 6,682,740 | 1.00 | 670.00 | 177.29 | 161.19 |
| DXCCS15 : CCS: diagnosis 15 | 911,799 | 6,898,963 | 1.00 | 670.00 | 176.11 | 156.34 |

(Continued)

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|-----------|-----------|-----------|-----------|-----------|
| DXCCS16 : CCS: diagnosis 16 | 587,977 | 7,222,785 | 1.00 | 670.00 | 179.60 | 160.63 |
| DXCCS17 : CCS: diagnosis 17 | 474,468 | 7,336,294 | 1.00 | 670.00 | 179.59 | 159.75 |
| DXCCS18 : CCS: diagnosis 18 | 388,970 | 7,421,792 | 1.00 | 670.00 | 180.13 | 159.12 |
| DXCCS19 : CCS: diagnosis 19 | 253,078 | 7,557,684 | 1.00 | 670.00 | 179.57 | 158.82 |
| DXCCS20 : CCS: diagnosis 20 | 205,633 | 7,605,129 | 1.00 | 670.00 | 179.27 | 157.80 |
| DXCCS21 : CCS: diagnosis 21 | 165,997 | 7,644,765 | 1.00 | 670.00 | 179.49 | 156.89 |
| DXCCS22 : CCS: diagnosis 22 | 130,954 | 7,679,808 | 1.00 | 670.00 | 180.50 | 156.76 |
| DXCCS23 : CCS: diagnosis 23 | 105,833 | 7,704,929 | 1.00 | 670.00 | 179.78 | 155.23 |
| DXCCS24 : CCS: diagnosis 24 | 83,851 | 7,726,911 | 1.00 | 670.00 | 179.17 | 153.85 |
| DXCCS25 : CCS: diagnosis 25 | 62,107 | 7,748,655 | 1.00 | 670.00 | 180.04 | 154.49 |
| ELECTIVE : Elective versus non-elective admission | 7,792,360 | 18,402 | 0.00 | 1.00 | 0.23 | 0.42 |
| E_CCS1 : CCS: E Code 1 | 1,136,401 | 6,674,361 | 662.00 | 2,621.00 | 2,541.40 | 366.46 |
| E_CCS2 : CCS: E Code 2 | 495,598 | 7,315,164 | 662.00 | 2,621.00 | 2,578.17 | 278.95 |
| E_CCS3 : CCS: E Code 3 | 102,735 | 7,708,027 | 662.00 | 2,621.00 | 2,537.78 | 387.01 |
| E_CCS4 : CCS: E Code 4 | 31,091 | 7,779,671 | 662.00 | 2,621.00 | 2,549.73 | 361.56 |
| FEMALE : Indicator of sex | 7,789,677 | 21,085 | 0.00 | 1.00 | 0.58 | 0.49 |
| HCUP_ED : HCUP Emergency Department service indicator | 7,810,762 | 0 | 0.00 | 4.00 | 0.95 | 1.29 |
| HOSPBRTH : Indicator of birth in this hospital | 7,810,762 | 0 | 0.00 | 1.00 | 0.11 | 0.31 |
| HOSPID : HCUP hospital identification number | 7,810,762 | 0 | 4,005.00 | 56,025.00 | 27,891.02 | 15,500.75 |
| LOS : Length of stay (cleaned) | 7,807,930 | 2,832 | 0.00 | 365.00 | 4.58 | 6.74 |
| LOS_X : Length of stay (as received from source) | 7,795,819 | 14,943 | -4,033.00 | 6,947.00 | 4.62 | 11.06 |
| MDC : MDC in effect on discharge date | 7,810,762 | 0 | 0.00 | 25.00 | 9.72 | 5.65 |
| MDC24 : MDC, version 24 | 7,810,762 | 0 | 0.00 | 25.00 | 9.82 | 5.62 |
| MDC_NoPOA : MDC in use on discharge date, calculated without POA | 7,810,762 | 0 | 0.00 | 25.00 | 9.82 | 5.62 |
| MDNUM1_R : Physician 1 number (re-identified) | 4,393,918 | 3,416,844 | 1.00 | 89,796.00 | 34,440.74 | 24,170.81 |
| MDNUM2_R : Physician 2 number (re-identified) | 2,632,070 | 5,178,692 | 1.00 | 90,606.00 | 34,518.29 | 24,048.44 |
| NCHRONIC : Number of chronic conditions | 7,810,762 | 0 | 0.00 | 26.00 | 3.68 | 3.22 |
| NDX : Number of diagnoses on this record | 7,810,762 | 0 | 0.00 | 59.00 | 7.71 | 5.11 |
| NECODE : Number of E codes on this record | 7,810,762 | 0 | 0.00 | 10.00 | 0.23 | 0.62 |
| NEOMAT : Neonatal and/or maternal DX and/or PR | 7,810,762 | 0 | 0.00 | 3.00 | 0.34 | 0.67 |
| NIS_STRATUM : Stratum used to sample hospital | 7,810,762 | 0 | 1,011.00 | 4,413.00 | 2,718.80 | 1,062.30 |

(Continued)

| REPROC : Najor operating room procedure indicator 7,810,702 0 0.00 1.00 0.29 0.44 | Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|---|-----------|-----------|---------|---------|--------|---------|
| PAY1: Frimary expected payer (uniform) 7,794,273 16,489 1.00 6.00 2.21 1.26 PAY2: Secondary expected payer (uniform) 2,417,777 5,392,985 1.00 6.00 2.82 1.26 PL.NEIRSDOG: Patient Location: NEIRS Urban-Rural Code (V2006) 7,631,123 172,631 1.00 6.00 2.60 1.55 PL.NEIRSDOG: Patient Location: NEIRS Urban-Rural Code (V2006) 7,631,123 172,631 1.00 321.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 127,63 63.74 1.00 231.00 128,67 1.0 | NPR : Number of procedures on this record | 7,810,762 | 0 | 0.00 | 37.00 | 1.59 | 2.06 |
| PARC : Secondary expected payer (uniform) 2,417,777 5,392,965 1.00 6.00 2.02 1.26 PL_NERS2006 : Patient Location: NCHS Urban-Rural Code (V2006) 7,633,120 7,633,120 7,635,120 7,636,130 7,636,130 7, | ORPROC : Major operating room procedure indicator | 7,810,762 | 0 | 0.00 | 1.00 | 0.29 | 0.46 |
| PLNCHS2006: Patient Location: NCHS Urban-Rural Code (V2006) 7,638,129 172,633 1.00 6.00 2.66 1.55 PRCCS1: CCS: procedure 1 4,905,017 2,905,745 1.00 231.00 127.63 63.74 PRCCS2: CCS: procedure 2 2,946,346 4,864,416 1.00 231.00 128.77 68.62 PRCCS3: CCS: procedure 3 1,710,922 6,099,840 1.00 231.00 128.77 68.62 PRCCS3: CCS: procedure 4 1,017,592 6,993,170 1.00 231.00 124.58 70.55 PRCCS3: CCS: procedure 5 664,174 7,156,588 1.00 231.00 123.60 75.03 PRCCS5: CCS: procedure 6 449,599 7,361,163 1.00 231.00 121.42 75.73 PRCCS7: CCS: procedure 7 227,333 7,933,409 1.00 231.00 121.42 75.73 PRCCS9: CCS: procedure 8 169,803 7,640,959 1.00 231.00 119,21 76.32 PRCCS8: CCS: procedure 8 169,803 7,640,959 1.00 231.00 119,21 76.32 PRCCS9: CCS: procedure 9 108,171 7,702,591 1.00 231.00 139,66 78.73 PRCCS10: CCS: procedure 10 65,502 7,745,260 1.00 231.00 139,66 78.73 PRCCS10: CCS: procedure 11 41,212 7,769,550 1.00 231.00 139,66 78.73 PRCCS12: CCS: procedure 13 29,98 7,781,168 1.00 231.00 139,66 78.33 PRCCS12: CCS: procedure 14 1.124 7,769,590 1.00 231.00 139,60 78.33 PRCCS12: CCS: procedure 14 1.124 7,769,590 1.00 231.00 137,79 78.83 PRCCS12: CCS: procedure 14 1.124 7,789,793 1.00 231.00 137,79 78.83 PRCCS12: CCS: procedure 14 1.124 7,789,793 1.00 231.00 137,79 78.83 PRCCS12: CCS: procedure 15 1.136 7,799,394 1.00 231.00 137,79 78.83 PRCCS12: CCS: procedure 15 1.136 7,799,394 1.00 231.00 137,79 78.83 PRDAY2: Number of days from admission to PR1 4,484,533 3,326,224 4.00 367.00 1.36 0.0 78.31 PRDAY2: Number of days from admission to PR3 1.00 334,30 7,793,30 -4.00 367.00 1.56 0.33 3.33 PRDAY4: Number of days from admission to PR3 36,00 7,00 7,00 7,00 7,00 7,00 7,00 7,00 | PAY1 : Primary expected payer (uniform) | 7,794,273 | 16,489 | 1.00 | 6.00 | 2.21 | 1.20 |
| PRCCS1: CCS: procedure 1 4,905,017 2,905,745 1.00 231.00 127.63 63.74 PRCCS2: CCS: procedure 2 2,946,346 4,864,416 1.00 231.00 127.63 63.74 PRCCS2: CCS: procedure 3 1,710,922 6,999,840 1.00 231.00 124.58 70.55 PRCCS4: CCS: procedure 4 1,017,592 6,793,170 1.00 231.00 124.58 70.55 PRCCS4: CCS: procedure 5 654,174 7,165,588 1.00 231.00 123.65 75.03 PRCCS4: CCS: procedure 6 449,599 7,361,163 1.00 231.00 123.65 75.03 PRCCS4: CCS: procedure 7 257,353 7,553,409 1.00 231.00 121.42 75.73 PRCCS7: CCS: procedure 8 169,803 7,640,959 1.00 231.00 137.75 79.00 PRCCS9: CCS: procedure 9 169,817 7,702,591 1.00 231.00 137.75 79.00 PRCCS9: CCS: procedure 10 56,502 7,745,260 1.00 231.00 137.75 79.00 PRCCS1: CCS: procedure 10 56,502 7,745,260 1.00 231.00 139.40 78.07 PRCCS1: CCS: procedure 12 29,947 7,781,168 1.00 231.00 137.79 78.62 PRCCS1: CCS: procedure 12 29,947 7,781,565 1.00 231.00 137.79 78.62 PRCCS1: CCS: procedure 14 1,312 7,799,505 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1.367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 14 1,312 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1,367 7,399,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1.368 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1.368 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1.368 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: procedure 15 1.368 7,799,394 1.00 231.00 137.79 78.63 PRCCS1: CCS: pr | PAY2 : Secondary expected payer (uniform) | 2,417,777 | 5,392,985 | 1.00 | 6.00 | 2.82 | 1.26 |
| PRCCS2 : CCS: procedure 2 2,946,346 4,864,416 1.00 231.00 128.77 68.62 PRCCS3 : CCS: procedure 3 1,710,922 6,099,840 1.00 231.00 124.58 70.55 PRCCS4 : CCS: procedure 4 1,017,992 6,793,170 1.00 231.00 125.92 72.38 PRCCS5 : CCS: procedure 5 654,174 7,156,588 1.00 231.00 123.65 75.03 PRCCS6 : CCS: procedure 6 449,599 7,361,163 1.00 231.00 119,21 76.32 PRCCS6 : CCS: procedure 7 257,353 7,553,409 1.00 231.00 119,21 76.32 PRCCS9 : CCS: procedure 8 169,803 7,640,959 1.00 231.00 119,21 76.32 PRCCS9 : CCS: procedure 9 108,171 7,702,591 1.00 231.00 139,66 78.73 PRCCS11 : CCS: procedure 10 65,502 7,745,260 1.00 231.00 139,46 78.67 PRCCS12 : CCS: procedure 12 25,934 7,781,166 1.00 231.00 137,79 78.62 PRCCS13 : CCS: procedure 13 20,989 7,781,166 1.00 231.00 137,79 78.85 PRCCS14 : CCS: procedure 14 15,127 7,795,535 1.00 231.00 137,79 78.85 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130,32 79,47 PRCNAY : Number of days from admission to PR1 4,484,538 3,326,224 4,00 367,00 1,97 4,88 PRDAY3 : Number of days from admission to PR3 1,403,850 6,406,912 4,00 367,00 365,00 3,02 7,06 PRDAY5 : Number of days from admission to PR5 33,432 7,277,330 4,00 366,00 36,00 3,02 7,06 PRDAY6 : Number of days from admission to PR6 36,597 7,441,77 7,673,315 4,00 366,00 36,00 | PL_NCHS2006 : Patient Location: NCHS Urban-Rural Code (V2006) | 7,638,129 | 172,633 | 1.00 | 6.00 | 2.68 | 1.59 |
| PRCCS3 : CCS: procedure 3 1,710,922 6,099,840 1.00 231.00 124.58 70.55 PRCCS4 : CCS: procedure 4 1,017,592 6,793,170 1.00 231.00 125.92 72.38 PRCCS5 : CCS: procedure 5 654,174 7,156,588 1.00 231.00 123.65 75.02 72.38 PRCCS6 : CCS: procedure 6 449,599 7,361,163 1.00 231.00 121.42 75.73 75.02 75.03 75 | PRCCS1 : CCS: procedure 1 | 4,905,017 | 2,905,745 | 1.00 | 231.00 | 127.63 | 63.74 |
| PRCCS4 : CCS: procedure 4 1,017,592 6,793,170 1.00 231.00 125.92 72.36 FRCCS5 : CCS: procedure 5 654,174 7,156,588 1.00 231.00 123.65 75.03 FRCCS6 : CCS: procedure 6 449,599 7,361,163 1.00 231.00 121.42 75.73 FRCCS7 : CCS: procedure 7 257,353 7,553,409 1.00 231.00 119.21 76.32 FRCCS6 : CCS: procedure 8 169,803 7,640,959 1.00 231.00 137.75 79.00 FRCCS9 : CCS: procedure 9 108,171 7,702,591 1.00 231.00 139.66 78.71 FRCCS10 : CCS: procedure 10 655,502 7,745,260 1.00 231.00 139.66 78.73 FRCCS11 : CCS: procedure 11 41,212 7,769,550 1.00 231.00 139.40 78.83 FRCCS12 : CCS: procedure 12 29,594 7,781,168 1.00 231.00 137.94 78.93 FRCCS13 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 137.94 78.93 FRCCS15 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 136.60 78.81 FRCCS15 : CCS: procedure 14 11,368 7,799,394 1.00 231.00 130.32 79.47 FRCMY : Number of days from admission to FR1 4,884,538 3,326,224 4.00 367.00 1.26 3.31 FRDAY3 : Number of days from admission to FR2 2,424,696 5,386,066 -4.00 366.00 1.54 3.99 FRDAY3 : Number of days from admission to FR2 33,493 6,978,799 4.00 367.00 2.51 6.00 FRDAY5 : Number of days from admission to FR4 331,793 6,978,799 4.00 367.00 2.51 6.00 FRDAY5 : Number of days from admission to FR5 33,432 7,789,730 -4.00 365.00 3.02 7.06 FRDAY5 : Number of days from admission to FR7 209,700 7,601,062 -4.00 366.00 4.06 9.2 FRDAY6 : Number of days from admission to FR7 209,700 7,601,062 -4.00 366.00 6.37 12.37 FRDAY9 : Number of days from admission to FR8 317,447 7,673,315 -4.00 366.00 6.37 12.37 FRDAY9 : Number of days from admission to FR8 317,447 7,673,315 -4.00 366.00 6.37 12.37 FRDAY9 : Number of days from admission to FR8 317,447 7,673,315 -4.00 366.00 6.37 12.37 FRDAY9 : Number of days from admission to FR8 317,447 7,673,315 -4.00 366.00 6.37 12.37 | PRCCS2 : CCS: procedure 2 | 2,946,346 | 4,864,416 | 1.00 | 231.00 | 128.77 | 68.62 |
| PRCCSS : CCS: procedure 5 | PRCCS3 : CCS: procedure 3 | 1,710,922 | 6,099,840 | 1.00 | 231.00 | 124.58 | 70.59 |
| PRCCS6: CCS: procedure 6 449,599 7,361,163 1.00 231.00 121.42 75.72 PRCCS7: CCS: procedure 7 257,353 7,553,409 1.00 231.00 119.21 76.32 PRCCS8: CCS: procedure 8 169,803 7,640,959 1.00 231.00 137.75 79.00 PRCCS9: CCS: procedure 9 108,171 7,702,591 1.00 231.00 139.66 78.71 PRCCS10: CCS: procedure 10 65,502 7,745,260 1.00 231.00 140.27 78.82 PRCCS11: CCS: procedure 11 41,212 7,769,550 1.00 231.00 139.40 78.83 PRCCS12: CCS: procedure 12 299,504 7,811,68 1.00 231.00 139.40 78.83 PRCCS13: CCS: procedure 13 20,999 7,893,773 1.00 231.00 136.60 78.81 PRCCS14: CCS: procedure 14 15,127 7,795,635 1.00 231.00 136.50 78.81 PRCCS15: CCS: procedure 15 11,368 7,799,394 1.00 231.00 136.50 78.81 PRDAY1: Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.31 PRDAY2: Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.88 PRDAY3: Number of days from admission to PR4 831,793 6,789,695 -4.00 367.00 1.97 4.88 PRDAY5: Number of days from admission to PR5 333,32 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 365.00 3.03 7.06 PRDAY7: Number of days from admission to PR6 366,597 7,444,165 -4.00 366.00 4.06 9.20 PRDAY9: Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9: Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9: Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9: Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 | PRCCS4 : CCS: procedure 4 | 1,017,592 | 6,793,170 | 1.00 | 231.00 | 125.92 | 72.38 |
| PRCCS7 : CCS: procedure 7 257,353 7,553,409 1.00 231.00 119.21 76.32 PRCCS8 : CCS: procedure 8 169,803 7,640,959 1.00 231.00 137.75 79.00 PRCCS9 : CCS: procedure 9 108,171 7,702,591 1.00 231.00 139.66 78.71 PRCCS10 : CCS: procedure 10 65,502 7,745,260 1.00 231.00 139.40 78.82 PRCCS11 : CCS: procedure 12 29,594 7,781,168 1.00 231.00 139.40 78.82 PRCCS12 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 137.79 78.82 PRCCS13 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 137.79 78.82 PRCCS14 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 137.79 78.85 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.39 PRDAY2 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.54 3.99 PRDAY3 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.06 PRDAY4 : Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.00 PRDAY5 : Number of days from admission to PR6 366,597 7,444,165 -4.00 366.00 4.06 9.20 PRDAY6 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 4.06 9.20 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 87,752,773 -4.00 366.00 7.67 13.95 | PRCCS5 : CCS: procedure 5 | 654,174 | 7,156,588 | 1.00 | 231.00 | 123.65 | 75.03 |
| PRCCS8 : CCS: procedure 8 169,803 7,640,959 1.00 231.00 137.75 79.00 PRCCS9 : CCS: procedure 9 108,171 7,702,591 1.00 231.00 139.66 78.71 PRCCS10 : CCS: procedure 10 65,502 7,745,260 1.00 231.00 140.27 78.82 PRCCS11 : CCS: procedure 11 41,212 7,769,550 1.00 231.00 139.40 78.87 PRCCS12 : CCS: procedure 12 29,594 7,781,168 1.00 231.00 137.94 78.91 PRCCS13 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 136.60 78.81 PRCCS14 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 136.60 78.81 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 33.31 PRDAY2 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.54 3.95 PRDAY3 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.00 PRDAY4 : Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.00 PRDAY5 : Number of days from admission to PR6 366,597 7,444,165 -4.00 366.00 4.06 9.20 PRDAY6 : Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 4.06 9.20 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR9 | PRCCS6 : CCS: procedure 6 | 449,599 | 7,361,163 | 1.00 | 231.00 | 121.42 | 75.73 |
| PRCCS1 : CCS: procedure 9 108,171 | PRCCS7 : CCS: procedure 7 | 257,353 | 7,553,409 | 1.00 | 231.00 | 119.21 | 76.32 |
| PRCCS10 : CCS: procedure 10 | PRCCS8 : CCS: procedure 8 | 169,803 | 7,640,959 | 1.00 | 231.00 | 137.75 | 79.00 |
| PRCCS11 : CCS: procedure 11 | PRCCS9 : CCS: procedure 9 | 108,171 | 7,702,591 | 1.00 | 231.00 | 139.66 | 78.71 |
| PRCCS12 : CCS: procedure 12 29,594 7,781,168 1.00 231.00 137.94 78.91 PRCCS13 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 136.60 78.81 PRCCS14 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 137.79 78.85 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.31 PRDAY2 : Number of days from admission to PR2 2,424,696 5,386,066 -4.00 368.00 1.54 3.95 PRDAY3 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.85 PRDAY4 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5 : Number of days from admission to PR5 336,332 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6 : Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7 : Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.26 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRCCS10 : CCS: procedure 10 | 65,502 | 7,745,260 | 1.00 | 231.00 | 140.27 | 78.82 |
| PRCCS13 : CCS: procedure 13 20,989 7,789,773 1.00 231.00 136.60 78.81 PRCCS14 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 137.79 78.89 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.31 PRDAY2 : Number of days from admission to PR2 2,424,696 5,386,066 -4.00 368.00 1.54 3.99 PRDAY3 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.89 PRDAY4 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5 : Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6 : Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 4.06 9.20 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 | PRCCS11 : CCS: procedure 11 | 41,212 | 7,769,550 | 1.00 | 231.00 | 139.40 | 78.87 |
| PRCCS14 : CCS: procedure 14 15,127 7,795,635 1.00 231.00 137.79 78.86 PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.31 PRDAY2 : Number of days from admission to PR2 2,424,696 5,386,066 -4.00 368.00 1.54 3.99 PRDAY3 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.86 PRDAY4 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5 : Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6 : Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 4.06 9.20 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 366.00 6.37 12.37 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10 : Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRCCS12 : CCS: procedure 12 | 29,594 | 7,781,168 | 1.00 | 231.00 | 137.94 | 78.91 |
| PRCCS15 : CCS: procedure 15 11,368 7,799,394 1.00 231.00 130.32 79.47 PRDAY1 : Number of days from admission to PR1 4,484,538 3,326,224 -4.00 367.00 1.26 3.31 PRDAY2 : Number of days from admission to PR2 2,424,696 5,386,066 -4.00 368.00 1.54 3.99 PRDAY3 : Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.89 PRDAY4 : Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5 : Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6 : Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.03 PRDAY7 : Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.26 PRDAY8 : Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9 : Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 7.67 13.95 PRDAY10 : Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRCCS13 : CCS: procedure 13 | 20,989 | 7,789,773 | 1.00 | 231.00 | 136.60 | 78.81 |
| PRDAY1: Number of days from admission to PR1 | PRCCS14 : CCS: procedure 14 | 15,127 | 7,795,635 | 1.00 | 231.00 | 137.79 | 78.89 |
| PRDAY2: Number of days from admission to PR2 2,424,696 5,386,066 -4.00 368.00 1.54 3.99 PRDAY3: Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.89 PRDAY4: Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5: Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRCCS15 : CCS: procedure 15 | 11,368 | 7,799,394 | 1.00 | 231.00 | 130.32 | 79.47 |
| PRDAY3: Number of days from admission to PR3 1,403,850 6,406,912 -4.00 367.00 1.97 4.89 PRDAY4: Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5: Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY1 : Number of days from admission to PR1 | 4,484,538 | 3,326,224 | -4.00 | 367.00 | 1.26 | 3.31 |
| PRDAY4: Number of days from admission to PR4 831,793 6,978,969 -4.00 367.00 2.51 6.08 PRDAY5: Number of days from admission to PR5 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY2 : Number of days from admission to PR2 | 2,424,696 | 5,386,066 | -4.00 | 368.00 | 1.54 | 3.99 |
| PRDAYS: Number of days from admission to PRS 533,432 7,277,330 -4.00 365.00 3.02 7.06 PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY3 : Number of days from admission to PR3 | 1,403,850 | 6,406,912 | -4.00 | 367.00 | 1.97 | 4.89 |
| PRDAY6: Number of days from admission to PR6 366,597 7,444,165 -4.00 345.00 3.53 7.93 PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY4 : Number of days from admission to PR4 | 831,793 | 6,978,969 | -4.00 | 367.00 | 2.51 | 6.08 |
| PRDAY7: Number of days from admission to PR7 209,700 7,601,062 -4.00 366.00 4.06 9.20 PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY5 : Number of days from admission to PR5 | 533,432 | 7,277,330 | -4.00 | 365.00 | 3.02 | 7.06 |
| PRDAY8: Number of days from admission to PR8 137,447 7,673,315 -4.00 312.00 5.02 10.48 PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY6 : Number of days from admission to PR6 | 366,597 | 7,444,165 | -4.00 | 345.00 | 3.53 | 7.93 |
| PRDAY9: Number of days from admission to PR9 86,585 7,724,177 -4.00 366.00 6.37 12.37 PRDAY10: Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY7 : Number of days from admission to PR7 | 209,700 | 7,601,062 | -4.00 | 366.00 | 4.06 | 9.20 |
| PRDAY10 : Number of days from admission to PR10 57,989 7,752,773 -4.00 366.00 7.67 13.95 | PRDAY8 : Number of days from admission to PR8 | 137,447 | 7,673,315 | -4.00 | 312.00 | 5.02 | 10.48 |
| | PRDAY9 : Number of days from admission to PR9 | 86,585 | 7,724,177 | -4.00 | 366.00 | 6.37 | 12.37 |
| PRDAY11: Number of days from admission to PR11 36,806 7,773,956 -4.00 329.00 9.11 15.72 | PRDAY10 : Number of days from admission to PR10 | 57,989 | 7,752,773 | -4.00 | 366.00 | 7.67 | 13.95 |
| | PRDAY11 : Number of days from admission to PR11 | 36,806 | 7,773,956 | -4.00 | 329.00 | 9.11 | 15.72 |

(Continued)

| Variable / Label | N | N Miss | Minimum | Maximum | Mean | Std Dev |
|--|-----------|-----------|------------|---------------|-----------|-----------|
| PRDAY12 : Number of days from admission to PR12 | 25,610 | 7,785,152 | -3.00 | 362.00 | 10.05 | 17.08 |
| PRDAY13 : Number of days from admission to PR13 | 18,042 | 7,792,720 | -3.00 | 334.00 | 11.21 | 18.18 |
| PRDAY14 : Number of days from admission to PR14 | 12,900 | 7,797,862 | -3.00 | 338.00 | 12.88 | 20.00 |
| PRDAY15 : Number of days from admission to PR15 | 9,691 | 7,801,071 | -4.00 | 366.00 | 13.45 | 20.94 |
| RACE : Race (uniform) | 6,614,593 | 1,196,169 | 1.00 | 6.00 | 1.71 | 1.24 |
| TOTCHG : Total charges (cleaned) | 7,717,057 | 93,705 | 100.00 | 1,499,961.00 | 30,703.54 | 54,076.03 |
| TOTCHG_X : Total charges (as received from source) | 7,706,768 | 103,994 | -33,746.18 | 17,387,250.00 | 31,188.78 | 65,584.93 |
| TRAN_IN : Transfer in indicator | 7,789,029 | 21,733 | 0.00 | 2.00 | 0.08 | 0.33 |
| YEAR : Calendar year | 7,810,762 | 0 | 2,009.00 | 2,009.00 | 2,009.00 | 0.00 |
| ZIPINC_QRTL : Median household income national quartile for patient ZIP Code | 7,575,371 | 235,391 | 1.00 | 4.00 | 2.38 | 1.11 |

| | | Percent of |
|-----|-----------|---------------|
| AGE | Frequency | Total |
| | 9,687 | 0.12% |
| Α | 42 | 0.00% |
| С | 792 | 0.01% |
| 0 | 933,907 | 11.96% |
| 1 | 35,581 | 0.46% |
| 2 | 35,848 | 0.46% |
| 3 | 16,531 | 0.21% |
| 4 | 13,497 | 0.17% |
| 5 | 12,465 | 0.16% |
| 6 | 11,068 | 0.14% |
| 7 | 17,974 | 0.23% |
| 8 | 10,459 | 0.13% |
| 9 | 11,804 | 0.15% |
| 10 | 9,524 | 0.12% |
| 11 | 9,903 | 0.13% |
| 12 | 17,818 | 0.23% |
| 13 | 12,240 | 0.16% |
| 14 | 14,624 | 0.19% |
| 15 | 19,518 | 0.25% |
| 16 | 34,063 | 0.44% |
| 17 | 37,144 | 0.48% |
| 18 | 46,953 | 0.60% |
| 19 | 68,397 | 0.88% |
| 20 | 62,150 | 0.80% |
| 21 | 63,740 | 0.82% |
| 22 | 101,153 | 1.30% |
| 23 | 66,865 | 0.86% |
| 24 | 68,721 | 0.88% |
| 25 | 70,268 | 0.90% |
| 26 | 75,541 | 0.97% |
| | | |

| | | Percent of |
|-----|-----------|---------------|
| AGE | Frequency | Total |
| 27 | 114,155 | 1.46% |
| 28 | 78,038 | 1.00% |
| 29 | 78,677 | 1.01% |
| 30 | 76,300 | 0.98% |
| 31 | 87,695 | 1.12% |
| 32 | 105,117 | 1.35% |
| 33 | 67,341 | 0.86% |
| 34 | 66,109 | 0.85% |
| 35 | 63,289 | 0.81% |
| 36 | 61,853 | 0.79% |
| 37 | 88,585 | 1.13% |
| 38 | 63,717 | 0.82% |
| 39 | 61,975 | 0.79% |
| 40 | 60,187 | 0.77% |
| 41 | 58,903 | 0.75% |
| 42 | 83,126 | 1.06% |
| 43 | 62,661 | 0.80% |
| 44 | 68,217 | 0.87% |
| 45 | 71,815 | 0.92% |
| 46 | 74,509 | 0.95% |
| 47 | 106,546 | 1.36% |
| 48 | 81,737 | 1.05% |
| 49 | 85,741 | 1.10% |
| 50 | 86,369 | 1.11% |
| 51 | 87,725 | 1.12% |
| 52 | 121,345 | 1.55% |
| 53 | 90,383 | 1.16% |
| 54 | 104,836 | 1.34% |
| 55 | 90,317 | 1.16% |
| 56 | 90,647 | 1.16% |
| | | |

| | | Percent of |
|-----|-----------|---------------|
| AGE | Frequency | Total |
| 57 | 125,031 | 1.60% |
| 58 | 90,501 | 1.16% |
| 59 | 91,387 | 1.17% |
| 60 | 94,882 | 1.21% |
| 61 | 98,433 | 1.26% |
| 62 | 139,336 | 1.78% |
| 63 | 87,060 | 1.11% |
| 64 | 86,488 | 1.11% |
| 65 | 98,875 | 1.27% |
| 66 | 104,431 | 1.34% |
| 67 | 134,884 | 1.73% |
| 68 | 94,926 | 1.22% |
| 69 | 96,759 | 1.24% |
| 70 | 94,413 | 1.21% |
| 71 | 94,258 | 1.21% |
| 72 | 128,179 | 1.64% |
| 73 | 94,891 | 1.21% |
| 74 | 96,168 | 1.23% |
| 75 | 95,419 | 1.22% |
| 76 | 95,521 | 1.22% |
| 77 | 132,956 | 1.70% |
| 78 | 98,904 | 1.27% |
| 79 | 99,700 | 1.28% |
| 80 | 97,320 | 1.25% |
| 81 | 97,569 | 1.25% |
| 82 | 128,169 | 1.64% |
| 83 | 92,531 | 1.18% |
| 84 | 90,558 | 1.16% |
| 85 | 84,124 | 1.08% |
| 86 | 78,603 | 1.01% |
| | | |

| | | Percent of |
|-----|-----------|---------------|
| AGE | Frequency | Total |
| 87 | 97,376 | 1.25% |
| 88 | 65,131 | 0.83% |
| 89 | 56,013 | 0.72% |
| 90 | 59,035 | 0.76% |
| 91 | 39,119 | 0.50% |
| 92 | 31,466 | 0.40% |
| 93 | 25,447 | 0.33% |
| 94 | 20,008 | 0.26% |
| 95 | 15,480 | 0.20% |
| 96 | 11,040 | 0.14% |
| 97 | 7,744 | 0.10% |
| 98 | 5,280 | 0.07% |
| 99 | 3,630 | 0.05% |
| 100 | 2,298 | 0.03% |
| 101 | 1,337 | 0.02% |
| 102 | 787 | 0.01% |
| 103 | 421 | 0.01% |
| 104 | 274 | 0.00% |
| 105 | 125 | 0.00% |
| 106 | 90 | 0.00% |
| 107 | 52 | 0.00% |
| 108 | 55 | 0.00% |
| 109 | 41 | 0.00% |
| 110 | 28 | 0.00% |
| 114 | <= 10 | *.**% |
| 119 | <= 10 | *.**% |
| | | |

| AGEDAY | Frequency | Percent of Total |
|------------------|-----------|------------------------|
| .: Missing | 7,065,199 | 90.45% |
| .C: Inconsistent | 509 | 0.01% |
| 0 days | 669,057 | 8.57% |
| 1 day | 2,990 | 0.04% |
| 2 days | 1,296 | 0.02% |
| 3 days | 2,480 | 0.03% |
| 4 days | 2,630 | 0.03% |
| 5 days | 1,743 | 0.02% |
| 6 days | 1,174 | 0.02% |
| 7 days | 825 | 0.01% |
| 8 days | 592 | 0.01% |
| 9 days | 545 | 0.01% |
| 10 days | 524 | 0.01% |
| 11 - 30 days | 9,408 | 0.12% |
| 31 - 60 days | 11,743 | 0.15% |
| 61 - 90 days | 7,000 | 0.09% |
| 91 - 120 days | 5,091 | 0.07% |
| 121 - 150 days | 4,356 | 0.06% |
| 151 - 180 days | 3,934 | 0.05% |
| 181 - 210 days | 3,660 | 0.05% |
| 211 - 240 days | 3,350 | 0.04% |
| 241 - 270 days | 3,114 | 0.04% |
| 271 - 300 days | 3,118 | 0.04% |
| 301 - 330 days | 3,131 | 0.04% |
| 331 - 364 days | 3,293 | 0.04% |

| AMONTH | Frequency | Percent of Total |
|--------------|-----------|------------------------|
| .: Missing | 692,578 | 8.87% |
| 1: January | 608,398 | 7.79% |
| 2: February | 568,706 | 7.28% |
| 3: March | 624,415 | 7.99% |
| 4: April | 595,906 | 7.63% |
| 5: May | 591,650 | 7.57% |
| 6: June | 597,042 | 7.64% |
| 7: July | 603,110 | 7.72% |
| 8: August | 592,910 | 7.59% |
| 9: September | 590,134 | 7.56% |
| 10: October | 598,829 | 7.67% |
| 11: November | 560,748 | 7.18% |
| 12: December | 586,336 | 7.51% |

$\begin{array}{cccc} \mbox{HCUP Summary Statistics Report:} & \mbox{NIS 2009 - Core File} \\ \mbox{Frequency Distribution for ASOURCE} \end{array}$

| ASOURCE | Frequency | Percent of Total |
|---|-----------|------------------------|
| .: Missing | 6,123,760 | 78.40% |
| .A: Invalid | 32 | 0.00% |
| 1: Emergency department | 738,947 | 9.46% |
| 2: Another hospital | 61,787 | 0.79% |
| 3: Other health facility, including LTC | 38,074 | 0.49% |
| 4: Court/law enforcement | 1,547 | 0.02% |
| 5: Routine, birth, and other | 846,615 | 10.84% |

HCUP Summary Statistics Report: NIS 2009 - Core File Frequency Distribution for ASOURCEUB92

| ASOURCEUB92 | Frequency | Percent of Total |
|---|-----------|------------------------|
| Blank/invalid | 7,172,861 | 91.83% |
| 1: Physician referral | 219,815 | 2.81% |
| 2: Clinic referral | 27,470 | 0.35% |
| 3: HMO referral | 764 | 0.01% |
| 4: Transfer from a hospital | 21,746 | 0.28% |
| 5: Transfer from a Skilled Nursing Facility | 10,536 | 0.13% |
| 6: Transfer from another health care facility | 8,159 | 0.10% |
| 7: Emergency Room | 345,457 | 4.42% |
| 8: Court/law enforcement | 1,024 | 0.01% |
| A: Transfer from a Critical Access Hospital | 84 | 0.00% |
| C: Readmission to same Home Health Agency | <= 10 | *.**% |
| D: Transfer within hospital | 2,845 | 0.04% |

| ASOURCE_X | Frequency | Percent of Total |
|-----------|-----------|------------------------|
| Blank | 6,113,077 | 78.26% |
| Non-blank | 1,697,685 | 21.74% |

| АТУРЕ | Frequency | Percent of Total |
|------------------|-----------|------------------------|
| .: Missing | 916,667 | 11.74% |
| .A: Invalid | 2,507 | 0.03% |
| 1: Emergency | 3,224,213 | 41.28% |
| 2: Urgent | 1,337,240 | 17.12% |
| 3: Elective | 1,606,598 | 20.57% |
| 4: Newborn | 696,681 | 8.92% |
| 5: Trauma center | 25,704 | 0.33% |
| 6: Other | 1,152 | 0.01% |

| AWEEKEND | Frequency | Percent of Total |
|--------------------|-----------|------------------------|
| .: Missing | 2,478 | 0.03% |
| 0: Monday-Friday | 6,284,972 | 80.47% |
| 1: Saturday-Sunday | 1,523,312 | 19.50% |

| DIED | Frequency | Percent of Total |
|----------------------------|-----------|------------------------|
| .: Missing | 3,958 | 0.05% |
| .A: Invalid | 1,633 | 0.02% |
| 0: Did not die in hospital | 7,655,290 | 98.01% |
| 1: Died in hospital | 149,881 | 1.92% |

| | | Percent |
|--|-----------|---------|
| DISPUB04 | Frequency | - |
| .: Missing | 1,066,086 | 13.65% |
| .A: Invalid | 1,581 | 0.02% |
| 1: Routine | 4,841,838 | 61.99% |
| 2: Short-term hospital | 121,904 | 1.56% |
| 3: Skilled Nursing Facility | 566,675 | 7.26% |
| 4: Intermediate Care Facility | 49,175 | 0.63% |
| 5: Another type of health care institution not defined elsewhere | 25,180 | 0.32% |
| 6: Home health care | 655,294 | 8.39% |
| 7: Against medical advice | 65,131 | 0.83% |
| 8: Home IV provider | 77 | 0.00% |
| 20: Died in hospital | 129,033 | 1.65% |
| 21: Discharged/transferred to court law enforcement | 686 | 0.01% |
| 40: Died at home | 23 | 0.00% |
| 41: Died in a medical facility | 756 | 0.01% |
| 42: Died, place unknown | <= 10 | *.**% |
| 43: Federal health facility | 3,720 | 0.05% |
| 50: Hospice - home | 38,313 | 0.49% |
| 51: Hospice - medical facility | 38,316 | 0.49% |
| 61: This institution to a swing bed | 20,094 | 0.26% |
| 62: Another rehab facility including distinct rehab units of a hospital | 105,238 | 1.35% |
| 63: Long term care hospital swing bed | 30,538 | 0.39% |
| 64: Nursing facility certified under Medicaid but not Medicare | 4,960 | 0.06% |
| 65: Psychiatric hospital or psychiatric distinct part unit of a hospital | 32,638 | 0.42% |
| 66: Critical Access Hospital | 611 | 0.01% |
| 70: Another type of health care institution not defined elsewhere | 12,198 | 0.16% |
| 71: Another institution for outpatient services | <= 10 | *.**% |
| 99: Discharged alive, destination unknown | 691 | 0.01% |

| DISPUNIFORM | Frequency | Percent of Total |
|---|-----------|------------------------|
| .: Missing | 3,958 | 0.05% |
| .A: Invalid | 1,633 | 0.02% |
| 1: Discharged to home or self care | 5,655,231 | 72.40% |
| 2: Transfer: short-term hospital | 169,576 | 2.17% |
| 5: Transfer: other type of facility | 980,987 | 12.56% |
| 6: Home health care | 769,754 | 9.86% |
| 7: Against medical advice | 75,184 | 0.96% |
| 20: Died in hospital | 149,881 | 1.92% |
| 99: Discharged alive, destination unknown | 4,558 | 0.06% |

| DQTR | Frequency | Percent of Total |
|-------------------|-----------|------------------------|
| | 17,197 | 0.22% |
| 1: First quarter | 1,966,502 | 25.18% |
| 2: Second quarter | 1,955,423 | 25.03% |
| 3: Third quarter | 1,950,370 | 24.97% |
| 4: Fourth guarter | 1.921.270 | 24.60% |

| | | Percent |
|---|-----------|---------|
| DRG24 | Frequency | Total |
| 1: CRANIOTOMY AGE >17 W CC | 13,345 | 0.17% |
| 2: CRANIOTOMY AGE >17 W/O CC | 9,337 | 0.12% |
| 3: CRANIOTOMY AGE 0-17 | 3,978 | 0.05% |
| 6: CARPAL TUNNEL RELEASE | 199 | 0.00% |
| 7: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W CC | 6,036 | 0.08% |
| 8: PERIPH & CRANIAL NERVE & OTHER NERV SYST PROC W/O CC | 2,242 | 0.03% |
| 9: SPINAL DISORDERS & INJURIES | 1,110 | 0.01% |
| 10: NERVOUS SYSTEM NEOPLASMS W CC | 8,940 | 0.11% |
| 11: NERVOUS SYSTEM NEOPLASMS W/O CC | 2,211 | 0.03% |
| 12: DEGENERATIVE NERVOUS SYSTEM DISORDERS | 24,964 | 0.32% |
| 13: MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA | 5,128 | 0.07% |
| 14: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION | 92,916 | 1.19% |
| 15: NONSPECIFIC CVA & PRECEREBRAL OCCLUSION W/O INFARCT | 4,314 | 0.06% |
| 16: NONSPECIFIC CEREBROVASCULAR DISORDERS W CC | 8,713 | 0.11% |
| 17: NONSPECIFIC CEREBROVASCULAR DISORDERS W/O CC | 2,049 | 0.03% |
| 18: CRANIAL & PERIPHERAL NERVE DISORDERS W CC | 15,061 | 0.19% |
| 19: CRANIAL & PERIPHERAL NERVE DISORDERS W/O CC | 6,031 | 0.08% |
| 21: VIRAL MENINGITIS | 6,249 | 0.08% |
| 22: HYPERTENSIVE ENCEPHALOPATHY | 1,811 | 0.02% |
| 23: NONTRAUMATIC STUPOR & COMA | 3,614 | 0.05% |
| 26: SEIZURE & HEADACHE AGE 0-17 | 12,603 | 0.16% |
| 27: TRAUMATIC STUPOR & COMA, COMA >1 HR | 5,868 | 0.08% |
| 28: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W CC | 10,299 | 0.13% |
| 29: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE >17 W/O CC | 5,197 | 0.07% |
| 30: TRAUMATIC STUPOR & COMA, COMA <1 HR AGE 0-17 | 2,420 | 0.03% |
| 31: CONCUSSION AGE >17 W CC | 3,753 | 0.05% |
| 32: CONCUSSION AGE >17 W/O CC | 2,600 | 0.03% |
| 33: CONCUSSION AGE 0-17 | 1,425 | 0.02% |
| 34: OTHER DISORDERS OF NERVOUS SYSTEM W CC | 12,663 | 0.16% |
| 35: OTHER DISORDERS OF NERVOUS SYSTEM W/O CC | 6,661 | 0.09% |

| | | Percent |
|--|-----------|-------------|
| DRG24 | Frequency | of Total |
| 36: RETINAL PROCEDURES | 72 | 0.00% |
| 37: ORBITAL PROCEDURES | 1,086 | 0.01% |
| 38: PRIMARY IRIS PROCEDURES | 21 | 0.00% |
| 39: LENS PROCEDURES WITH OR WITHOUT VITRECTOMY | 90 | 0.00% |
| 40: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE >17 | 603 | 0.01% |
| 41: EXTRAOCULAR PROCEDURES EXCEPT ORBIT AGE 0-17 | 133 | 0.00% |
| 42: INTRAOCULAR PROCEDURES EXCEPT RETINA, IRIS & LENS | 625 | 0.01% |
| 43: НУРНЕМА | 85 | 0.00% |
| 44: ACUTE MAJOR EYE INFECTIONS | 1,578 | 0.02% |
| 45: NEUROLOGICAL EYE DISORDERS | 1,939 | 0.02% |
| 46: OTHER DISORDERS OF THE EYE AGE >17 W CC | 1,751 | 0.02% |
| 47: OTHER DISORDERS OF THE EYE AGE >17 W/O CC | 1,147 | 0.01% |
| 48: OTHER DISORDERS OF THE EYE AGE 0-17 | 866 | 0.01% |
| 49: MAJOR HEAD & NECK PROCEDURES | 1,768 | 0.02% |
| 50: SIALOADENECTOMY | 1,021 | 0.01% |
| 51: SALIVARY GLAND PROCEDURES EXCEPT SIALOADENECTOMY | 127 | 0.00% |
| 52: CLEFT LIP & PALATE REPAIR | 982 | 0.01% |
| 53: SINUS & MASTOID PROCEDURES AGE >17 | 1,119 | 0.01% |
| 54: SINUS & MASTOID PROCEDURES AGE 0-17 | 201 | 0.00% |
| 55: MISCELLANEOUS EAR, NOSE, MOUTH & THROAT PROCEDURES | 1,407 | 0.02% |
| 56: RHINOPLASTY | 395 | 0.01% |
| 57: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 1,568 | 0.02% |
| 58: T&A PROC, EXCEPT TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 797 | 0.01% |
| 59: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE >17 | 273 | 0.00% |
| 60: TONSILLECTOMY &/OR ADENOIDECTOMY ONLY, AGE 0-17 | 1,385 | 0.02% |
| 61: MYRINGOTOMY W TUBE INSERTION AGE >17 | 142 | 0.00% |
| 62: MYRINGOTOMY W TUBE INSERTION AGE 0-17 | 1,166 | 0.01% |
| 63: OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES | 5,207 | 0.07% |
| 64: EAR, NOSE, MOUTH & THROAT MALIGNANCY | 1,827 | 0.02% |
| 65: DYSEQUILIBRIUM | 15,478 | 0.20% |

| DRG24 66: EPISTAXIS 2,835 0.04% 67: EPIGLOTTITIS 417 0.01% 68: OTITIS MEDIA & URI AGE >17 W CC 9,257 0.12% 69: OTITIS MEDIA & URI AGE >17 W/O CC 4,985 0.06% 70: OTITIS MEDIA & URI AGE >17 W/O CC 4,985 0.06% 71: LARYMGOTRACHEITIS 2,761 0.04% 72: NASAL TRAUMA & DEFORMITY 1,130 0.01% 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 5,495 0.07% 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 1,464 0.02% 75: MAJOR CHEST PROCEDURES 24,071 0.31% 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W CC 4,471 0.06% 85: PLEURAL EFFUSION W/O CC 86: PLEURAL EFFUSION W/O CC 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 150,809 1,93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 40,601 0.01% 92: INTERSTITIAL LUNG DISEASE W CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 766 0.01% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 769 91: SIMPLE PNEUMONI | | | Percent |
|--|---|-----------|---------|
| 67: EPIGLOTTITIS 417 0.018 68: OTITIS MEDIA & URI AGE >17 W CC 9,257 0.128 69: OTITIS MEDIA & URI AGE >17 W CC 4,985 0.068 70: OTITIS MEDIA & URI AGE >17 W/O CC 4,985 0.068 70: OTITIS MEDIA & URI AGE >17 W/O CC 12,095 0.158 71: LARYNGOTRACHEITIS 2,761 0.048 72: NASAL TRAUMA & DEFORMITY 1,130 0.017 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 5,495 0.078 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 1,464 0.028 75: MAJOR CHEST PROCEDURES 24,071 0.318 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.258 77: OTHER RESP SYSTEM O.R. PROCEDURES W CC 1,654 0.028 78: PULMONARY EMBOLISM 27,985 0.368 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.628 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.048 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.038 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.038 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.038 83: MAJOR CHEST TRAUMA W CC 4,471 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.018 85: PLEURAL EFFUSION W/O CC 766 0.018 86: PLEURAL EFFUSION W/O CC 766 0.018 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.478 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.118 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.268 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.268 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.268 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 749 0.018 92: INTERSTITIAL LUNG DISEASE W CC 749 0.018 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.018 | DRG24 | Frequency | _ |
| 68: OTITIS MEDIA & URI AGE >17 W CC | 66: EPISTAXIS | 2,835 | 0.04% |
| 69: OTITIS MEDIA & URI AGE >17 W/O CC 4,985 0.068 70: OTITIS MEDIA & URI AGE >17 W/O CC 12,095 0.15% 71: LARYNGOTRACHEITIS 2,761 0.048 72: NASAL TRAUMA & DEFORMITY 1,130 0.01% 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 5,495 0.07% 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 1,464 0.02% 75: MAJOR CHEST PROCEDURES 24,071 0.31% 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 4,471 0.06% 85: PLEURAL EFFUSION W/O CC 766 0.01% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 20,662 0.26% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 92: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 93: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 94: SIMPLE PNEUMONIA | 67: EPIGLOTTITIS | 417 | 0.01% |
| 70: OTITIS MEDIA & URI AGE 0-17 71: LARYNGOTRACHEITIS 72: NASAL TRAUMA & DEFORMITY 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 75: MAJOR CHEST PROCEDURES 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 77: OTHER RESP SYSTEM O.R. PROCEDURES W CC 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,217 0.03% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 4,471 0.06% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W CC 9,255 0.12% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 4,471 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 749 0.01% | 68: OTITIS MEDIA & URI AGE >17 W CC | 9,257 | 0.12% |
| 71: LARYNGOTRACHEITIS 2,761 0.04% 72: NASAL TRAUMA & DEFORMITY 1,130 0.01% 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 5,495 0.07% 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 1,464 0.02% 75: MAJOR CHEST PROCEDURES 24,071 0.31% 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 4,471 0.06% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 49: SIMP | 69: OTITIS MEDIA & URI AGE >17 W/O CC | 4,985 | 0.06% |
| 72: NASAL TRAUMA & DEFORMITY 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 75: MAJOR CHEST PROCEDURES 24,071 0.31% 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 92: INTERSTITIAL LUNG DISEASE W/O CC 94: PNEUMOTHORAX W CC 86: PNEUMOTHORAX W CC 97: PNEUMOTHORAX W CC 98: PNEUMOTHORAX W CC 99: SIMPLE PNEUMOTHORAX W CC 99: PNEUMOTHORAX W CC | 70: OTITIS MEDIA & URI AGE 0-17 | 12,095 | 0.15% |
| 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 75: MAJOR CHEST PROCEDURES 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 77: OTHER RESP SYSTEM O.R. PROCEDURES W CC 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 88: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 40.601 0.08% 93: INTERSTITIAL LUNG DISEASE W CC 40.01% 94: PNEUMOTHORAX W CC 86: PLEURATITIAL LUNG DISEASE W/O CC 749 0.01% | 71: LARYNGOTRACHEITIS | 2,761 | 0.04% |
| 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 75: MAJOR CHEST PROCEDURES 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 4,49 92: INTERSTITIAL LUNG DISEASE W CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 72: NASAL TRAUMA & DEFORMITY | 1,130 | 0.01% |
| 75: MAJOR CHEST PROCEDURES 24,071 0.31% 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 73: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE >17 | 5,495 | 0.07% |
| 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC 19,598 0.25% 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% | 74: OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSES AGE 0-17 | 1,464 | 0.02% |
| 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC 1,654 0.02% 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 92: INTERSTITIAL LUNG DISEASE W CC 94: PNEUMOTHORAX W CC 8,044 0.10% | 75: MAJOR CHEST PROCEDURES | 24,071 | 0.31% |
| 78: PULMONARY EMBOLISM 27,985 0.36% 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 48,755 0.62% 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 3,317 0.04% 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 76: OTHER RESP SYSTEM O.R. PROCEDURES W CC | 19,598 | 0.25% |
| 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 8,044 0.10% | 77: OTHER RESP SYSTEM O.R. PROCEDURES W/O CC | 1,654 | 0.02% |
| 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 2,110 0.03% 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 749 0.01% 94: PNEUMOTHORAX W CC | 78: PULMONARY EMBOLISM | 27,985 | 0.36% |
| 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 82: RESPIRATORY NEOPLASMS 21,963 0.28% 83: MAJOR CHEST TRAUMA W CC 4,471 0.06% 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 94: PNEUMOTHORAX W CC 8,044 0.10% | 79: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W CC | 48,755 | 0.62% |
| 82: RESPIRATORY NEOPLASMS 83: MAJOR CHEST TRAUMA W CC 84: MAJOR CHEST TRAUMA W/O CC 84: MAJOR CHEST TRAUMA W/O CC 85: PLEURAL EFFUSION W CC 86: PLEURAL EFFUSION W/O CC 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 92: INTERSTITIAL LUNG DISEASE W CC 94: PNEUMOTHORAX W CC 8,044 0.10% | 80: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE >17 W/O CC | 3,317 | 0.04% |
| 83: MAJOR CHEST TRAUMA W CC 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 81: RESPIRATORY INFECTIONS & INFLAMMATIONS AGE 0-17 | 2,110 | 0.03% |
| 84: MAJOR CHEST TRAUMA W/O CC 1,099 0.01% 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% | 82: RESPIRATORY NEOPLASMS | 21,963 | 0.28% |
| 85: PLEURAL EFFUSION W CC 9,255 0.12% 86: PLEURAL EFFUSION W/O CC 766 0.01% 87: PULMONARY EDEMA & RESPIRATORY FAILURE 36,733 0.47% 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC | 83: MAJOR CHEST TRAUMA W CC | 4,471 | 0.06% |
| 86: PLEURAL EFFUSION W/O CC 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 92: INTERSTITIAL LUNG DISEASE W CC 94: PNEUMOTHORAX W CC 766 0.01% 36,733 0.47% 150,809 1.93% 1.93% 1.93% 2.11% 2.11% 32,046 0.41% 32,046 0.41% 94: PNEUMOTHORAX W CC 8,044 0.10% | 84: MAJOR CHEST TRAUMA W/O CC | 1,099 | 0.01% |
| 87: PULMONARY EDEMA & RESPIRATORY FAILURE 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 92: INTERSTITIAL LUNG DISEASE W CC 93: INTERSTITIAL LUNG DISEASE W/O CC 94: PNEUMOTHORAX W CC 8,044 0.10% | 85: PLEURAL EFFUSION W CC | 9,255 | 0.12% |
| 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE 165,197 2.11% 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 86: PLEURAL EFFUSION W/O CC | 766 | 0.01% |
| 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC 150,809 1.93% 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 87: PULMONARY EDEMA & RESPIRATORY FAILURE | 36,733 | 0.47% |
| 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC 20,662 0.26% 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 88: CHRONIC OBSTRUCTIVE PULMONARY DISEASE | 165,197 | 2.11% |
| 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 32,046 0.41% 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 89: SIMPLE PNEUMONIA & PLEURISY AGE >17 W CC | 150,809 | 1.93% |
| 92: INTERSTITIAL LUNG DISEASE W CC 6,601 0.08% 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 90: SIMPLE PNEUMONIA & PLEURISY AGE >17 W/O CC | 20,662 | 0.26% |
| 93: INTERSTITIAL LUNG DISEASE W/O CC 749 0.01% 94: PNEUMOTHORAX W CC 8,044 0.10% | 91: SIMPLE PNEUMONIA & PLEURISY AGE 0-17 | 32,046 | 0.41% |
| 94: PNEUMOTHORAX W CC 8,044 0.10% | 92: INTERSTITIAL LUNG DISEASE W CC | 6,601 | 0.08% |
| | 93: INTERSTITIAL LUNG DISEASE W/O CC | 749 | 0.01% |
| 95: PNEUMOTHORAX W/O CC 3,865 0.05% | 94: PNEUMOTHORAX W CC | 8,044 | 0.10% |
| | 95: PNEUMOTHORAX W/O CC | 3,865 | 0.05% |

| | _ | Percent |
|---|-----------|---------|
| DRG24 | Frequency | Total |
| 96: BRONCHITIS & ASTHMA AGE >17 W CC | 27,532 | 0.35% |
| 97: BRONCHITIS & ASTHMA AGE >17 W/O CC | 19,670 | 0.25% |
| 98: BRONCHITIS & ASTHMA AGE 0-17 | 51,560 | 0.66% |
| 99: RESPIRATORY SIGNS & SYMPTOMS W CC | 8,946 | 0.11% |
| 100: RESPIRATORY SIGNS & SYMPTOMS W/O CC | 4,657 | 0.06% |
| 101: OTHER RESPIRATORY SYSTEM DIAGNOSES W CC | 11,004 | 0.14% |
| 102: OTHER RESPIRATORY SYSTEM DIAGNOSES W/O CC | 4,054 | 0.05% |
| 103: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM | 909 | 0.01% |
| 104: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W CARDIAC CATH | 7,383 | 0.09% |
| 105: CARDIAC VALVE & OTHER MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH | 17,314 | 0.22% |
| 106: CORONARY BYPASS W PTCA | 1,595 | 0.02% |
| 108: OTHER CARDIOTHORACIC PROCEDURES | 5,726 | 0.07% |
| 110: MAJOR CARDIOVASCULAR PROCEDURES W CC | 21,463 | 0.27% |
| 111: MAJOR CARDIOVASCULAR PROCEDURES W/O CC | 5,327 | 0.07% |
| 113: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB & TOE | 7,494 | 0.10% |
| 114: UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS | 2,322 | 0.03% |
| 117: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT | 3,142 | 0.04% |
| 118: CARDIAC PACEMAKER DEVICE REPLACEMENT | 1,702 | 0.02% |
| 119: VEIN LIGATION & STRIPPING | 274 | 0.00% |
| 120: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 7,327 | 0.09% |
| 121: CIRCULATORY DISORDERS W AMI & MAJOR COMP, DISCHARGED ALIVE | 38,608 | 0.49% |
| 122: CIRCULATORY DISORDERS W AMI W/O MAJOR COMP, DISCHARGED ALIVE | 19,235 | 0.25% |
| 123: CIRCULATORY DISORDERS W AMI, EXPIRED | 5,440 | 0.07% |
| 124: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH & COMPLEX DIAG | 39,846 | 0.51% |
| 125: CIRCULATORY DISORDERS EXCEPT AMI, W CARD CATH W/O COMPLEX DIAG | 42,252 | 0.54% |
| 126: ACUTE & SUBACUTE ENDOCARDITIS | 2,193 | 0.03% |
| 127: HEART FAILURE & SHOCK | 185,343 | 2.37% |
| 128: DEEP VEIN THROMBOPHLEBITIS | 1,057 | 0.01% |
| 129: CARDIAC ARREST, UNEXPLAINED | 1,362 | 0.02% |
| 130: PERIPHERAL VASCULAR DISORDERS W CC | 32,788 | 0.42% |
| | | |

| | | Percent of |
|---|-----------|---------------|
| DRG24 | Frequency | Total |
| 131: PERIPHERAL VASCULAR DISORDERS W/O CC | 10,314 | 0.13% |
| 132: ATHEROSCLEROSIS W CC | 21,003 | 0.27% |
| 133: ATHEROSCLEROSIS W/O CC | 2,283 | 0.03% |
| 134: HYPERTENSION | 22,112 | 0.28% |
| 135: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W CC | 2,967 | 0.04% |
| 136: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE >17 W/O CC | 553 | 0.01% |
| 137: CARDIAC CONGENITAL & VALVULAR DISORDERS AGE 0-17 | 575 | 0.01% |
| 138: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W CC | 80,585 | 1.03% |
| 139: CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS W/O CC | 36,376 | 0.47% |
| 140: ANGINA PECTORIS | 8,767 | 0.11% |
| 141: SYNCOPE & COLLAPSE W CC | 45,577 | 0.58% |
| 142: SYNCOPE & COLLAPSE W/O CC | 20,644 | 0.26% |
| 143: CHEST PAIN | 113,027 | 1.45% |
| 144: OTHER CIRCULATORY SYSTEM DIAGNOSES W CC | 40,883 | 0.52% |
| 145: OTHER CIRCULATORY SYSTEM DIAGNOSES W/O CC | 3,746 | 0.05% |
| 146: RECTAL RESECTION W CC | 3,888 | 0.05% |
| 147: RECTAL RESECTION W/O CC | 1,827 | 0.02% |
| 149: MAJOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 16,459 | 0.21% |
| 150: PERITONEAL ADHESIOLYSIS W CC | 11,405 | 0.15% |
| 151: PERITONEAL ADHESIOLYSIS W/O CC | 6,043 | 0.08% |
| 152: MINOR SMALL & LARGE BOWEL PROCEDURES W CC | 2,832 | 0.04% |
| 153: MINOR SMALL & LARGE BOWEL PROCEDURES W/O CC | 2,532 | 0.03% |
| 155: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE >17 W/O CC | 5,688 | 0.07% |
| 156: STOMACH, ESOPHAGEAL & DUODENAL PROCEDURES AGE 0-17 | 2,852 | 0.04% |
| 157: ANAL & STOMAL PROCEDURES W CC | 4,113 | 0.05% |
| 158: ANAL & STOMAL PROCEDURES W/O CC | 3,967 | 0.05% |
| 159: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W CC | 8,009 | 0.10% |
| 160: HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL AGE >17 W/O CC | 8,107 | 0.10% |
| 161: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W CC | 2,755 | 0.04% |
| 162: INGUINAL & FEMORAL HERNIA PROCEDURES AGE >17 W/O CC | 2,162 | 0.03% |
| | | |

| DRG24 Frequency Total 163: HERNIA PROCEDURES AGE 0-17 164: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC 155: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC 166: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC 168: MOUTH PROCEDURES W CC 168: MOUTH PROCEDURES W CC 176: OFFICE DIGESTIVE SYSTEM O.R. PROCEDURES W CC 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC 172: DIGESTIVE MALIGNANCY W CC 173: DIGESTIVE MALIGNANCY W CC 174: G.I. HEMORRHAGE W CC 175: G.I. HEMORRHAGE W/O CC 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W CC 179: INFLAMMATORY BOWEL DISEASE 180: G.I. OBSTRUCTION W CC 181: G.I. OBSTRUCTION W CC 181: G.I. OBSTRUCTION W CC 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 187: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 30: ONTA 187: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 34,313 34,314 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 34,313 34,313 34,313 34,313 34,314 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 39: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC | | | Percent |
|--|--|-----------|-------------|
| 164: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC 5,556 0.07% 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC 8,932 0.11% 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC 6,861 0.09% 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC 35,845 0.46% 168: MOUTH PROCEDURES W CC 1,367 0.02% 169: MOUTH PROCEDURES W/O CC 1,160 0.01% 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 7,265 0.09% 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC 1,926 0.02% 172: DIGESTIVE MALIGNANCY W/O CC 1,087 0.01% 173: DIGESTIVE MALIGNANCY W/O CC 1,087 0.01% 174: G.I. HEMORRHAGE W CC 79,373 1.02% 175: G.I. HEMORRHAGE W/O CC 11,885 0.15% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W/O CC 17,039 0.22% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 | DRG24 | Frequency | of Total |
| 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC 168: MOUTH PROCEDURES W CC 1,367 169: MOUTH PROCEDURES W CC 1,160 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 1,160 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC 1,261 172: DIGESTIVE MALIGNANCY W CC 1,261 173: DIGESTIVE MALIGNANCY W/O CC 1,087 174: G.I. HEMORRHAGE W CC 1,087 175: G.I. HEMORRHAGE W CC 1,087 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 1,788 177: UNCOMPLICATED PEPTIC ULCER W/O CC 1,788 178: UNCOMPLICATED PEPTIC ULCER W/O CC 1,758 179: INFLAMMATORY BOWEL DISEASE 16,138 180: G.I. OBSTRUCTION W/O CC 181: G.I. OBSTRUCTION W/O CC 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 177: UNCOMPLICATED SYSTEM MISC DIGEST DISORDERS AGE >17 W/O CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE O-17 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% | 163: HERNIA PROCEDURES AGE 0-17 | 699 | 0.01% |
| 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC 35,845 0.46% 168: MOUTH PROCEDURES W CC 1,367 0.02% 169: MOUTH PROCEDURES W/O CC 1,160 0.01% 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 7,265 0.09% 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC 1,926 0.02% 172: DIGESTIVE MALIGNANCY W CC 1,926 0.02% 173: DIGESTIVE MALIGNANCY W/O CC 1,087 0.01% 174: G.I. HEMORRHAGE W CC 79,373 1.02% 175: G.I. HEMORRHAGE W/O CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 79,373 1.02% 177: UNCOMPLICATED PEPTIC ULCER W CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 17,039 0.22% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 17,039 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 187: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% | 164: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W CC | 5,556 | 0.07% |
| 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC 168: MOUTH PROCEDURES W CC 1,367 169: MOUTH PROCEDURES W/O CC 1,160 1,160 1,160 1,170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 1,265 1,926 1,926 1,926 1,926 1,926 1,926 1,926 1,926 1,926 1,926 1,927 | 165: APPENDECTOMY W COMPLICATED PRINCIPAL DIAG W/O CC | 8,932 | 0.11% |
| 168: MOUTH PROCEDURES W CC 169: MOUTH PROCEDURES W CC 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 172: DIGESTIVE MALIGNANCY W CC 173: DIGESTIVE MALIGNANCY W CC 174: G.I. HEMORRHAGE W CC 175: G.I. HEMORRHAGE W CC 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W CC 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W CC 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL EXTRACTIONS & RESTORATIONS, AGE >17 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% | 166: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W CC | 6,861 | 0.09% |
| 1,160 0.01% 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 7,265 0.09% 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 1,926 0.02% 172: DIGESTIVE MALIGNANCY W CC 12,618 0.16% 173: DIGESTIVE MALIGNANCY W CC 1,087 0.01% 174: G.I. HEMORRHAGE W CC 79,373 1.02% 175: G.I. HEMORRHAGE W CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 5,433 0.07% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 59,748 0.76% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 6,219 0.08% | 167: APPENDECTOMY W/O COMPLICATED PRINCIPAL DIAG W/O CC | 35,845 | 0.46% |
| 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC 172: DIGESTIVE MALIGNANCY W CC 12,618 0.16% 173: DIGESTIVE MALIGNANCY W CC 1,087 0.01% 174: G.I. HEMORRHAGE W CC 11,087 175: G.I. HEMORRHAGE W CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W CC 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 17,039 0.22% 181: G.I. OBSTRUCTION W CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL EXTRACTIONS & RESTORATIONS, AGE >17 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 9,164 0.12% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 168: MOUTH PROCEDURES W CC | 1,367 | 0.02% |
| 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC 172: DIGESTIVE MALIGNANCY W CC 173: DIGESTIVE MALIGNANCY W/O CC 174: G.I. HEMORRHAGE W CC 175: G.I. HEMORRHAGE W CC 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W/O CC 178: UNCOMPLICATED PEPTIC ULCER W/O CC 179: INFLAMMATORY BOWEL DISEASE 16,138 180: G.I. OBSTRUCTION W CC 179: SASTROCHT & MISC DIGEST DISORDERS AGE >17 W CC 170: ESOPHAGITIS, GASTROCHT & MISC DIGEST DISORDERS AGE >17 W/O CC 181: ESOPHAGITIS, GASTROCHT & MISC DIGEST DISORDERS AGE >17 W/O CC 184: ESOPHAGITIS, GASTROCHT & MISC DIGEST DISORDERS AGE >17 W/O CC 184: ESOPHAGITIS, GASTROCHT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL EXTRACTIONS & RESTORATIONS 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19.164 | 169: MOUTH PROCEDURES W/O CC | 1,160 | 0.01% |
| 172: DIGESTIVE MALIGNANCY W CC 173: DIGESTIVE MALIGNANCY W/O CC 1,087 174: G.I. HEMORRHAGE W CC 79,373 1.02% 175: G.I. HEMORRHAGE W/O CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 5,433 0.07% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 170: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W CC | 7,265 | 0.09% |
| 173: DIGESTIVE MALIGNANCY W/O CC 174: G.I. HEMORRHAGE W CC 79,373 1.02% 175: G.I. HEMORRHAGE W/O CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 5,433 0.07% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W/O CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 6,219 0.08% | 171: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES W/O CC | 1,926 | 0.02% |
| 174: G.I. HEMORRHAGE W CC 179,373 1.02% 175: G.I. HEMORRHAGE W/O CC 11,885 0.15% 176: COMPLICATED PEPTIC ULCER 5,433 0.07% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W/O CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 6,219 0.08% | 172: DIGESTIVE MALIGNANCY W CC | 12,618 | 0.16% |
| 175: G.I. HEMORRHAGE W/O CC 11,885 176: COMPLICATED PEPTIC ULCER 5,433 0.07% 177: UNCOMPLICATED PEPTIC ULCER W CC 3,167 0.04% 178: UNCOMPLICATED PEPTIC ULCER W CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.088 | 173: DIGESTIVE MALIGNANCY W/O CC | 1,087 | 0.01% |
| 176: COMPLICATED PEPTIC ULCER 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W CC 179: INFLAMMATORY BOWEL DISEASE 16,138 180: G.I. OBSTRUCTION W CC 17,039 181: G.I. OBSTRUCTION W/O CC 17,039 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 16,865 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL EXTRACTIONS & RESTORATIONS 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19,164 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 19,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 174: G.I. HEMORRHAGE W CC | 79,373 | 1.02% |
| 177: UNCOMPLICATED PEPTIC ULCER W CC 178: UNCOMPLICATED PEPTIC ULCER W/O CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 175: G.I. HEMORRHAGE W/O CC | 11,885 | 0.15% |
| 178: UNCOMPLICATED PEPTIC ULCER W/O CC 1,758 0.02% 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 176: COMPLICATED PEPTIC ULCER | 5,433 | 0.07% |
| 179: INFLAMMATORY BOWEL DISEASE 16,138 0.21% 180: G.I. OBSTRUCTION W CC 33,826 0.43% 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 177: UNCOMPLICATED PEPTIC ULCER W CC | 3,167 | 0.04% |
| 180: G.I. OBSTRUCTION W CC 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 178: UNCOMPLICATED PEPTIC ULCER W/O CC | 1,758 | 0.02% |
| 181: G.I. OBSTRUCTION W/O CC 17,039 0.22% 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 114,918 1.47% 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 179: INFLAMMATORY BOWEL DISEASE | 16,138 | 0.21% |
| 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 187: DENTAL EXTRACTIONS & RESTORATIONS 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 114,918 1.47% 16,865 0.22% 4,754 0.06% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% | 180: G.I. OBSTRUCTION W CC | 33,826 | 0.43% |
| 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC 59,748 0.76% 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 181: G.I. OBSTRUCTION W/O CC | 17,039 | 0.22% |
| 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 16,865 0.22% 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 182: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W CC | 114,918 | 1.47% |
| 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 4,754 0.06% 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 183: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE >17 W/O CC | 59,748 | 0.76% |
| 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 1,162 0.01% 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 184: ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS AGE 0-17 | 16,865 | 0.22% |
| 187: DENTAL EXTRACTIONS & RESTORATIONS 660 0.01% 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 185: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE >17 | 4,754 | 0.06% |
| 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC 34,313 0.44% 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 186: DENTAL & ORAL DIS EXCEPT EXTRACTIONS & RESTORATIONS, AGE 0-17 | 1,162 | 0.01% |
| 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC 9,164 0.12% 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 187: DENTAL EXTRACTIONS & RESTORATIONS | 660 | 0.01% |
| 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 2,572 0.03% 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 188: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W CC | 34,313 | 0.44% |
| 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC 6,219 0.08% | 189: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE >17 W/O CC | 9,164 | 0.12% |
| | 190: OTHER DIGESTIVE SYSTEM DIAGNOSES AGE 0-17 | 2,572 | 0.03% |
| 192: PANCREAS, LIVER & SHUNT PROCEDURES W/O CC 1,336 0.02% | 191: PANCREAS, LIVER & SHUNT PROCEDURES W CC | 6,219 | 0.08% |
| | 192: PANCREAS, LIVER & SHUNT PROCEDURES W/O CC | 1,336 | 0.02% |

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 193: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W CC | 1,485 | 0.02% |
| 194: BILIARY TRACT PROC EXCEPT ONLY CHOLECYST W OR W/O C.D.E. W/O CC | 366 | 0.00% |
| 195: CHOLECYSTECTOMY W C.D.E. W CC | 780 | 0.01% |
| 196: CHOLECYSTECTOMY W C.D.E. W/O CC | 420 | 0.01% |
| 197: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W CC | 5,270 | 0.07% |
| 198: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE W/O C.D.E. W/O CC | 2,626 | 0.03% |
| 199: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR MALIGNANCY | 628 | 0.01% |
| 200: HEPATOBILIARY DIAGNOSTIC PROCEDURE FOR NON-MALIGNANCY | 576 | 0.01% |
| 201: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES | 1,261 | 0.02% |
| 202: CIRRHOSIS & ALCOHOLIC HEPATITIS | 17,188 | 0.22% |
| 203: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS | 13,123 | 0.17% |
| 204: DISORDERS OF PANCREAS EXCEPT MALIGNANCY | 52,607 | 0.67% |
| 205: DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W CC | 23,555 | 0.30% |
| 206: DISORDERS OF LIVER EXCEPT MALIG, CIRR, ALC HEPA W/O CC | 2,547 | 0.03% |
| 207: DISORDERS OF THE BILIARY TRACT W CC | 16,166 | 0.21% |
| 208: DISORDERS OF THE BILIARY TRACT W/O CC | 8,147 | 0.10% |
| 210: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W CC | 37,311 | 0.48% |
| 211: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE >17 W/O CC | 9,640 | 0.12% |
| 212: HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT AGE 0-17 | 2,981 | 0.04% |
| 213: AMPUTATION FOR MUSCULOSKELETAL SYSTEM & CONN TISSUE DISORDERS | 3,285 | 0.04% |
| 216: BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 5,956 | 0.08% |
| 217: WND DEBRID & SKN GRFT EXCEPT HAND, FOR MUSCSKELET & CONN TISS DIS | 6,647 | 0.09% |
| 218: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W CC | 16,335 | 0.21% |
| 219: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE >17 W/O CC | 22,618 | 0.29% |
| 220: LOWER EXTREM & HUMER PROC EXCEPT HIP, FOOT, FEMUR AGE 0-17 | 3,905 | 0.05% |
| 223: MAJOR SHOULDER/ELBOW PROC, OR OTHER UPPER EXTREMITY PROC W CC | 4,510 | 0.06% |
| 224: SHOULDER, ELBOW OR FOREARM PROC, EXC MAJOR JOINT PROC, W/O CC | 5,936 | 0.08% |
| 225: FOOT PROCEDURES | 4,605 | 0.06% |
| 226: SOFT TISSUE PROCEDURES W CC | 4,814 | 0.06% |
| 227: SOFT TISSUE PROCEDURES W/O CC | 4,810 | 0.06% |

| | | Percent |
|--|-----------|---------|
| DRG24 | Frequency | |
| 228: MAJOR THUMB OR JOINT PROC,OR OTH HAND OR WRIST PROC W CC | 1,596 | 0.02% |
| 229: HAND OR WRIST PROC, EXCEPT MAJOR JOINT PROC, W/O CC | 2,129 | 0.03% |
| 230: LOCAL EXCISION & REMOVAL OF INT FIX DEVICES OF HIP & FEMUR | 1,296 | 0.02% |
| 232: ARTHROSCOPY | 152 | 0.00% |
| 233: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W CC | 7,482 | 0.10% |
| 234: OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROC W/O CC | 4,448 | 0.06% |
| 235: FRACTURES OF FEMUR | 2,058 | 0.03% |
| 236: FRACTURES OF HIP & PELVIS | 13,327 | 0.17% |
| 237: SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH | 685 | 0.01% |
| 238: OSTEOMYELITIS | 5,184 | 0.07% |
| 239: PATHOLOGICAL FRACTURES & MUSCULOSKELETAL & CONN TISS MALIGNANCY | 10,605 | 0.14% |
| 240: CONNECTIVE TISSUE DISORDERS W CC | 6,483 | 0.08% |
| 241: CONNECTIVE TISSUE DISORDERS W/O CC | 2,521 | 0.03% |
| 242: SEPTIC ARTHRITIS | 1,583 | 0.02% |
| 243: MEDICAL BACK PROBLEMS | 41,727 | 0.53% |
| 244: BONE DISEASES & SPECIFIC ARTHROPATHIES W CC | 5,435 | 0.07% |
| 245: BONE DISEASES & SPECIFIC ARTHROPATHIES W/O CC | 2,284 | 0.03% |
| 246: NON-SPECIFIC ARTHROPATHIES | 609 | 0.01% |
| 247: SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE | 10,256 | 0.13% |
| 248: TENDONITIS, MYOSITIS & BURSITIS | 11,052 | 0.14% |
| 249: AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE | 7,552 | 0.10% |
| 250: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W CC | 1,948 | 0.02% |
| 251: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE >17 W/O CC | 1,292 | 0.02% |
| 252: FX, SPRN, STRN & DISL OF FOREARM, HAND, FOOT AGE 0-17 | 628 | 0.01% |
| 253: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W CC | 8,481 | 0.11% |
| 254: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE >17 W/O CC | 4,766 | 0.06% |
| 255: FX, SPRN, STRN & DISL OF UPARM,LOWLEG EX FOOT AGE 0-17 | 948 | 0.01% |
| 256: OTHER MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE DIAGNOSES | 4,409 | 0.06% |
| 257: TOTAL MASTECTOMY FOR MALIGNANCY W CC | 5,735 | 0.07% |
| 258: TOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 7,707 | 0.10% |

| | | Percent of |
|--|-----------|---------------|
| DRG24 | Frequency | Total |
| 259: SUBTOTAL MASTECTOMY FOR MALIGNANCY W CC | 893 | 0.01% |
| 260: SUBTOTAL MASTECTOMY FOR MALIGNANCY W/O CC | 788 | 0.01% |
| 261: BREAST PROC FOR NON-MALIGNANCY EXCEPT BIOPSY & LOCAL EXCISION | 2,839 | 0.04% |
| 262: BREAST BIOPSY & LOCAL EXCISION FOR NON-MALIGNANCY | 520 | 0.01% |
| 263: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W CC | 7,499 | 0.10% |
| 264: SKIN GRAFT &/OR DEBRID FOR SKN ULCER OR CELLULITIS W/O CC | 2,660 | 0.03% |
| 265: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W CC | 1,908 | 0.02% |
| 266: SKIN GRAFT &/OR DEBRID EXCEPT FOR SKIN ULCER OR CELLULITIS W/O CC | 1,827 | 0.02% |
| 267: PERIANAL & PILONIDAL PROCEDURES | 417 | 0.01% |
| 268: SKIN, SUBCUTANEOUS TISSUE & BREAST PLASTIC PROCEDURES | 1,873 | 0.02% |
| 269: OTHER SKIN, SUBCUT TISS & BREAST PROC W CC | 6,885 | 0.09% |
| 270: OTHER SKIN, SUBCUT TISS & BREAST PROC W/O CC | 3,858 | 0.05% |
| 271: SKIN ULCERS | 7,690 | 0.10% |
| 272: MAJOR SKIN DISORDERS W CC | 2,424 | 0.03% |
| 273: MAJOR SKIN DISORDERS W/O CC | 900 | 0.01% |
| 274: MALIGNANT BREAST DISORDERS W CC | 1,396 | 0.02% |
| 275: MALIGNANT BREAST DISORDERS W/O CC | 183 | 0.00% |
| 276: NON-MALIGNANT BREAST DISORDERS | 2,432 | 0.03% |
| 277: CELLULITIS AGE >17 W CC | 62,053 | 0.79% |
| 278: CELLULITIS AGE >17 W/O CC | 35,846 | 0.46% |
| 279: CELLULITIS AGE 0-17 | 11,979 | 0.15% |
| 280: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W CC | 7,450 | 0.10% |
| 281: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE >17 W/O CC | 4,019 | 0.05% |
| 282: TRAUMA TO THE SKIN, SUBCUT TISS & BREAST AGE 0-17 | 1,009 | 0.01% |
| 283: MINOR SKIN DISORDERS W CC | 3,785 | 0.05% |
| 284: MINOR SKIN DISORDERS W/O CC | 2,609 | 0.03% |
| 285: AMPUTAT OF LOWER LIMB FOR ENDOCRINE, NUTRIT, & METABOL DISORDERS | 4,485 | 0.06% |
| 286: ADRENAL & PITUITARY PROCEDURES | 3,216 | 0.04% |
| 287: SKIN GRAFTS & WOUND DEBRID FOR ENDOC, NUTRIT & METAB DISORDERS | 2,071 | 0.03% |
| 288: O.R. PROCEDURES FOR OBESITY | 25,353 | 0.32% |

| DRG24 Frequency Total 289: PARATHYROID PROCEDURES 2,248 0.03 290: THYROID PROCEDURES 10,096 0.13 291: THYROGLOSSAL PROCEDURES 134 0.00% 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W.CC 3,679 0.05 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W.CC 266 0.00% 294: DIABETES AGE >35 49,772 0.64% 295: DIABETES AGE 0-35 20,621 0.25% 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W.CC 73,512 0.94% 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 17,661 0.23 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 17,661 0.23 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W.CC 3,563 0.12% 301: ENDOCRINE DISORDERS W.CC 3,327 0.04 302: KIDNEY TRANSPLANT 3,494 0.03 303: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W.C 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W.C 1,208 0.02 306: P | | | Percent of |
|--|--|-----------|---------------|
| 290: THYROID PROCEDURES 10.096 0.13% 291: THYROGLOSSAL PROCEDURES 134 0.00% 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC 3,679 0.05% 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC 286 0.00% 294: DIABETES AGE >35 49,772 0.64% 295: DIABETES AGE 0-35 20,621 0.26% 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 73,512 0.94% 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 0.25% 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 0.25% 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM W CC 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 0.10% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W CC 1,208 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 310: TRANSURETHRAL PROCEDURES W CC 1,121 0.01% 311: TRANSURETHRAL PROCEDURES W CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | DRG24 | Frequency | Total |
| 291: THYROGLOSSAL PROCEDURES 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC 294: DIABETES AGE >35 294: DIABETES AGE >35 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 299: INBORN ERRORS OF METABOLIC DISORDERS AGE >17 W CC 300: ENDOCRINE DISORDERS W CC 301: ENDOCRINE DISORDERS W CC 302: KIDNEY TRANSPLANT 303: KIDNEY TRANSPLANT 304: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 307: PROSTATECTOMY W CC 308: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W CC 301: TRANSURETHRAL PROCEDURES, AGE >17 W CC 302: WETHRAL PROCEDURES, AGE >17 W CC 303: WITHRAL PROCEDURES, AGE >17 W CC 304: WETHRAL PROCEDURES, AGE >17 W CC 305: WITHRAL PROCEDURES, AGE >17 W CC 306: MINOR BLADDER PROCEDURES, AGE >17 W CC 307: PROSTATECTOMY W CC 308: MINOR BLADDER PROCEDURES, AGE >17 W CC 309: MINOR BLADDER PROCEDURES, AGE >17 W CC 301: WETHRAL PROCEDURES, AGE >17 W CC 301: WETHRAL PROCEDURES, AGE >17 W CC 302: WITHRAL PROCEDURES, AGE >17 W CC 303: WITHRAL PROCEDURES, AGE >17 W CC 304: WETHRAL PROCEDURES, AGE >17 W CC 305: WITHRAL PROCEDURES, AGE >17 W CC 306: MINOR BLADER PROCEDURES, AGE >17 W CC 307: PROSTATECTOMY W CR WITHRAY TRACT PROCEDURES 308: WITHRAL PROCEDURES, AGE >17 W CC 309: MINOR BLADDER PROCEDUR | 289: PARATHYROID PROCEDURES | 2,248 | 0.03% |
| 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC 3,679 0.05% 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC 286 0.00% 294: DIABETES AGE >35 49,772 0.64% 295: DIABETES AGE 0-35 20,621 0.26% 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 73,512 0.94% 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 0.25% 298: NUTRITIONAL & MISC METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,130 </td <td>290: THYROID PROCEDURES</td> <td>10,096</td> <td>0.13%</td> | 290: THYROID PROCEDURES | 10,096 | 0.13% |
| 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC 284: DIABETES AGE >35 49,772 0.64% 295: DIABETES AGE >35 20,621 0.26% 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 73,512 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 0.25% 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 0.25% 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 17,661 0.23% 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 1,208 0.02% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W/O CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES W/O CC 3,310 0.04% 313: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 3,888 0.11% 316: RENAL FAILURE 39,367 1.14% | 291: THYROGLOSSAL PROCEDURES | 134 | 0.00% |
| 294: DIABETES AGE >35 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 299: INBORN ERRORS OF METABOLISM 300: ENDOCRINE DISORDERS W CC 301: ENDOCRINE DISORDERS W CC 302: KIDNEY TRANSPLANT 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 306: PROSTATECTOMY W CC 307: PROSTATECTOMY W/O CC 309: MINOR BLADDER PROCEDURES W CC 301: TRANSURETHRAL PROCEDURES W CC 301: TRANSURETHRAL PROCEDURES W/O CC 302: WIETHRAL PROCEDURES, AGE >17 W CC 303: WIETHRAL PROCEDURES, AGE >17 W CC 304: WIETHRAL PROCEDURES, AGE >17 W/O CC 305: WIETHRAL PROCEDURES, AGE >17 W/O CC 306: WIETHRAL PROCEDURES, AGE >17 W/O CC 307: O.00% 308: OTHER KIDNEY & URINARY TRACT PROCEDURES 309: MINOR BLADLER PROCEDURES, AGE >17 W/O CC 309: MINOR KIDNEY & URINARY TRACT PROCEDURES 309: MINOR KIDNEY & URINARY TRACT PROCEDURES 300: WIETHRAL PROCEDURES, AGE >17 W/O CC 300: WIETHRAL PROCEDURES, AGE >17 W/O CC 301: WIETHRAL PROCEDURES, AGE >17 W/O CC 302: WIETHRAL PROCEDURES, AGE >17 W/O CC 303: WIETHRAL PROCEDURES, AGE >17 W/O CC 304: WIETHRAL PROCEDURES, AGE >17 W/O CC 305: WIETHRAL PROCEDURES, AGE >17 W/O CC 306: WIETHRAL PROCEDURES, AGE >17 W/O CC 307: WIETHRAL PROCEDURES, AGE >17 W/O CC 308: WIETHRAL PROCEDURES, AGE >17 W/O CC 309: WIETHRAL PROCEDURES, AGE >17 W/ | 292: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W CC | 3,679 | 0.05% |
| 295: DIABETES AGE 0-35 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 73,512 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 19,820 0.25% 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 19,820 17,661 0.23% 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 310: TRANSURETHRAL PROCEDURES W CC 1,121 0.01% 311: TRANSURETHRAL PROCEDURES W CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 293: OTHER ENDOCRINE, NUTRIT & METAB O.R. PROC W/O CC | 286 | 0.00% |
| 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 298: NUTRITIONAL & MISC METABOLIS DISORDERS AGE 0-17 299: INBORN ERRORS OF METABOLISM 1,429 300: ENDOCRINE DISORDERS W CC 3,327 301: ENDOCRINE DISORDERS W/O CC 3,327 302: KIDNEY TRANSPLANT 3,494 303: KIDNEY TRANSPLANT 3,494 304: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 3,27 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 4,208 306: PROSTATECTOMY W CC 4,208 307: PROSTATECTOMY W/O CC 440 308: MINOR BLADDER PROCEDURES W/O CC 4,599 309: MINOR BLADDER PROCEDURES W/O CC 4,599 309: MINOR BLADDER PROCEDURES W/O CC 4,590 310: TRANSURETHRAL PROCEDURES W/O CC 4,121 310: TRANSURETHRAL PROCEDURES W/O CC 3,310 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 312: URETHRAL PROCEDURES, AGE >17 W/O CC 368 313: URETHRAL PROCEDURES, AGE >17 W/O CC 314: URETHRAL PROCEDURES, AGE >17 W/O CC 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 3.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.00% | 294: DIABETES AGE >35 | 49,772 | 0.64% |
| 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 17,661 0.23% 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 3,327 0.04% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 3,599 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 295: DIABETES AGE 0-35 | 20,621 | 0.26% |
| 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 17,661 0.23% 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% < | 296: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W CC | 73,512 | 0.94% |
| 299: INBORN ERRORS OF METABOLISM 1,429 0.02% 300: ENDOCRINE DISORDERS W CC 9,563 0.12% 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE O-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 89,367 1.14% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 297: NUTRITIONAL & MISC METABOLIC DISORDERS AGE >17 W/O CC | 19,820 | 0.25% |
| 300: ENDOCRINE DISORDERS W CC 3,327 301: ENDOCRINE DISORDERS W/O CC 3,327 302: KIDNEY TRANSPLANT 3,494 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 306: PROSTATECTOMY W CC 1,208 307: PROSTATECTOMY W/O CC 440 308: MINOR BLADDER PROCEDURES W CC 1,516 309: MINOR BLADDER PROCEDURES W/O CC 1,121 310: TRANSURETHRAL PROCEDURES W/O CC 3,310 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 30.04% 312: URETHRAL PROCEDURES W/O CC 3,310 30.04% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE O-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS | 298: NUTRITIONAL & MISC METABOLIC DISORDERS AGE 0-17 | 17,661 | 0.23% |
| 301: ENDOCRINE DISORDERS W/O CC 3,327 0.04% 302: KIDNEY TRANSPLANT 3,494 0.04% 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 10,374 0.13% 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 8,127 0.10% 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W CC 3,310 0.04% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS | 299: INBORN ERRORS OF METABOLISM | 1,429 | 0.02% |
| 302: KIDNEY TRANSPLANT 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 306: PROSTATECTOMY W CC 307: PROSTATECTOMY W/O CC 308: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W CC 31: TRANSURETHRAL PROCEDURES W CC 31: TRANSURETHRAL PROCEDURES W CC 31: TRANSURETHRAL PROCEDURES W CC 31: URETHRAL PROCEDURES, AGE >17 W CC 313: URETHRAL PROCEDURES, AGE >17 W CC 314: URETHRAL PROCEDURES, AGE >17 W CC 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 317: ADMIT FOR RENAL DIALYSIS 318: ADMIT FOR RENAL DIALYSIS 319: ADMIT FOR RENAL DIALYSIS 310: O.03% | 300: ENDOCRINE DISORDERS W CC | 9,563 | 0.12% |
| 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W/O CC 31: TRANSURETHRAL PROCEDURES W/O CC 31: URETHRAL PROCEDURES W/O CC 312: URETHRAL PROCEDURES, AGE >17 W CC 313: URETHRAL PROCEDURES, AGE >17 W/O CC 314: URETHRAL PROCEDURES, AGE >17 W/O CC 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 301: ENDOCRINE DISORDERS W/O CC | 3,327 | 0.04% |
| 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 302: KIDNEY TRANSPLANT | 3,494 | 0.04% |
| 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC 5,999 0.08% 306: PROSTATECTOMY W CC 1,208 0.02% 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS | 303: KIDNEY AND URETER PROCEDURES FOR NEOPLASM | 10,374 | 0.13% |
| 306: PROSTATECTOMY W CC 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 368 0.00% 314: URETHRAL PROCEDURES, AGE >17 W/O CC 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS | 304: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W CC | 8,127 | 0.10% |
| 307: PROSTATECTOMY W/O CC 440 0.01% 308: MINOR BLADDER PROCEDURES W CC 1,516 0.02% 309: MINOR BLADDER PROCEDURES W/O CC 1,121 0.01% 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 305: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM W/O CC | 5,999 | 0.08% |
| 308: MINOR BLADDER PROCEDURES W CC 309: MINOR BLADDER PROCEDURES W/O CC 1,121 310: TRANSURETHRAL PROCEDURES W CC 11,305 3.310 0.04% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 316: RENAL FAILURE 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 306: PROSTATECTOMY W CC | 1,208 | 0.02% |
| 309: MINOR BLADDER PROCEDURES W/O CC 1,121 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 3,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 307: PROSTATECTOMY W/O CC | 440 | 0.01% |
| 310: TRANSURETHRAL PROCEDURES W CC 11,305 0.14% 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 308: MINOR BLADDER PROCEDURES W CC | 1,516 | 0.02% |
| 311: TRANSURETHRAL PROCEDURES W/O CC 3,310 0.04% 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 3,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 309: MINOR BLADDER PROCEDURES W/O CC | 1,121 | 0.01% |
| 312: URETHRAL PROCEDURES, AGE >17 W CC 478 0.01% 313: URETHRAL PROCEDURES, AGE >17 W/O CC 368 0.00% 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 310: TRANSURETHRAL PROCEDURES W CC | 11,305 | 0.14% |
| 313: URETHRAL PROCEDURES, AGE >17 W/O CC 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 311: TRANSURETHRAL PROCEDURES W/O CC | 3,310 | 0.04% |
| 314: URETHRAL PROCEDURES, AGE 0-17 50 0.00% 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 312: URETHRAL PROCEDURES, AGE >17 W CC | 478 | 0.01% |
| 315: OTHER KIDNEY & URINARY TRACT PROCEDURES 8,888 0.11% 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 313: URETHRAL PROCEDURES, AGE >17 W/O CC | 368 | 0.00% |
| 316: RENAL FAILURE 89,367 1.14% 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 314: URETHRAL PROCEDURES, AGE 0-17 | 50 | 0.00% |
| 317: ADMIT FOR RENAL DIALYSIS 2,012 0.03% | 315: OTHER KIDNEY & URINARY TRACT PROCEDURES | 8,888 | 0.11% |
| | 316: RENAL FAILURE | 89,367 | 1.14% |
| 318: KIDNEY & URINARY TRACT NEOPLASMS W CC 2,282 0.03% | 317: ADMIT FOR RENAL DIALYSIS | 2,012 | 0.03% |
| | 318: KIDNEY & URINARY TRACT NEOPLASMS W CC | 2,282 | 0.03% |

| DRG24 | P | Percent of |
|---|-----------|---------------|
| | Frequency | |
| 319: KIDNEY & URINARY TRACT NEOPLASMS W/O CC | 195 | 0.00% |
| 320: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W CC | 83,012 | 1.06% |
| 321: KIDNEY & URINARY TRACT INFECTIONS AGE >17 W/O CC | 20,709 | 0.27% |
| 322: KIDNEY & URINARY TRACT INFECTIONS AGE 0-17 | 9,092 | 0.12% |
| 323: URINARY STONES W CC, &/OR ESW LITHOTRIPSY | 15,430 | 0.20% |
| 324: URINARY STONES W/O CC | 4,727 | 0.06% |
| 325: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W CC | 3,353 | 0.04% |
| 326: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE >17 W/O CC | 1,075 | 0.01% |
| 327: KIDNEY & URINARY TRACT SIGNS & SYMPTOMS AGE 0-17 | 167 | 0.00% |
| 328: URETHRAL STRICTURE AGE >17 W CC | 204 | 0.00% |
| 329: URETHRAL STRICTURE AGE >17 W/O CC | 35 | 0.00% |
| 330: URETHRAL STRICTURE AGE 0-17 | <= 10 | *.**% |
| 331: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W CC | 22,109 | 0.28% |
| 332: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE >17 W/O CC | 2,176 | 0.03% |
| 333: OTHER KIDNEY & URINARY TRACT DIAGNOSES AGE 0-17 | 1,229 | 0.02% |
| 334: MAJOR MALE PELVIC PROCEDURES W CC | 4,744 | 0.06% |
| 335: MAJOR MALE PELVIC PROCEDURES W/O CC | 12,528 | 0.16% |
| 336: TRANSURETHRAL PROSTATECTOMY W CC | 5,360 | 0.07% |
| 337: TRANSURETHRAL PROSTATECTOMY W/O CC | 5,216 | 0.07% |
| 338: TESTES PROCEDURES, FOR MALIGNANCY | 277 | 0.00% |
| 339: TESTES PROCEDURES, NON-MALIGNANCY AGE >17 | 715 | 0.01% |
| 340: TESTES PROCEDURES, NON-MALIGNANCY AGE 0-17 | 354 | 0.00% |
| 341: PENIS PROCEDURES | 1,360 | 0.02% |
| 342: CIRCUMCISION AGE >17 | 120 | 0.00% |
| 343: CIRCUMCISION AGE 0-17 | 46 | 0.00% |
| 344: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY | 539 | 0.01% |
| 345: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROC EXCEPT FOR MALIGNANCY | 486 | 0.01% |
| 346: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W CC | 1,118 | 0.01% |
| 347: MALIGNANCY, MALE REPRODUCTIVE SYSTEM, W/O CC | 140 | 0.00% |
| 348: BENIGN PROSTATIC HYPERTROPHY W CC | 1,425 | 0.02% |
| | | |

| DRG24 349: BENIGN PROSTATIC HYPERTROPHY W/O CC 349: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM 551: STERILIZATION, MALE 352: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY 354: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 3,455 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 3,455 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 357: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 3,4636 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 3,4636 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 3,4636 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 3,4636 360: VAGINA, CERVIX & VULVA PROCEDURES 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 362: ENDOSCOPY & INCISIONAL TUBAL INTERRUPTION 363: DAC, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 364: DAC, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 365: OTHER FEMALE REPRODUCTIVE SYSTEM W CC 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM W CC 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM W CC 370: CESAREAN SECTION W CC 371: CESAREAN SECTION W CC 371: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 373: VAGINAL DELIVERY W STERLIZATION & JORNOSES 374: VAGINAL DELIVERY W STERLIZATION & JORNOSES 375: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 378: ECTOPIC PREGNANCY 379: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 371: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 372: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | | | Percent of |
|--|---|-----------|---------------|
| 350: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM 5,190 0.07% 351: STERILIZATION, MALE <= 10 | DRG24 | Frequency | Total |
| 351: STERILIZATION, MALE <= 10 | 349: BENIGN PROSTATIC HYPERTROPHY W/O CC | 187 | 0.00% |
| 352: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES 893 0.01% 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY 2,729 0.03% 354: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 3,455 0.04% 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 4,998 0.06% 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 9,178 0.12% 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY 3,636 0.05% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 36 0.00% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM OR. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 | 350: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM | 5,190 | 0.07% |
| 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY 2,729 0.03% 354: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 3,455 0.04% 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC 4,998 0.06% 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 9,178 0.12% 357: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 36 0.00% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W/O CC< | 351: STERILIZATION, MALE | <= 10 | *.**% |
| 354: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC 3,455 0.04% 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC 4,998 0.06% 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 9,178 0.12% 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY 3,636 0.05% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM VC 2,601 0.03% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM M/O CC 333 0.00% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W/C 206,061 2.64% 372: VAGINA | 352: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES | 893 | 0.01% |
| 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC 4,998 0.06% 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 9,178 0.12% 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY 3,636 0.05% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W/O 206,061 2.64% 371: CESAREAN SECTION W/O 20 69,032 0.88% 373: VAGINAL D | 353: PELVIC EVISCERATION, RADICAL HYSTERECTOMY & RADICAL VULVECTOMY | 2,729 | 0.03% |
| 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES 9,178 0.12% 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY 3,636 0.05% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 206,061 2.64% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 459,937 5.89% 373: VAGINAL DELIVERY W COMPLICATING DIAGNOSE | 354: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W CC | 3,455 | 0.04% |
| 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY 3,636 0.05% 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 355: UTERINE, ADNEXA PROC FOR NON-OVARIAN/ADNEXAL MALIG W/O CC | 4,998 | 0.06% |
| 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC 24,858 0.32% 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 49,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 356: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 9,178 | 0.12% |
| 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC 73,149 0.94% 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W.CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W.O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W.O CC 333 0.00% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W.CC 206,061 2.64% 371: CESAREAN SECTION W.O CC 206,061 2.64% 372: VAGINAL DELIVERY W.COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W.STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W.O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W.O.R. PROCEDURE | 357: UTERINE & ADNEXA PROC FOR OVARIAN OR ADNEXAL MALIGNANCY | 3,636 | 0.05% |
| 360: VAGINA, CERVIX & VULVA PROCEDURES 5,918 0.08% 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W.C 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W.CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W.COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W.STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W.STERILIZATION DIAGNOSES 459,937 5.89% 376: POSTPARTUM & POST ABORTION DIAGNOSES W.O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W.O.R. PROCEDURE | 358: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W CC | 24,858 | 0.32% |
| 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION 594 0.01% 362: ENDOSCOPIC TUBAL INTERRUPTION 36 0.00% 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 1,186 0.02% 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 359: UTERINE & ADNEXA PROC FOR NON-MALIGNANCY W/O CC | 73,149 | 0.94% |
| 362: ENDOSCOPIC TUBAL INTERRUPTION 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM W/O CC 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 370: CESAREAN SECTION W CC 371: CESAREAN SECTION W/O CC 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 373: VAGINAL DELIVERY W STERILIZATION &/OR D&C 375: VAGINAL DELIVERY W STERILIZATION &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 376: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 378: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 379: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 379: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 379: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 379: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 370: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 360: VAGINA, CERVIX & VULVA PROCEDURES | 5,918 | 0.08% |
| 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 370: CESAREAN SECTION W CC 371: CESAREAN SECTION W/O CC 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 375: VAGINAL DELIVERY W STERILIZATION &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 377: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 2,592 0.03% | 361: LAPAROSCOPY & INCISIONAL TUBAL INTERRUPTION | 594 | 0.01% |
| 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY 1,487 0.02% 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 2,592 0.03% | 362: ENDOSCOPIC TUBAL INTERRUPTION | 36 | 0.00% |
| 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES 1,538 0.02% 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 2,592 0.03% | 363: D&C, CONIZATION & RADIO-IMPLANT, FOR MALIGNANCY | 1,186 | 0.02% |
| 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC 2,601 0.03% 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 2,592 0.03% | 364: D&C, CONIZATION EXCEPT FOR MALIGNANCY | 1,487 | 0.02% |
| 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC 333 0.00% 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 2,592 0.03% | 365: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES | 1,538 | 0.02% |
| 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM 5,586 0.07% 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 366: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W CC | 2,601 | 0.03% |
| 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS 7,136 0.09% 370: CESAREAN SECTION W CC 69,032 0.88% 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 367: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM W/O CC | 333 | 0.00% |
| 370: CESAREAN SECTION W CC 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 368: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM | 5,586 | 0.07% |
| 371: CESAREAN SECTION W/O CC 206,061 2.64% 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 369: MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS | 7,136 | 0.09% |
| 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES 68,308 0.87% 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 370: CESAREAN SECTION W CC | 69,032 | 0.88% |
| 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES 459,937 5.89% 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 371: CESAREAN SECTION W/O CC | 206,061 | 2.64% |
| 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C 17,014 0.22% 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 372: VAGINAL DELIVERY W COMPLICATING DIAGNOSES | 68,308 | 0.87% |
| 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C 382 0.00% 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 373: VAGINAL DELIVERY W/O COMPLICATING DIAGNOSES | 459,937 | 5.89% |
| 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE 11,174 0.14% 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 374: VAGINAL DELIVERY W STERILIZATION &/OR D&C | 17,014 | 0.22% |
| 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE 2,592 0.03% | 375: VAGINAL DELIVERY W O.R. PROC EXCEPT STERIL &/OR D&C | 382 | 0.00% |
| | 376: POSTPARTUM & POST ABORTION DIAGNOSES W/O O.R. PROCEDURE | 11,174 | 0.14% |
| 378: ECTOPIC PREGNANCY 4,896 0.06% | 377: POSTPARTUM & POST ABORTION DIAGNOSES W O.R. PROCEDURE | 2,592 | 0.03% |
| | 378: ECTOPIC PREGNANCY | 4,896 | 0.06% |

| DRG24 379: THREATENED ABORTION 380: ABORTION W/O D&C | Frequency 14,078 | Total |
|--|------------------|-------|
| | 14 070 | |
| 290. ADOPTION LIVE DEC | 14,078 | 0.18% |
| 300. ADURTION W/O D&C | 3,692 | 0.05% |
| 381: ABORTION W D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3,601 | 0.05% |
| 382: FALSE LABOR | 1,444 | 0.02% |
| 383: OTHER ANTEPARTUM DIAGNOSES W MEDICAL COMPLICATIONS | 44,543 | 0.57% |
| 384: OTHER ANTEPARTUM DIAGNOSES W/O MEDICAL COMPLICATIONS | 8,975 | 0.11% |
| 385: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 13,533 | 0.17% |
| 386: EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 18,600 | 0.24% |
| 387: PREMATURITY W MAJOR PROBLEMS | 16,207 | 0.21% |
| 388: PREMATURITY W/O MAJOR PROBLEMS | 39,150 | 0.50% |
| 389: FULL TERM NEONATE W MAJOR PROBLEMS | 35,652 | 0.46% |
| 390: NEONATE W OTHER SIGNIFICANT PROBLEMS | 143,379 | 1.84% |
| 391: NORMAL NEWBORN | 591,675 | 7.58% |
| 392: SPLENECTOMY AGE >17 | 1,358 | 0.02% |
| 393: SPLENECTOMY AGE 0-17 | 150 | 0.00% |
| 394: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS | 1,991 | 0.03% |
| 395: RED BLOOD CELL DISORDERS AGE >17 | 59,429 | 0.76% |
| 396: RED BLOOD CELL DISORDERS AGE 0-17 | 3,751 | 0.05% |
| 397: COAGULATION DISORDERS | 7,024 | 0.09% |
| 398: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W CC | 3,867 | 0.05% |
| 399: RETICULOENDOTHELIAL & IMMUNITY DISORDERS W/O CC | 2,319 | 0.03% |
| 401: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W CC | 2,554 | 0.03% |
| 402: LYMPHOMA & NON-ACUTE LEUKEMIA W OTHER O.R. PROC W/O CC | 814 | 0.01% |
| 403: LYMPHOMA & NON-ACUTE LEUKEMIA W CC | 8,731 | 0.11% |
| 404: LYMPHOMA & NON-ACUTE LEUKEMIA W/O CC | 1,624 | 0.02% |
| 405: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE 0-17 | 984 | 0.01% |
| 406: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W CC | 1,313 | 0.02% |
| 407: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W MAJ O.R.PROC W/O CC | 470 | 0.01% |
| 408: MYELOPROLIF DISORD OR POORLY DIFF NEOPL W OTHER O.R.PROC | 1,272 | 0.02% |
| 409: RADIOTHERAPY | 1,238 | 0.02% |

| DRG24 410: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS 24,139 0.31% 411: HISTORY OF MALIGNANCY W/O ENDOSCOPY 23 0.00% 412: HISTORY OF MALIGNANCY W ENDOSCOPY 2-10 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 372 0.00% 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 372 0.00% 417: SEPTICEMIA AGE 0-17 2,972 0.04% 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS 20,875 0.27% 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 7,217 0.09% 420: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 7,217 0.09% 421: VIRAL ILLNESS AGE ≥17 7,022 0.09% 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 10,819 0.14% 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 5,974 0.00% 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 8,240 427: NEUROSES EXCEPT DEPRESSIVE 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 430: PSYCHOSES 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDER BIAGNOSES 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 439: SKIN GRAFTS FOR INJURIES 440: MOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER OR. PROCEDURES FOR INJURIES 443: OTHER OR. PROCEDURES FOR INJURIES 444: TRAUMATIC INJURY AGE >17 W CC 445: TRAUMATIC INJURY AGE >17 W CC 445: TRAUMATIC INJURY AGE >17 W CC 446: TRAUMATIC INJURY AGE >17 W CC 447: TRAUMATIC INJURY AGE >17 W CC 448: TRAUMATIC INJURY AGE >17 W CC 449: TRAUMATIC INJURY AGE >17 W CC 445: TRAUMATIC INJURY AGE >17 W CC 446: TRAUMATIC INJURY AGE >17 W CC 447: TRAUMATIC INJURY AGE >17 W CC 448: TRAUMATIC INJURY AGE >17 W CC 449: TRAUMATIC INJURY AGE >17 W CC 446: TRAUMATIC INJURY AGE >17 W CC 447: TRAUMATIC INJURY AGE >17 W CC 446: TRAUMATIC INJURY AGE >17 W CC 447: TRAUMATIC INJURY AGE >17 W CC 448: TRAUMATIC INJURY AGE >17 W CC | | | Percent of |
|--|---|-----------|---------------|
| 411: HISTORY OF MALIGNANCY W/O ENDOSCOPY 412: HISTORY OF MALIGNANCY W ENDOSCOPY 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 4.364 4.003% 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 4.364 4.003% 417: SEPTICEMIA AGE 0-17 4.972 4.00% 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS 4.00% 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 4.19: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 4.2132 4.20: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC 4.2132 4.21: VIRAL ILLINESS AGE >17 4.22: VIRAL ILLINESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 4.23: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 5.974 4.24: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLINESS 4.25: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 4.26: DEPRESSIVE NEUROSES 4.27: NEUROSES EXCEPT DEPRESSIVE 4.29: ORGANIC DISTURBANCES & MENTAL RETARDATION 4.28: DISORDERS OF PERSONALITY & IMPULSE CONTROL 4.29: ORGANIC DISTURBANCES & MENTAL RETARDATION 4.29: OTHER MENTAL DISORDER DIAGNOSES 4.31: CHILDHOOD MENTAL DISORDERS 4.32: OTHER MENTAL DISORDER DIAGNOSES 4.34: CHILDHOOD MENTAL DISORDERS 4.35: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 4.39: SKIN GRAFTS FOR INJURIES 4.40: WOUND DEBRIDEMENTS FOR INJURIES 4.41: HAND PROCEDURES FOR INJURIES 4.42: OTHER O.R. PROCEDURES FOR INJURIES W CC 4.554 4.43: OTHER O.R. PROCEDURES FOR INJURIES W CC 4.554 4.44: TRAUMATIC INJURY AGE >17 W/O CC 4.455 4.45: TRAUMATIC INJURY AGE >17 W/O CC 4.455 4.46: TRAUMATIC INJURY AGE >17 W/O CC 4.455 | DRG24 | Frequency | Total |
| 412: HISTORY OF MALIGNANCY W ENDOSCOPY 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC 417: SEPTICEMIA AGE 0-17 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 420: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 421: VIRAL ILLNESS AGE >17 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE O-17 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 426: DEPRESSIVE NEUROSES 427: NEUROSES EXCEPT DEPRESSIVE 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 420: OTHER MENTAL DISORDER DIAGNOSES 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDER DIAGNOSES 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 439: SKIN GRAFTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 444: TRAUMATIC INJURY AGE >17 W CC 445: TRAUMATIC INJURY AGE >17 W CC | 410: CHEMOTHERAPY W/O ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS | 24,139 | 0.31% |
| ### ### ### ### ### ### ### ### ### ## | 411: HISTORY OF MALIGNANCY W/O ENDOSCOPY | 23 | 0.00% |
| 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC 417: SEPTICEMIA AGE 0-17 2,972 3.00% 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS 20,875 20,875 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 7,217 3.09% 420: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC 2,132 3.03% 421: VIRAL ILLNESS AGE >17 7,022 0.09% 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 10,819 0.14% 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 5,974 0.08% 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 426: DEPRESSIVE NEUROSES 23,412 0.30% 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 3,607 0.05% 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDER DIAGNOSES 432: OTHER MENTAL DISORDER DIAGNOSES 440: WOUND DEBRIDEMENTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W CC 444: TRAUMATIC INJURY AGE >17 W CC 455: ACUTE AUMATIC INJURY AGE >17 W CC 465: TRAUMATIC INJURY AGE >17 W CC 465: DEPRESSIVE CORDINATION CC 466: DEPRESSIVE CC 465: TRAUMATIC INJURY AGE >17 W CC 465: DEPRESSIVE CC 466: DEPRESSIVE CC 467 468: DEPRESSIVE CC 468: DEPRESSIVE CC 469: DEPRESSIVE CC | 412: HISTORY OF MALIGNANCY W ENDOSCOPY | <= 10 | *.**% |
| 417: SEPTICEMIA AGE 0-17 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS 20,875 0.27% 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 7,217 0.09% 420: FEVER OF UNKNOWN ORIGIN AGE >17 W CC 2,132 0.03% 421: VIRAL ILLNESS AGE >17 7,022 0.09% 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 10,819 0.14% 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 5,974 0.08% 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 424 0.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 8,284 0.11% 426: DEPRESSIVE NEUROSES 23,412 0.30% 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDERS 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 433: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 400: WOUND DEBRIDEMENTS FOR INJURIES 411: HAND PROCEDURES FOR INJURIES 422: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W CC 444: TRAUMATIC INJURY AGE >17 W CC 4554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 1,932 0.02% | 413: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W CC | 2,364 | 0.03% |
| A | 414: OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAG W/O CC | 372 | 0.00% |
| ### 19: FEVER OF UNKNOWN ORIGIN AGE >17 W CC ### 20: FEVER OF UNKNOWN ORIGIN AGE >17 W O CC ### 20: FEVER OF UNKNOWN ORIGIN AGE >17 W O CC ### 21: VIRAL ILLNESS AGE >17 ### 7,022 ### 0.09% ### 22: VIRAL ILLNESS AGE >17 ### 10,819 ### 0.14% ### 0. | 417: SEPTICEMIA AGE 0-17 | 2,972 | 0.04% |
| 420: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC 421: VIRAL ILLNESS AGE >17 7,022 0.09% 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 10,819 0.14% 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES 5,974 0.08% 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 426: DEPRESSIVE NEUROSES 23,412 0.30% 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 442: OTHER MENTAL DISORDER DIAGNOSES 440: WOUND DEBRIDEMENTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 418: POSTOPERATIVE & POST-TRAUMATIC INFECTIONS | 20,875 | 0.27% |
| ### 421: VIRAL ILLNESS AGE >17 | 419: FEVER OF UNKNOWN ORIGIN AGE >17 W CC | 7,217 | 0.09% |
| ### 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 ### 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES ### 5,974 ### 0.08% ### 10,819 ### 0.08% ### 0.01% ### 0.01% ### 11,819 ### 0.01% ### 0.01% ### 11,819 ### 0.01% ### 0.01 | 420: FEVER OF UNKNOWN ORIGIN AGE >17 W/O CC | 2,132 | 0.03% |
| ### ### ### ### ### ### ### ### ### ## | 421: VIRAL ILLNESS AGE >17 | 7,022 | 0.09% |
| 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 426: DEPRESSIVE NEUROSES 23,412 0.30% 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 432: OTHER MENTAL DISORDER DIAGNOSES 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 1,932 0.02% | 422: VIRAL ILLNESS & FEVER OF UNKNOWN ORIGIN AGE 0-17 | 10,819 | 0.14% |
| 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION 426: DEPRESSIVE NEUROSES 23,412 0.30% 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 1,932 0.02% | 423: OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSES | 5,974 | 0.08% |
| 426: DEPRESSIVE NEUROSES 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 424: O.R. PROCEDURE W PRINCIPAL DIAGNOSES OF MENTAL ILLNESS | 542 | 0.01% |
| 427: NEUROSES EXCEPT DEPRESSIVE 7,794 0.10% 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 2,827 0.04% 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 12,237 0.16% 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 2,667 0.03% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 425: ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 8,284 | 0.11% |
| 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 430: PSYCHOSES 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDER DIAGNOSES 432: OTHER MENTAL DISORDER DIAGNOSES 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 439: SKIN GRAFTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 444: TRAUMATIC INJURY AGE >17 W CC 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 426: DEPRESSIVE NEUROSES | 23,412 | 0.30% |
| 429: ORGANIC DISTURBANCES & MENTAL RETARDATION 430: PSYCHOSES 431: CHILDHOOD MENTAL DISORDERS 432: OTHER MENTAL DISORDER DIAGNOSES 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 439: SKIN GRAFTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 440: WOUND DEBRIDEMENTS FOR INJURIES 441: HAND PROCEDURES FOR INJURIES 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 444: TRAUMATIC INJURY AGE >17 W CC 1,932 0.16% 12,237 0.16% 232,441 2.98% 441 0.01% 1,752 0.02% 1,752 0.02% 1,752 0.02% 1,419 0.02% 1,42: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 445: TRAUMATIC INJURY AGE >17 W CC 1,932 0.02% | 427: NEUROSES EXCEPT DEPRESSIVE | 7,794 | 0.10% |
| 430: PSYCHOSES 232,441 2.98% 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 428: DISORDERS OF PERSONALITY & IMPULSE CONTROL | 2,827 | 0.04% |
| 431: CHILDHOOD MENTAL DISORDERS 3,607 0.05% 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 429: ORGANIC DISTURBANCES & MENTAL RETARDATION | 12,237 | 0.16% |
| 432: OTHER MENTAL DISORDER DIAGNOSES 644 0.01% 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 1,932 0.02% | 430: PSYCHOSES | 232,441 | 2.98% |
| 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA 8,739 0.11% 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 431: CHILDHOOD MENTAL DISORDERS | 3,607 | 0.05% |
| 439: SKIN GRAFTS FOR INJURIES 1,752 0.02% 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 432: OTHER MENTAL DISORDER DIAGNOSES | 644 | 0.01% |
| 440: WOUND DEBRIDEMENTS FOR INJURIES 2,667 0.03% 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 433: ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 8,739 | 0.11% |
| 441: HAND PROCEDURES FOR INJURIES 1,419 0.02% 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 439: SKIN GRAFTS FOR INJURIES | 1,752 | 0.02% |
| 442: OTHER O.R. PROCEDURES FOR INJURIES W CC 10,237 0.13% 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 440: WOUND DEBRIDEMENTS FOR INJURIES | 2,667 | 0.03% |
| 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC 4,554 0.06% 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 441: HAND PROCEDURES FOR INJURIES | 1,419 | 0.02% |
| 444: TRAUMATIC INJURY AGE >17 W CC 2,528 0.03% 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 442: OTHER O.R. PROCEDURES FOR INJURIES W CC | 10,237 | 0.13% |
| 445: TRAUMATIC INJURY AGE >17 W/O CC 1,932 0.02% | 443: OTHER O.R. PROCEDURES FOR INJURIES W/O CC | 4,554 | 0.06% |
| | 444: TRAUMATIC INJURY AGE >17 W CC | 2,528 | 0.03% |
| 446: TRAUMATIC INJURY AGE 0-17 682 0.01% | 445: TRAUMATIC INJURY AGE >17 W/O CC | 1,932 | 0.02% |
| | 446: TRAUMATIC INJURY AGE 0-17 | 682 | 0.01% |

| | | Percent of |
|--|-----------|---------------|
| DRG24 | Frequency | Total |
| 447: ALLERGIC REACTIONS AGE >17 | 4,500 | 0.06% |
| 448: ALLERGIC REACTIONS AGE 0-17 | 436 | 0.01% |
| 449: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W CC | 41,678 | 0.53% |
| 450: POISONING & TOXIC EFFECTS OF DRUGS AGE >17 W/O CC | 11,821 | 0.15% |
| 451: POISONING & TOXIC EFFECTS OF DRUGS AGE 0-17 | 4,724 | 0.06% |
| 452: COMPLICATIONS OF TREATMENT W CC | 14,298 | 0.18% |
| 453: COMPLICATIONS OF TREATMENT W/O CC | 4,117 | 0.05% |
| 454: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W CC | 2,757 | 0.04% |
| 455: OTHER INJURY, POISONING & TOXIC EFFECT DIAG W/O CC | 1,228 | 0.02% |
| 461: O.R. PROC W DIAGNOSES OF OTHER CONTACT W HEALTH SERVICES | 4,501 | 0.06% |
| 462: REHABILITATION | 80,163 | 1.03% |
| 463: SIGNS & SYMPTOMS W CC | 26,044 | 0.33% |
| 464: SIGNS & SYMPTOMS W/O CC | 8,109 | 0.10% |
| 465: AFTERCARE W HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 274 | 0.00% |
| 466: AFTERCARE W/O HISTORY OF MALIGNANCY AS SECONDARY DIAGNOSIS | 3,207 | 0.04% |
| 467: OTHER FACTORS INFLUENCING HEALTH STATUS | 4,461 | 0.06% |
| 468: EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 24,175 | 0.31% |
| 469: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 30 | 0.00% |
| 470: UNGROUPABLE | 5,516 | 0.07% |
| 471: BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY | 7,828 | 0.10% |
| 473: ACUTE LEUKEMIA W/O MAJOR O.R. PROCEDURE AGE >17 | 4,668 | 0.06% |
| 476: PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 618 | 0.01% |
| 477: NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS | 11,384 | 0.15% |
| 479: OTHER VASCULAR PROCEDURES W/O CC | 9,344 | 0.12% |
| 480: LIVER TRANSPLANT AND/OR INTESTINAL TRANSPLANT | 1,194 | 0.02% |
| 481: BONE MARROW TRANSPLANT | 3,519 | 0.05% |
| 482: TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSES | 3,055 | 0.04% |
| 484: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 684 | 0.01% |
| 485: LIMB REATTACHMENT, HIP & FEMUR PROC FOR MULTIPLE SIGNIFICANT TRAUMA | 3,016 | 0.04% |
| 486: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 5,920 | 0.08% |
| | | |

| | | Percent of |
|--|-----------|---------------|
| DRG24 | Frequency | Total |
| 487: OTHER MULTIPLE SIGNIFICANT TRAUMA | 6,304 | 0.08% |
| 488: HIV W EXTENSIVE O.R. PROCEDURE | 543 | 0.01% |
| 489: HIV W MAJOR RELATED CONDITION | 10,778 | 0.14% |
| 490: HIV W OR W/O OTHER RELATED CONDITION | 3,052 | 0.04% |
| 491: MAJOR JOINT & LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITY | 10,762 | 0.14% |
| 492: CHEMO W ACUTE LEUKEMIA AS SDX OR W USE OF HIGH DOSE CHEMO AGENT | 6,274 | 0.08% |
| 493: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W CC | 32,942 | 0.42% |
| 494: LAPAROSCOPIC CHOLECYSTECTOMY W/O C.D.E. W/O CC | 32,471 | 0.42% |
| 495: LUNG TRANSPLANT | 264 | 0.00% |
| 496: COMBINED ANTERIOR/POSTERIOR SPINAL FUSION | 5,839 | 0.07% |
| 497: SPINAL FUSION EXCEPT CERVICAL W CC | 18,875 | 0.24% |
| 498: SPINAL FUSION EXCEPT CERVICAL W/O CC | 24,616 | 0.32% |
| 499: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W CC | 12,226 | 0.16% |
| 500: BACK & NECK PROCEDURES EXCEPT SPINAL FUSION W/O CC | 26,156 | 0.33% |
| 501: KNEE PROCEDURES W PDX OF INFECTION W CC | 1,354 | 0.02% |
| 502: KNEE PROCEDURES W PDX OF INFECTION W/O CC | 587 | 0.01% |
| 503: KNEE PROCEDURES W/O PDX OF INFECTION | 4,640 | 0.06% |
| 504: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W SKIN GRAFT | 199 | 0.00% |
| 505: EXTENSIVE BURNS OR FULL THICKNESS BURNS W MV 96+ HRS W/O SKIN GRAFT | 73 | 0.00% |
| 506: FULL THICKNESS BURN W SKIN GRAFT OR INHAL INJ W CC OR SIG TRAUMA | 771 | 0.01% |
| 507: FULL THICKNESS BURN W SKIN GRFT OR INHAL INJ W/O CC OR SIG TRAUMA | 705 | 0.01% |
| 508: FULL THICKNESS BURN W/O SKIN GRFT OR INHAL INJ W CC OR SIG TRAUMA | 290 | 0.00% |
| 509: FULL THICKNESS BURN W/O SKIN GRFT OR INH INJ W/O CC OR SIG TRAUMA | 267 | 0.00% |
| 510: NON-EXTENSIVE BURNS W CC OR SIGNIFICANT TRAUMA | 964 | 0.01% |
| 511: NON-EXTENSIVE BURNS W/O CC OR SIGNIFICANT TRAUMA | 2,217 | 0.03% |
| 512: SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 239 | 0.00% |
| 513: PANCREAS TRANSPLANT | 64 | 0.00% |
| 515: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH | 14,901 | 0.19% |
| 518: PERCUTANEOUS CARDIOVASC PROC W/O CORONARY ARTERY STENT OR AMI | 13,006 | 0.17% |
| 519: CERVICAL SPINAL FUSION W CC | 8,963 | 0.11% |
| | | |

| | | Percent of |
|--|-----------|---------------|
| DRG24 | Frequency | Total |
| 520: CERVICAL SPINAL FUSION W/O CC | 22,928 | 0.29% |
| 521: ALCOHOL/DRUG ABUSE OR DEPENDENCE W CC | 33,767 | 0.43% |
| 522: ALCOHOL/DRUG ABUSE OR DEPENDENCE W REHABILITATION THERAPY W/O CC | 5,973 | 0.08% |
| 523: ALCOHOL/DRUG ABUSE OR DEPENDENCE W/O REHABILITATION THERAPY W/O CC | 38,551 | 0.49% |
| 524: TRANSIENT ISCHEMIA | 35,972 | 0.46% |
| 525: OTHER HEART ASSIST SYSTEM IMPLANT | 81 | 0.00% |
| 528: INTRACRANIAL VASCULAR PROCEDURES W PDX HEMORRHAGE | 1,814 | 0.02% |
| 529: VENTRICULAR SHUNT PROCEDURES W CC | 2,292 | 0.03% |
| 530: VENTRICULAR SHUNT PROCEDURES W/O CC | 1,279 | 0.02% |
| 531: SPINAL PROCEDURES W CC | 3,782 | 0.05% |
| 532: SPINAL PROCEDURES W/O CC | 3,545 | 0.05% |
| 533: EXTRACRANIAL PROCEDURES W CC | 11,387 | 0.15% |
| 534: EXTRACRANIAL PROCEDURES W/O CC | 11,447 | 0.15% |
| 535: CARDIAC DEFIB IMPLANT W CARDIAC CATH W AMI/HF/SHOCK | 2,868 | 0.04% |
| 536: CARDIAC DEFIB IMPLANT W CARDIAC CATH W/O AMI/HF/SHOCK | 3,292 | 0.04% |
| 537: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W CC | 4,924 | 0.06% |
| 538: LOCAL EXCISION & REMOVAL INT FIX DEVICES EXCEPT HIP & FEMUR W/O CC | 4,487 | 0.06% |
| 539: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W CC | 1,858 | 0.02% |
| 540: LYMPHOMA & LEUKEMIA W MAJOR O.R. PROCEDURE W/O CC | 1,088 | 0.01% |
| 541: ECMO OR TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 12,069 | 0.15% |
| 542: TRACH W MV 96+ HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 10,083 | 0.13% |
| 543: CRANIOTOMY W MAJOR DEVICE IMPLANT OR ACUTE COMPLEX CNS PDX | 3,511 | 0.04% |
| 544: MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY | 192,844 | 2.47% |
| 545: REVISION OF HIP OR KNEE REPLACEMENT | 17,956 | 0.23% |
| 546: SPINAL FUSION EXC CERV WITH CURVATURE OF THE SPINE OR MALIG | 3,819 | 0.05% |
| 547: CORONARY BYPASS W CARDIAC CATH W MAJOR CV DX | 11,326 | 0.15% |
| 548: CORONARY BYPASS W CARDIAC CATH W/O MAJOR CV DX | 10,160 | 0.13% |
| 549: CORONARY BYPASS W/O CARDIAC CATH W MAJOR CV DX | 5,092 | 0.07% |
| 550: CORONARY BYPASS W/O CARDIAC CATH W/O MAJOR CV DX | 12,255 | 0.16% |
| 551: PERMANENT CARDIAC PACEMAKER IMPL W MAJ CV DX OR AICD LEAD OR GNRTR | 13,549 | 0.17% |
| | | |

| DRG24 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 552: OTHER PERMANENT CARDIAC PACEMAKER IMPLANT W/O MAJOR CV DX | 21,365 | 0.27% |
| 553: OTHER VASCULAR PROCEDURES W CC W MAJOR CV DX | 11,362 | 0.15% |
| 554: OTHER VASCULAR PROCEDURES W CC W/O MAJOR CV DX | 22,733 | 0.29% |
| 555: PERCUTANEOUS CARDIOVASCULAR PROC W MAJOR CV DX | 28,074 | 0.36% |
| 556: PERCUTANEOUS CARDIOVASC PROC W NON-DRUG-ELUTING STENT W/O MAJ CV DX | 9,730 | 0.12% |
| 557: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W MAJOR CV DX | 45,580 | 0.58% |
| 558: PERCUTANEOUS CARDIOVASCULAR PROC W DRUG-ELUTING STENT W/O MAJ CV DX | 45,404 | 0.58% |
| 559: ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT | 3,153 | 0.04% |
| 560: BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM | 3,066 | 0.04% |
| 561: NON-BACTERIAL INFECTIONS OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS | 2,506 | 0.03% |
| 562: SEIZURE AGE >17 W CC | 26,115 | 0.33% |
| 563: SEIZURE AGE >17 W/O CC | 16,332 | 0.21% |
| 564: HEADACHES AGE >17 | 16,150 | 0.21% |
| 565: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 19,443 | 0.25% |
| 566: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 31,885 | 0.41% |
| 567: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W MAJOR GI DX | 4,601 | 0.06% |
| 568: STOMACH, ESOPHAGEAL & DUODENAL PROC AGE >17 W CC W/O MAJOR GI DX | 7,268 | 0.09% |
| 569: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W MAJOR GI DX | 27,612 | 0.35% |
| 570: MAJOR SMALL & LARGE BOWEL PROCEDURES W CC W/O MAJOR GI DX | 26,483 | 0.34% |
| 571: MAJOR ESOPHAGEAL DISORDERS | 5,731 | 0.07% |
| 572: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS | 30,953 | 0.40% |
| 573: MAJOR BLADDER PROCEDURES | 3,168 | 0.04% |
| 574: MAJOR HEMATOLOGIC/IMMUNOLOGIC DIAG EXC SICKLE CELL CRISIS & COAGUL | 16,167 | 0.21% |
| 575: SEPTICEMIA W MV 96+ HOURS AGE >17 | 11,123 | 0.14% |
| 576: SEPTICEMIA W/O MV 96+ HOURS AGE >17 | 129,513 | 1.66% |
| 577: CAROTID ARTERY STENT PROCEDURE | 3,030 | 0.04% |
| 578: INFECTIOUS & PARASITIC DISEASES W O.R. PROCEDURE | 20,049 | 0.26% |
| 579: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS W O.R. PROCEDURE | 11,058 | 0.14% |

| DRGVER | Frequency | Percent of Total |
|--------|-----------|------------------------|
| 26 | 5,889,492 | 75.40% |
| 27 | 1,921,270 | 24.60% |

| DX1 | Frequency | Percent of Total |
|-----------------------|-----------|------------------------|
| Blank | 1,093 | 0.01% |
| Valid DX | 7,808,833 | 99.98% |
| Inconsistent DX (inch | .) 225 | 0.00% |
| Invalid DX (invl) | 611 | 0.01% |

| | | Percent |
|---|-----------|-------------|
| DXCCS1 | Frequency | of Total |
| .: Missing | 1,093 | 0.01% |
| A: Invalid diagnosis | 611 | 0.01% |
| C: Inconsistent | 225 | 0.00% |
| 1: Tuberculosis | 1,522 | 0.02% |
| 2: Septicemia (except in labor) | 164,807 | 2.11% |
| 3: Bacterial infection; unspecified site | 1,954 | 0.03% |
| 4: Mycoses | 5,485 | 0.07% |
| 5: HIV infection | 10,715 | 0.14% |
| 6: Hepatitis | 8,904 | 0.11% |
| 7: Viral infection | 15,596 | 0.20% |
| 8: Other infections; including parasitic | 4,022 | 0.05% |
| 9: Sexually transmitted infections (not HIV or hepatitis) | 879 | 0.01% |
| 10: Immunizations and screening for infectious disease | 180 | 0.00% |
| 11: Cancer of head and neck | 6,722 | 0.09% |
| 12: Cancer of esophagus | 2,728 | 0.03% |
| 13: Cancer of stomach | 4,578 | 0.06% |
| 14: Cancer of colon | 19,725 | 0.25% |
| 15: Cancer of rectum and anus | 8,681 | 0.11% |
| 16: Cancer of liver and intrahepatic bile duct | 4,421 | 0.06% |
| 17: Cancer of pancreas | 7,202 | 0.09% |
| 18: Cancer of other GI organs; peritoneum | 4,009 | 0.05% |
| 19: Cancer of bronchus; lung | 29,649 | 0.38% |
| 20: Cancer; other respiratory and intrathoracic | 472 | 0.01% |
| 21: Cancer of bone and connective tissue | 2,827 | 0.04% |
| 22: Melanomas of skin | 748 | 0.01% |
| 23: Other non-epithelial cancer of skin | 1,311 | 0.02% |
| 24: Cancer of breast | 17,528 | 0.22% |
| 25: Cancer of uterus | 8,044 | 0.10% |
| 26: Cancer of cervix | 4,336 | 0.06% |
| 27: Cancer of ovary | 5,175 | 0.07% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| | | Percent |
|---|-----------|---------|
| DXCCS1 | Frequency | |
| 28: Cancer of other female genital organs | 1,369 | 0.02% |
| 29: Cancer of prostate | 19,418 | 0.25% |
| 30: Cancer of testis | 380 | 0.00% |
| 31: Cancer of other male genital organs | 171 | 0.00% |
| 32: Cancer of bladder | 7,212 | 0.09% |
| 33: Cancer of kidney and renal pelvis | 9,404 | 0.12% |
| 34: Cancer of other urinary organs | 688 | 0.01% |
| 35: Cancer of brain and nervous system | 6,805 | 0.09% |
| 36: Cancer of thyroid | 4,875 | 0.06% |
| 37: Hodgkin`s disease | 1,057 | 0.01% |
| 38: Non-Hodgkin`s lymphoma | 8,365 | 0.11% |
| 39: Leukemias | 8,817 | 0.11% |
| 40: Multiple myeloma | 3,623 | 0.05% |
| 41: Cancer; other and unspecified primary | 1,480 | 0.02% |
| 42: Secondary malignancies | 43,321 | 0.55% |
| 43: Malignant neoplasm without specification of site | 1,571 | 0.02% |
| 44: Neoplasms of unspecified nature or uncertain behavior | 9,897 | 0.13% |
| 45: Maintenance chemotherapy; radiotherapy | 32,344 | 0.41% |
| 46: Benign neoplasm of uterus | 36,019 | 0.46% |
| 47: Other and unspecified benign neoplasm | 31,084 | 0.40% |
| 48: Thyroid disorders | 9,092 | 0.12% |
| 49: Diabetes mellitus without complication | 4,335 | 0.06% |
| 50: Diabetes mellitus with complications | 103,736 | 1.33% |
| 51: Other endocrine disorders | 10,630 | 0.14% |
| 52: Nutritional deficiencies | 2,643 | 0.03% |
| 53: Disorders of lipid metabolism | 211 | 0.00% |
| 54: Gout and other crystal arthropathies | 3,384 | 0.04% |
| 55: Fluid and electrolyte disorders | 99,820 | 1.28% |
| 56: Cystic fibrosis | 2,321 | 0.03% |
| 57: Immunity disorders | 339 | 0.00% |
| | | |

| | | Percent of |
|--|-----------|---------------|
| DXCCS1 | Frequency | Total |
| 58: Other nutritional; endocrine; and metabolic disorders | 38,928 | 0.50% |
| 59: Deficiency and other anemia | 45,348 | 0.58% |
| 60: Acute posthemorrhagic anemia | 5,163 | 0.07% |
| 61: Sickle cell anemia | 16,256 | 0.21% |
| 62: Coagulation and hemorrhagic disorders | 8,055 | 0.10% |
| 63: Diseases of white blood cells | 13,580 | 0.17% |
| 64: Other hematologic conditions | 1,198 | 0.02% |
| 76: Meningitis (except that caused by tuberculosis or sexually transmitted disease) | 8,303 | 0.11% |
| 77: Encephalitis (except that caused by tuberculosis or sexually transmitted disease) | 1,889 | 0.02% |
| 78: Other CNS infection and poliomyelitis | 1,854 | 0.02% |
| 79: Parkinson`s disease | 2,575 | 0.03% |
| 80: Multiple sclerosis | 4,657 | 0.06% |
| 81: Other hereditary and degenerative nervous system conditions | 9,107 | 0.12% |
| 82: Paralysis | 1,689 | 0.02% |
| 83: Epilepsy; convulsions | 54,582 | 0.70% |
| 84: Headache; including migraine | 15,751 | 0.20% |
| 85: Coma; stupor; and brain damage | 4,436 | 0.06% |
| 86: Cataract | 74 | 0.00% |
| 87: Retinal detachments; defects; vascular occlusion; and retinopathy | 837 | 0.01% |
| 88: Glaucoma | 168 | 0.00% |
| 89: Blindness and vision defects | 1,149 | 0.01% |
| 90: Inflammation; infection of eye (except that caused by tuberculosis or sexually transmitteddisease) | 3,837 | 0.05% |
| 91: Other eye disorders | 1,465 | 0.02% |
| 92: Otitis media and related conditions | 2,670 | 0.03% |
| 93: Conditions associated with dizziness or vertigo | 15,702 | 0.20% |
| 94: Other ear and sense organ disorders | 1,833 | 0.02% |
| 95: Other nervous system disorders | 48,608 | 0.62% |
| 96: Heart valve disorders | 22,976 | 0.29% |
| 97: Peri-; endo-; and myocarditis; cardiomyopathy (except that caused by tuberculosis or sexually transmitted disease) | 16,045 | 0.21% |
| 5 Toll , ond , and my containing opachy (choope that caubou by cabelearouts of sexually transmitted discuss) | | |

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------------|
| 99: Hypertension with complications and secondary hypertension | 46,485 | 0.60% |
| 100: Acute myocardial infarction | 125,777 | 1.61% |
| 101: Coronary atherosclerosis and other heart disease | 165,260 | 2.12% |
| 102: Nonspecific chest pain | 137,539 | 1.76% |
| 103: Pulmonary heart disease | 35,980 | 0.46% |
| 104: Other and ill-defined heart disease | 1,497 | 0.02% |
| 105: Conduction disorders | 13,867 | 0.18% |
| 106: Cardiac dysrhythmias | 159,583 | 2.04% |
| 107: Cardiac arrest and ventricular fibrillation | 3,593 | 0.05% |
| 108: Congestive heart failure; nonhypertensive | 201,570 | 2.58% |
| 109: Acute cerebrovascular disease | 109,141 | 1.40% |
| 110: Occlusion or stenosis of precerebral arteries | 27,063 | 0.35% |
| 111: Other and ill-defined cerebrovascular disease | 5,447 | 0.07% |
| 112: Transient cerebral ischemia | 36,388 | 0.47% |
| 113: Late effects of cerebrovascular disease | 3,989 | 0.05% |
| 114: Peripheral and visceral atherosclerosis | 37,118 | 0.48% |
| 115: Aortic; peripheral; and visceral artery aneurysms | 17,870 | 0.23% |
| 116: Aortic and peripheral arterial embolism or thrombosis | 6,261 | 0.08% |
| 117: Other circulatory disease | 28,527 | 0.37% |
| 118: Phlebitis; thrombophlebitis and thromboembolism | 34,268 | 0.44% |
| 119: Varicose veins of lower extremity | 586 | 0.01% |
| 120: Hemorrhoids | 6,481 | 0.08% |
| 121: Other diseases of veins and lymphatics | 5,216 | 0.07% |
| 122: Pneumonia (except that caused by tuberculosis or sexually transmitted disease) | 229,338 | 2.94% |
| 123: Influenza | 16,863 | 0.22% |
| 124: Acute and chronic tonsillitis | 5,849 | 0.07% |
| 125: Acute bronchitis | 37,068 | 0.47% |
| 126: Other upper respiratory infections | 15,399 | 0.20% |
| 127: Chronic obstructive pulmonary disease and bronchiectasis | 143,997 | 1.84% |
| 128: Asthma | 88,846 | 1.14% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| DXCCS1 | Frequency | Percent of Total |
|---|-----------|------------------------|
| 129: Aspiration pneumonitis; food/vomitus | 37,249 | 0.48% |
| 130: Pleurisy; pneumothorax; pulmonary collapse | 24,483 | 0.31% |
| 131: Respiratory failure; insufficiency; arrest (adult) | 75,554 | 0.97% |
| 132: Lung disease due to external agents | 1,375 | 0.02% |
| 133: Other lower respiratory disease | 28,346 | 0.36% |
| 134: Other upper respiratory disease | 8,885 | 0.11% |
| 135: Intestinal infection | 45,791 | 0.59% |
| 136: Disorders of teeth and jaw | 4,737 | 0.06% |
| 137: Diseases of mouth; excluding dental | 4,288 | 0.05% |
| 138: Esophageal disorders | 28,186 | 0.36% |
| 139: Gastroduodenal ulcer (except hemorrhage) | 8,896 | 0.11% |
| 140: Gastritis and duodenitis | 21,757 | 0.28% |
| 141: Other disorders of stomach and duodenum | 14,612 | 0.19% |
| 142: Appendicitis and other appendiceal conditions | 60,835 | 0.78% |
| 143: Abdominal hernia | 37,661 | 0.48% |
| 144: Regional enteritis and ulcerative colitis | 19,989 | 0.26% |
| 145: Intestinal obstruction without hernia | 68,047 | 0.87% |
| 146: Diverticulosis and diverticulitis | 61,836 | 0.79% |
| 147: Anal and rectal conditions | 9,961 | 0.13% |
| 148: Peritonitis and intestinal abscess | 6,049 | 0.08% |
| 149: Biliary tract disease | 94,250 | 1.21% |
| 151: Other liver diseases | 23,996 | 0.31% |
| 152: Pancreatic disorders (not diabetes) | 60,904 | 0.78% |
| 153: Gastrointestinal hemorrhage | 71,199 | 0.91% |
| 154: Noninfectious gastroenteritis | 29,832 | 0.38% |
| 155: Other gastrointestinal disorders | 42,576 | 0.55% |
| 156: Nephritis; nephrosis; renal sclerosis | 1,571 | 0.02% |
| 157: Acute and unspecified renal failure | 75,637 | 0.97% |
| 158: Chronic renal failure | 5,185 | 0.07% |
| 159: Urinary tract infections | 116,373 | 1.49% |

For more information about the coding of HCUP data elements, please refer to the section on Description of Data Elements.

| | | Percent of |
|---|-----------|---------------|
| DXCCS1 | Frequency | - |
| 160: Calculus of urinary tract | 32,239 | 0.41% |
| 161: Other diseases of kidney and ureters | 8,842 | 0.11% |
| 162: Other diseases of bladder and urethra | 4,913 | 0.06% |
| 163: Genitourinary symptoms and ill-defined conditions | 6,977 | 0.09% |
| 164: Hyperplasia of prostate | 12,044 | 0.15% |
| 165: Inflammatory conditions of male genital organs | 5,388 | 0.07% |
| 166: Other male genital disorders | 2,521 | 0.03% |
| 167: Nonmalignant breast conditions | 4,729 | 0.06% |
| 168: Inflammatory diseases of female pelvic organs | 8,580 | 0.11% |
| 169: Endometriosis | 8,808 | 0.11% |
| 170: Prolapse of female genital organs | 23,261 | 0.30% |
| 171: Menstrual disorders | 20,428 | 0.26% |
| 172: Ovarian cyst | 8,655 | 0.11% |
| 173: Menopausal disorders | 1,979 | 0.03% |
| 174: Female infertility | 32 | 0.00% |
| 175: Other female genital disorders | 13,952 | 0.18% |
| 176: Contraceptive and procreative management | 151 | 0.00% |
| 177: Spontaneous abortion | 3,045 | 0.04% |
| 178: Induced abortion | 807 | 0.01% |
| 179: Postabortion complications | 417 | 0.01% |
| 180: Ectopic pregnancy | 4,896 | 0.06% |
| 181: Other complications of pregnancy | 106,413 | 1.36% |
| 182: Hemorrhage during pregnancy; abruptio placenta; placenta previa | 10,378 | 0.13% |
| 183: Hypertension complicating pregnancy; childbirth and the puerperium | 47,299 | 0.61% |
| 184: Early or threatened labor | 39,879 | 0.51% |
| 185: Prolonged pregnancy | 55,301 | 0.71% |
| 186: Diabetes or abnormal glucose tolerance complicating pregnancy; childbirth; or the puerperium | 20,223 | 0.26% |
| 187: Malposition; malpresentation | 32,043 | 0.41% |
| 188: Fetopelvic disproportion; obstruction | 16,072 | 0.21% |
| 189: Previous C-section | 107,969 | 1.38% |

| | | Percent |
|---|-----------|---------|
| DXCCS1 | Frequency | Total |
| 190: Fetal distress and abnormal forces of labor | 43,799 | 0.56% |
| 191: Polyhydramnios and other problems of amniotic cavity | 36,027 | 0.46% |
| 192: Umbilical cord complication | 38,871 | 0.50% |
| 193: OB-related trauma to perineum and vulva | 149,909 | 1.92% |
| 194: Forceps delivery | 4,273 | 0.05% |
| 195: Other complications of birth; puerperium affecting management of mother | 139,519 | 1.79% |
| 196: Normal pregnancy and/or delivery | 53,012 | 0.68% |
| 197: Skin and subcutaneous tissue infections | 123,783 | 1.58% |
| 198: Other inflammatory condition of skin | 2,229 | 0.03% |
| 199: Chronic ulcer of skin | 13,702 | 0.18% |
| 200: Other skin disorders | 2,845 | 0.04% |
| 201: Infective arthritis and osteomyelitis (except that caused by tuberculosis or sexually transmitted disease) | 16,517 | 0.21% |
| 202: Rheumatoid arthritis and related disease | 3,215 | 0.04% |
| 203: Osteoarthritis | 182,242 | 2.33% |
| 204: Other non-traumatic joint disorders | 9,169 | 0.12% |
| 205: Spondylosis; intervertebral disc disorders; other back problems | 128,949 | 1.65% |
| 206: Osteoporosis | 70 | 0.00% |
| 207: Pathological fracture | 13,313 | 0.17% |
| 208: Acquired foot deformities | 1,430 | 0.02% |
| 209: Other acquired deformities | 11,284 | 0.14% |
| 210: Systemic lupus erythematosus and connective tissue disorders | 4,177 | 0.05% |
| 211: Other connective tissue disease | 28,584 | 0.37% |
| 212: Other bone disease and musculoskeletal deformities | 17,990 | 0.23% |
| 213: Cardiac and circulatory congenital anomalies | 8,119 | 0.10% |
| 214: Digestive congenital anomalies | 4,090 | 0.05% |
| 215: Genitourinary congenital anomalies | 2,335 | 0.03% |
| 216: Nervous system congenital anomalies | 1,664 | 0.02% |
| 217: Other congenital anomalies | 9,258 | 0.12% |
| 218: Liveborn | 830,538 | 10.63% |
| 219: Short gestation; low birth weight; and fetal growth retardation | 4,226 | 0.05% |

| | | Percent |
|---|-----------|---------|
| DXCCS1 | Frequency | - |
| 220: Intrauterine hypoxia and birth asphyxia | 249 | 0.00% |
| 221: Respiratory distress syndrome | 1,681 | 0.02% |
| 222: Hemolytic jaundice and perinatal jaundice | 8,691 | 0.11% |
| 223: Birth trauma | 122 | 0.00% |
| 224: Other perinatal conditions | 13,666 | 0.17% |
| 225: Joint disorders and dislocations; trauma-related | 6,440 | 0.08% |
| 226: Fracture of neck of femur (hip) | 61,075 | 0.78% |
| 227: Spinal cord injury | 2,582 | 0.03% |
| 228: Skull and face fractures | 10,897 | 0.14% |
| 229: Fracture of upper limb | 30,027 | 0.38% |
| 230: Fracture of lower limb | 52,011 | 0.67% |
| 231: Other fractures | 43,086 | 0.55% |
| 232: Sprains and strains | 6,827 | 0.09% |
| 233: Intracranial injury | 40,070 | 0.51% |
| 234: Crushing injury or internal injury | 20,300 | 0.26% |
| 235: Open wounds of head; neck; and trunk | 6,863 | 0.09% |
| 236: Open wounds of extremities | 8,065 | 0.10% |
| 237: Complication of device; implant or graft | 133,447 | 1.71% |
| 238: Complications of surgical procedures or medical care | 101,933 | 1.31% |
| 239: Superficial injury; contusion | 8,973 | 0.11% |
| 240: Burns | 5,727 | 0.07% |
| 241: Poisoning by psychotropic agents | 17,513 | 0.22% |
| 242: Poisoning by other medications and drugs | 29,245 | 0.37% |
| 243: Poisoning by nonmedicinal substances | 3,727 | 0.05% |
| 244: Other injuries and conditions due to external causes | 18,990 | 0.24% |
| 245: Syncope | 53,506 | 0.69% |
| 246: Fever of unknown origin | 14,480 | 0.19% |
| 247: Lymphadenitis | 3,421 | 0.04% |
| 248: Gangrene | 7,030 | 0.09% |
| 249: Shock | 395 | 0.01% |
| | | |

| DXCCS1 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 250: Nausea and vomiting | 9,330 | 0.12% |
| 251: Abdominal pain | 34,676 | 0.44% |
| 252: Malaise and fatigue | 5,961 | 0.08% |
| 253: Allergic reactions | 5,071 | 0.06% |
| 254: Rehabilitation care; fitting of prostheses; and adjustment of devices | 81,380 | 1.04% |
| 255: Administrative/social admission | 519 | 0.01% |
| 256: Medical examination/evaluation | 1,116 | 0.01% |
| 257: Other aftercare | 7,135 | 0.09% |
| 258: Other screening for suspected conditions (not mental disorders or infectious disease) | 1,269 | 0.02% |
| 259: Residual codes; unclassified | 24,648 | 0.32% |
| 650: Adjustment disorders | 7,919 | 0.10% |
| 651: Anxiety disorders | 7,793 | 0.10% |
| 652: Attention-deficit, conduct, and disruptive behavior disorders | 2,566 | 0.03% |
| 653: Delirium, dementia, and amnestic and other cognitive disorders | 26,057 | 0.33% |
| 654: Developmental disorders | 460 | 0.01% |
| 655: Disorders usually diagnosed in infancy, childhood, or adolescence | 751 | 0.01% |
| 656: Impulse control disorders, NEC | 1,934 | 0.02% |
| 657: Mood disorders | 171,072 | 2.19% |
| 658: Personality disorders | 1,068 | 0.01% |
| 659: Schizophrenia and other psychotic disorders | 81,979 | 1.05% |
| 660: Alcohol-related disorders | 52,101 | 0.67% |
| 661: Substance-related disorders | 46,739 | 0.60% |
| 662: Suicide and intentional self-inflicted injury | 407 | 0.01% |
| 663: Screening and history of mental health and substance abuse codes | 15,097 | 0.19% |
| 670: Miscellaneous disorders | 9,304 | 0.12% |

| ECODE1 | Frequency | Percent of Total |
|-------------------|-----------|------------------------|
| Blank | 6,674,269 | 85.45% |
| Valid DX | 1,136,401 | 14.55% |
| Invalid DX (invl) | 92 | 0.00% |

| ELECTIVE | Frequency | Percent of Total |
|---------------------------|-----------|------------------------|
| .: Missing | 15,895 | 0.20% |
| .A: Invalid | 2,507 | 0.03% |
| 0: Non-elective admission | 6,002,696 | 76.85% |
| 1: Elective admission | 1,789,664 | 22.91% |

| E CCS1 | Frequency | Percent of Total |
|--|-----------|------------------------|
| .: Missing | 6,674,269 | 85.45% |
| A: Invalid diagnosis | 92 | 0.00% |
| 662: Suicide and intentional self-inflicted injury | 41,613 | 0.53% |
| 2601: E Codes: Cut/pierceb | 8,874 | 0.11% |
| 2602: E Codes: Drowning/submersion | 698 | 0.01% |
| 2603: E Codes: Fall | 237,444 | 3.04% |
| 2604: E Codes: Fire/burn | 6,363 | 0.08% |
| 2605: E Codes: Firearm | 5,131 | 0.07% |
| 2606: E Codes: Machinery | 2,092 | 0.03% |
| 2607: E Codes: Motor vehicle traffic (MVT) | 48,932 | 0.63% |
| 2608: E Codes: Pedal cyclist; not MVT | 3,960 | 0.05% |
| 2609: E Codes: Pedestrian; not MVT | 593 | 0.01% |
| 2610: E Codes: Transport; not MVT | 9,115 | 0.12% |
| 2611: E Codes: Natural/environment | 12,951 | 0.17% |
| 2612: E Codes: Overexertion | 7,273 | 0.09% |
| 2613: E Codes: Poisoning | 36,664 | 0.47% |
| 2614: E Codes: Struck by; against | 18,341 | 0.23% |
| 2615: E Codes: Suffocation | 4,294 | 0.05% |
| 2616: E Codes: Adverse effects of medical care | 267,777 | 3.43% |
| 2617: E Codes: Adverse effects of medical drugs | 321,006 | 4.11% |
| 2618: E Codes: Other specified and classifiable | 26,565 | 0.34% |
| 2619: E Codes: Other specified; NEC | 14,126 | 0.18% |
| 2620: E Codes: Unspecified | 37,649 | 0.48% |
| 2621: E Codes: Place of occurrence | 24,940 | 0.32% |

| FEMALE | Frequency | Percent of Total |
|------------------|-----------|------------------------|
| .: Missing | 20,779 | 0.27% |
| .A: Invalid | 48 | 0.00% |
| .C: Inconsistent | 258 | 0.00% |
| 0: Male | 3,253,529 | 41.65% |
| 1: Female | 4,536,148 | 58.08% |

| HCUP_ED | Frequency | Percent of Total |
|---|-----------|------------------------|
| 0: Record does not meet any HCUP Emergency Department criteria | 3,881,093 | 49.69% |
| 1: Emergency Department revenue code on record | 2,304,803 | 29.51% |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 691,796 | 8.86% |
| 3: Emergency Department CPT procedure code on record | 784 | 0.01% |
| 4: Emergency Department admission source | 932,286 | 11.94% |

| HOSPST | Frequency | Percent of Total |
|--------|-----------|------------------------|
| AR | 82,524 | 1.06% |
| AZ | 140,894 | 1.80% |
| CA | 901,279 | 11.54% |
| СО | 156,401 | 2.00% |
| СТ | 98,266 | 1.26% |
| FL | 670,080 | 8.58% |
| GA | 269,146 | 3.45% |
| HI | 6,712 | 0.09% |
| IA | 64,231 | 0.82% |
| IL | 364,160 | 4.66% |
| IN | 188,850 | 2.42% |
| KS | 64,830 | 0.83% |
| KY | 146,772 | 1.88% |
| LA | 107,695 | 1.38% |
| MA | 133,087 | 1.70% |
| MD | 148,423 | 1.90% |
| ME | 12,472 | 0.16% |
| MI | 178,485 | 2.29% |
| MN | 121,238 | 1.55% |
| МО | 198,586 | 2.54% |
| МТ | 23,754 | 0.30% |
| NC | 300,636 | 3.85% |
| NE | 45,187 | 0.58% |
| NH | 41,564 | 0.53% |
| NJ | 226,033 | 2.89% |
| NM | 20,469 | 0.26% |
| NV | 69,276 | 0.89% |
| NY | 540,878 | 6.92% |
| ОН | 425,216 | 5.44% |
| ОК | 153,430 | 1.96% |
| | | |

| HOSPST | Frequency | Percent of Total |
|--------|-----------|------------------------|
| OR | 103,204 | 1.32% |
| PA | 359,292 | 4.60% |
| RI | 28,303 | 0.36% |
| SC | 88,263 | 1.13% |
| SD | 10,238 | 0.13% |
| TN | 163,242 | 2.09% |
| TX | 592,091 | 7.58% |
| UT | 30,613 | 0.39% |
| VA | 230,905 | 2.96% |
| VT | 3,516 | 0.05% |
| WA | 107,166 | 1.37% |
| WI | 127,838 | 1.64% |
| WV | 53,488 | 0.68% |
| WY | 12,029 | 0.15% |

| | | Percent of |
|------------------|-----------|---------------|
| LOS | Frequency | Total |
| .: Missing | 2,470 | 0.03% |
| .A: Invalid | <= 10 | *.**% |
| .C: Inconsistent | 361 | 0.00% |
| 0 days | 152,467 | 1.95% |
| 1 day | 1,224,908 | 15.68% |
| 2 days | 1,962,826 | 25.13% |
| 3 days | 1,428,104 | 18.28% |
| 4 days | 828,873 | 10.61% |
| 5 days | 514,578 | 6.59% |
| 6 days | 362,207 | 4.64% |
| 7 days | 279,279 | 3.58% |
| 8 days | 196,889 | 2.52% |
| 9 days | 141,972 | 1.82% |
| 10 days | 109,465 | 1.40% |
| 11 - 30 days | 533,424 | 6.83% |
| 31 - 60 days | 58,038 | 0.74% |
| 61 - 90 days | 9,530 | 0.12% |
| 91 - 120 days | 3,123 | 0.04% |
| 121 - 150 days | 1,067 | 0.01% |
| 151 - 180 days | 461 | 0.01% |
| 181 - 210 days | 253 | 0.00% |
| 211 - 240 days | 162 | 0.00% |
| 241 - 270 days | 95 | 0.00% |
| 271 - 300 days | 88 | 0.00% |
| 301 - 330 days | 57 | 0.00% |
| 331 - 365 days | 64 | 0.00% |

| MDC24 | Frequency | Percent of Total |
|---|-----------|------------------------|
| 0: PRINCIPAL DX CAN NOT BE ASSIGNED TO MDC | 5,516 | 0.07% |
| 1: DISEASES & DISORDERS OF THE NERVOUS SYSTEM | 435,263 | 5.57% |
| 2: DISEASES & DISORDERS OF THE EYE | 10,177 | 0.13% |
| 3: DISEASES & DISORDERS OF THE EAR, NOSE, MOUTH & THROAT | 88,157 | 1.13% |
| 4: DISEASES & DISORDERS OF THE RESPIRATORY SYSTEM | 781,669 | 10.01% |
| 5: DISEASES & DISORDERS OF THE CIRCULATORY SYSTEM | 1,147,417 | 14.69% |
| 6: DISEASES & DISORDERS OF THE DIGESTIVE SYSTEM | 677,380 | 8.67% |
| 7: DISEASES & DISORDERS OF THE HEPATOBILIARY SYSTEM & PANCREAS | 222,302 | 2.85% |
| 8: DISEASES & DISORDERS OF THE MUSCULOSKELETAL SYSTEM & CONN TISSUE | 666,197 | 8.53% |
| 9: DISEASES & DISORDERS OF THE SKIN, SUBCUTANEOUS TISSUE & BREAST | 191,870 | 2.46% |
| 10: ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES & DISORDERS | 251,693 | 3.22% |
| 11: DISEASES & DISORDERS OF THE KIDNEY & URINARY TRACT | 320,434 | 4.10% |
| 12: DISEASES & DISORDERS OF THE MALE REPRODUCTIVE SYSTEM | 41,045 | 0.53% |
| 13: DISEASES & DISORDERS OF THE FEMALE REPRODUCTIVE SYSTEM | 149,066 | 1.91% |
| 14: PREGNANCY, CHILDBIRTH & THE PUERPERIUM | 916,123 | 11.73% |
| 15: NEWBORNS & OTHER NEONATES WITH CONDTN ORIG IN PERINATAL PERIOD | 858,433 | 10.99% |
| 16: DISEASES & DISORDERS OF BLOOD, BLOOD FORMING ORGANS, IMMUNOLOG DISORD | 98,146 | 1.26% |
| 17: MYELOPROLIFERATIVE DISEASES & DISORDERS, POORLY DIFFERENTIATED NEOPLASM | 62,963 | 0.81% |
| 18: INFECTIOUS & PARASITIC DISEASES, SYSTEMIC OR UNSPECIFIED SITES | 231,631 | 2.97% |
| 19: MENTAL DISEASES & DISORDERS | 291,794 | 3.74% |
| 20: ALCOHOL/DRUG USE & ALCOHOL/DRUG INDUCED ORGANIC MENTAL DISORDERS | 87,393 | 1.12% |
| 21: INJURIES, POISONINGS & TOXIC EFFECTS OF DRUGS | 113,269 | 1.45% |
| 22: BURNS | 5,606 | 0.07% |
| 23: FACTORS INFLUENCING HLTH STAT & OTHR CONTACTS WITH HLTH SERVCS | 126,778 | 1.62% |
| 24: MULTIPLE SIGNIFICANT TRAUMA | 15,963 | 0.20% |
| 25: HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 14,477 | 0.19% |

| MDNU | M1_R | Frequency | Percent of Total |
|------|--------|-----------|------------------------|
| .: M | issing | 3,416,844 | 43.75% |
| Vali | d | 4,393,918 | 56.25% |

| MDNUM2 R | Frequency | Percent of Total |
|------------|-----------|------------------------|
| .: Missing | 5,178,692 | 66.30% |
| Valid | 2,632,070 | 33.70% |

| | | Percent of |
|-----|-----------|---------------|
| NDX | Frequency | Total |
| 0 | 1,087 | 0.01% |
| 1 | 403,462 | 5.17% |
| 2 | 775,149 | 9.92% |
| 3 | 705,416 | 9.03% |
| 4 | 655,079 | 8.39% |
| 5 | 605,530 | 7.75% |
| 6 | 565,298 | 7.24% |
| 7 | 522,536 | 6.69% |
| 8 | 489,459 | 6.27% |
| 9 | 806,320 | 10.32% |
| 10 | 367,207 | 4.70% |
| 11 | 291,789 | 3.74% |
| 12 | 253,547 | 3.25% |
| 13 | 240,728 | 3.08% |
| 14 | 216,342 | 2.77% |
| 15 | 323,833 | 4.15% |
| 16 | 113,508 | 1.45% |
| 17 | 85,499 | 1.09% |
| 18 | 135,893 | 1.74% |
| 19 | 47,447 | 0.61% |
| 20 | 39,634 | 0.51% |
| 21 | 35,045 | 0.45% |
| 22 | 25,121 | 0.32% |
| 23 | 21,979 | 0.28% |
| 24 | 21,746 | 0.28% |
| 25 | 38,240 | 0.49% |
| 26 | 4,282 | 0.05% |
| 27 | 3,687 | 0.05% |
| 28 | 3,437 | 0.04% |
| 29 | 3,602 | 0.05% |
| | | |

| | | Percent of |
|-----|-----------|---------------|
| NDX | Frequency | Total |
| 30 | 6,796 | 0.09% |
| 31 | 1,926 | 0.02% |
| 32 | 23 | 0.00% |
| 33 | 21 | 0.00% |
| 34 | 17 | 0.00% |
| 35 | <= 10 | *.**% |
| 36 | 13 | 0.00% |
| 37 | 11 | 0.00% |
| 38 | <= 10 | *.**% |
| 39 | <= 10 | *.**% |
| 40 | <= 10 | *.**% |
| 41 | <= 10 | *.**% |
| 42 | <= 10 | *.**% |
| 43 | <= 10 | *.**% |
| 44 | <= 10 | *.**% |
| 45 | <= 10 | *.**% |
| 46 | <= 10 | *.**% |
| 48 | <= 10 | *.**% |
| 52 | <= 10 | *.**% |
| 54 | <= 10 | *.**% |
| 58 | <= 10 | *.**% |
| 59 | <= 10 | *.**% |

| NECODE | Frequency | Percent of Total |
|--------|-----------|------------------------|
| 0 | 6,674,269 | 85.45% |
| 1 | 640,878 | 8.21% |
| 2 | 392,876 | 5.03% |
| 3 | 71,648 | 0.92% |
| 4 | 25,703 | 0.33% |
| 5 | 3,512 | 0.04% |
| 6 | 1,439 | 0.02% |
| 7 | 202 | 0.00% |
| 8 | 223 | 0.00% |
| 9 | <= 10 | *.**% |
| 10 | <= 10 | *.**% |

HCUP Summary Statistics Report: NIS 2009 - Core File Frequency Distribution for NEOMAT

| NEOMAT | Frequency | Percent of Total |
|-----------------------------|-----------|------------------------|
| 0: Not neonatal or maternal | 6,023,430 | 77.12% |
| 1: Maternal | 920,487 | 11.78% |
| 2: Neonatal | 866,793 | 11.10% |
| 3: Neonatal and maternal | 52 | 0.00% |

| | | Percent of |
|-----|-----------|---------------|
| NPR | Frequency | Total |
| 0 | 2,904,105 | 37.18% |
| 1 | 1,957,560 | 25.06% |
| 2 | 1,236,013 | 15.82% |
| 3 | 693,438 | 8.88% |
| 4 | 363,857 | 4.66% |
| 5 | 204,946 | 2.62% |
| 6 | 192,713 | 2.47% |
| 7 | 87,689 | 1.12% |
| 8 | 62,266 | 0.80% |
| 9 | 42,672 | 0.55% |
| 10 | 24,290 | 0.31% |
| 11 | 11,619 | 0.15% |
| 12 | 8,605 | 0.11% |
| 13 | 5,862 | 0.08% |
| 14 | 3,759 | 0.05% |
| 15 | 5,815 | 0.07% |
| 16 | 1,440 | 0.02% |
| 17 | 831 | 0.01% |
| 18 | 740 | 0.01% |
| 19 | 685 | 0.01% |
| 20 | 344 | 0.00% |
| 21 | 761 | 0.01% |
| 22 | 145 | 0.00% |
| 23 | 112 | 0.00% |
| 24 | 86 | 0.00% |
| 25 | 266 | 0.00% |
| 26 | 19 | 0.00% |
| 27 | 22 | 0.00% |
| 28 | 12 | 0.00% |
| 29 | 12 | 0.00% |
| | | |

| NPR | Frequency | Percent of Total |
|-----|-----------|------------------------|
| 30 | 23 | 0.00% |
| 31 | 51 | 0.00% |
| 34 | <= 10 | *.**% |
| 35 | <= 10 | *.**% |
| 36 | <= 10 | *.**% |
| 37 | <= 10 | *.**% |

HCUP Summary Statistics Report: NIS 2009 - Core File Frequency Distribution for ORPROC

| ORPROC | Frequency | Percent of Total |
|--|-----------|------------------------|
| 0: No major operating room procedure on record | 5,508,016 | 70.52% |
| 1: Major operating room procedure on record | 2,302,746 | 29.48% |

| PAY1 | Frequency | Percent of Total |
|----------------------|-----------|------------------------|
| .: Missing | 15,281 | 0.20% |
| .A: Invalid | 1,208 | 0.02% |
| 1: Medicare | 2,900,493 | 37.13% |
| 2: Medicaid | 1,594,941 | 20.42% |
| 3: Private insurance | 2,573,021 | 32.94% |
| 4: Self-pay | 431,442 | 5.52% |
| 5: No charge | 40,334 | 0.52% |
| 6: Other | 254,042 | 3.25% |

| PAY1_X | Frequency | Percent of Total |
|-----------|-----------|------------------------|
| Blank | 12,784 | 0.16% |
| Non-blank | 7,797,978 | 99.84% |

| - | | |
|----------------------|-----------|------------------------|
| PAY2 | Frequency | Percent of Total |
| .: Missing | 5,355,062 | 68.56% |
| .A: Invalid | 37,923 | 0.49% |
| 1: Medicare | 402,184 | 5.15% |
| 2: Medicaid | 522,350 | 6.69% |
| 3: Private insurance | 889,314 | 11.39% |
| 4: Self-pay | 448,462 | 5.74% |
| 5: No charge | 14,922 | 0.19% |
| 6: Other | 140,545 | 1.80% |

| PAY2_X | Frequency | Percent of Total |
|-----------|-----------|------------------------|
| Blank | 5,095,070 | 65.23% |
| Non-blank | 2,715,692 | 34.77% |

| PL_NCHS2006 | Frequency | Percent of Total |
|------------------------|-----------|------------------------|
| .: Missing | 172,633 | 2.21% |
| 1: Large Central Metro | 2,317,305 | 29.67% |
| 2: Large Fringe Metro | 1,827,058 | 23.39% |
| 3: Medium Metro | 1,429,924 | 18.31% |
| 4: Small Metro | 639,161 | 8.18% |
| 5: Micropolitan | 873,628 | 11.18% |
| 6: Noncore | 551,053 | 7.06% |

| PointOfOriginUB04 | Frequency | Percent of Total |
|---|-----------|------------------------|
| Blank/invalid | 1,738,704 | 22.26% |
| 1: Non-health care facility point of origin | 2,025,518 | 25.93% |
| 2: Clinic | 182,764 | 2.34% |
| 4: Transfer from a hospital | 262,509 | 3.36% |
| 5: Transfer from a Skilled Nursing Facility | 694,095 | 8.89% |
| 6: Transfer from another health care facility | 46,191 | 0.59% |
| 7: Emergency Room | 2,821,805 | 36.13% |
| 8: Court/law enforcement | 8,307 | 0.11% |
| B: Transfer from another Home Health Agency | 100 | 0.00% |
| C: Readmission to same Home Health Agency | 50 | 0.00% |
| D: Transfer from one distinct unit to another | 30,057 | 0.38% |
| E: Transfer from Ambulatory Surgery Center | 183 | 0.00% |
| F: Transfer from hospice and under hospice plan | 479 | 0.01% |

| PR1 | Frequency | Percent of Total |
|------------------------|-----------|------------------------|
| Blank | 2,905,277 | 37.20% |
| Valid PR | 4,905,017 | 62.80% |
| Inconsistent PR (incn) | 172 | 0.00% |
| Invalid PR (invl) | 296 | 0.00% |

| PRCCS1 | Frequency | Percent of Total |
|---|-----------|------------------------|
| .: Missing | 2,905,277 | 37.20% |
| A: Invalid procedure | 296 | 0.00% |
| C: Inconsistent | 172 | 0.00% |
| 1: Incision and excision of CNS | 20,399 | 0.26% |
| 2: Insertion; replacement; or removal of extracranial ventricular shunt | 5,590 | 0.07% |
| 3: Laminectomy; excision intervertebral disc | 41,767 | 0.53% |
| 4: Diagnostic spinal tap | 45,333 | 0.58% |
| 5: Insertion of catheter or spinal stimulator and injection into spinal canal | 8,102 | 0.10% |
| 6: Decompression peripheral nerve | 571 | 0.01% |
| 7: Other diagnostic nervous system procedures | 2,018 | 0.03% |
| 8: Other non-OR or closed therapeutic nervous system procedures | 2,596 | 0.03% |
| 9: Other OR therapeutic nervous system procedures | 16,979 | 0.22% |
| 10: Thyroidectomy; partial or complete | 10,612 | 0.14% |
| 11: Diagnostic endocrine procedures | 846 | 0.01% |
| 12: Other therapeutic endocrine procedures | 6,640 | 0.09% |
| 13: Corneal transplant | 91 | 0.00% |
| 14: Glaucoma procedures | 58 | 0.00% |
| 15: Lens and cataract procedures | 170 | 0.00% |
| 16: Repair of retinal tear; detachment | 173 | 0.00% |
| 17: Destruction of lesion of retina and choroid | 112 | 0.00% |
| 18: Diagnostic procedures on eye | 142 | 0.00% |
| 19: Other therapeutic procedures on eyelids; conjunctiva; cornea | 2,847 | 0.04% |
| 20: Other intraocular therapeutic procedures | 589 | 0.01% |
| 21: Other extraocular muscle and orbit therapeutic procedures | 815 | 0.01% |
| 22: Tympanoplasty | 133 | 0.00% |
| 23: Myringotomy | 905 | 0.01% |
| 24: Mastoidectomy | 174 | 0.00% |
| 25: Diagnostic procedures on ear | 77 | 0.00% |
| 26: Other therapeutic ear procedures | 1,681 | 0.02% |
| 27: Control of epistaxis | 3,521 | 0.05% |

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 28: Plastic procedures on nose | 1,310 | 0.02% |
| 29: Dental procedures | 1,263 | 0.02% |
| 30: Tonsillectomy and/or adenoidectomy | 3,208 | 0.04% |
| 31: Diagnostic procedures on nose; mouth and pharynx | 1,725 | 0.02% |
| 32: Other non-OR therapeutic procedures on nose; mouth and pharynx | 3,183 | 0.04% |
| 33: Other OR therapeutic procedures on nose; mouth and pharynx | 9,804 | 0.13% |
| 34: Tracheostomy; temporary and permanent | 13,642 | 0.17% |
| 35: Tracheoscopy and laryngoscopy with biopsy | 3,863 | 0.05% |
| 36: Lobectomy or pneumonectomy | 16,527 | 0.21% |
| 37: Diagnostic bronchoscopy and biopsy of bronchus | 30,697 | 0.39% |
| 38: Other diagnostic procedures on lung and bronchus | 2,178 | 0.03% |
| 39: Incision of pleura; thoracentesis; chest drainage | 42,647 | 0.55% |
| 40: Other diagnostic procedures of respiratory tract and mediastinum | 3,997 | 0.05% |
| 41: Other non-OR therapeutic procedures on respiratory system | 3,179 | 0.04% |
| 42: Other OR Rx procedures on respiratory system and mediastinum | 12,251 | 0.16% |
| 43: Heart valve procedures | 23,917 | 0.31% |
| 44: Coronary artery bypass graft (CABG) | 41,820 | 0.54% |
| 45: Percutaneous transluminal coronary angioplasty (PTCA) | 127,437 | 1.63% |
| 46: Coronary thrombolysis | <= 10 | *.**% |
| 47: Diagnostic cardiac catheterization; coronary arteriography | 113,278 | 1.45% |
| 48: Insertion; revision; replacement; removal of cardiac pacemaker or cardioverter/defibrillator | 65,141 | 0.83% |
| 49: Other OR heart procedures | 26,827 | 0.34% |
| 50: Extracorporeal circulation auxiliary to open heart procedures | 489 | 0.01% |
| 51: Endarterectomy; vessel of head and neck | 21,645 | 0.28% |
| 52: Aortic resection; replacement or anastomosis | 9,990 | 0.13% |
| 53: Varicose vein stripping; lower limb | 147 | 0.00% |
| 54: Other vascular catheterization; not heart | 123,333 | 1.58% |
| 55: Peripheral vascular bypass | 12,272 | 0.16% |
| 56: Other vascular bypass and shunt; not heart | 2,196 | 0.03% |
| 57: Creation; revision and removal of arteriovenous fistula or vessel-to-vessel cannula for di a | 8,051 | 0.10% |

| PRCCS1 | Frequency | Percent of Total |
|---|-----------|------------------------|
| 58: Hemodialysis | 73,668 | 0.94% |
| 59: Other OR procedures on vessels of head and neck | 8,424 | 0.11% |
| 60: Embolectomy and endarterectomy of lower limbs | 3,935 | 0.05% |
| 61: Other OR procedures on vessels other than head and neck | 61,169 | 0.78% |
| 62: Other diagnostic cardiovascular procedures | 4,646 | 0.06% |
| 63: Other non-OR therapeutic cardiovascular procedures | 16,065 | 0.21% |
| 64: Bone marrow transplant | 3,509 | 0.04% |
| 65: Bone marrow biopsy | 8,596 | 0.11% |
| 66: Procedures on spleen | 2,845 | 0.04% |
| 67: Other therapeutic procedures; hemic and lymphatic system | 15,744 | 0.20% |
| 68: Injection or ligation of esophageal varices | 15 | 0.00% |
| 69: Esophageal dilatation | 3,120 | 0.04% |
| 70: Upper gastrointestinal endoscopy; biopsy | 136,821 | 1.75% |
| 71: Gastrostomy; temporary and permanent | 15,454 | 0.20% |
| 72: Colostomy; temporary and permanent | 1,832 | 0.02% |
| 73: Ileostomy and other enterostomy | 1,720 | 0.02% |
| 74: Gastrectomy; partial and total | 5,345 | 0.07% |
| 75: Small bowel resection | 12,826 | 0.16% |
| 76: Colonoscopy and biopsy | 46,295 | 0.59% |
| 77: Proctoscopy and anorectal biopsy | 3,057 | 0.04% |
| 78: Colorectal resection | 56,003 | 0.72% |
| 79: Local excision of large intestine lesion (not endoscopic) | 162 | 0.00% |
| 80: Appendectomy | 59,026 | 0.76% |
| 81: Hemorrhoid procedures | 1,661 | 0.02% |
| 82: Endoscopic retrograde cannulation of pancreas (ERCP) | 3,073 | 0.04% |
| 83: Biopsy of liver | 6,279 | 0.08% |
| 84: Cholecystectomy and common duct exploration | 80,437 | 1.03% |
| 85: Inguinal and femoral hernia repair | 6,580 | 0.08% |
| 86: Other hernia repair | 20,367 | 0.26% |
| 87: Laparoscopy (GI only) | 2,402 | 0.03% |
| | | |

| PRCCS1 | Frequency | Percent of Total |
|---|-----------|------------------------|
| 88: Abdominal paracentesis | 28,067 | 0.36% |
| 89: Exploratory laparotomy | 2,858 | 0.04% |
| 90: Excision; lysis peritoneal adhesions | 18,414 | 0.24% |
| 91: Peritoneal dialysis | 2,839 | 0.04% |
| 92: Other bowel diagnostic procedures | 859 | 0.01% |
| 93: Other non-OR upper GI therapeutic procedures | 20,960 | 0.27% |
| 94: Other OR upper GI therapeutic procedures | 40,001 | 0.51% |
| 95: Other non-OR lower GI therapeutic procedures | 16,378 | 0.21% |
| 96: Other OR lower GI therapeutic procedures | 25,368 | 0.32% |
| 97: Other gastrointestinal diagnostic procedures | 3,626 | 0.05% |
| 98: Other non-OR gastrointestinal therapeutic procedures | 17,777 | 0.23% |
| 99: Other OR gastrointestinal therapeutic procedures | 19,964 | 0.26% |
| 100: Endoscopy and endoscopic biopsy of the urinary tract | 5,083 | 0.07% |
| 101: Transurethral excision; drainage; or removal urinary obstruction | 17,046 | 0.22% |
| 102: Ureteral catheterization | 11,883 | 0.15% |
| 103: Nephrotomy and nephrostomy | 8,600 | 0.11% |
| 104: Nephrectomy; partial or complete | 13,189 | 0.17% |
| 105: Kidney transplant | 3,775 | 0.05% |
| 106: Genitourinary incontinence procedures | 2,989 | 0.04% |
| 107: Extracorporeal lithotripsy; urinary | 1,487 | 0.02% |
| 108: Indwelling catheter | 16,314 | 0.21% |
| 109: Procedures on the urethra | 2,949 | 0.04% |
| 110: Other diagnostic procedures of urinary tract | 4,142 | 0.05% |
| 111: Other non-OR therapeutic procedures of urinary tract | 6,963 | 0.09% |
| 112: Other OR therapeutic procedures of urinary tract | 10,381 | 0.13% |
| 113: Transurethral resection of prostate (TURP) | 12,833 | 0.16% |
| 114: Open prostatectomy | 17,242 | 0.22% |
| 115: Circumcision | 201,332 | 2.58% |
| 116: Diagnostic procedures; male genital | 280 | 0.00% |
| 117: Other non-OR therapeutic procedures; male genital | 1,679 | 0.02% |

| 118: Other OR therapeutic procedures; male genital 3,726 0.05% 119: Oophorectomy; unilateral and bilateral 11,341 0.15% 120: Other operations on ovary 4,104 0.05% 121: Ligation or occlusion of fallopian tubes 10,538 0.13% 121: Removal of ectopic pregnancy 3,160 0.04% 123: Other operations on fallopian tubes 10,330 0.02% 124: Hysterectomy; abdominal and vaginal 125: Other excision of cervix and uterus 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other one-OR therapeutic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 139: Fetal monitoring 100: Als 139: Fetal monitoring 100: Als 130: Other therapeutic obstetric laceration 120: Als 130: Petal monitoring 100: Als 131: Other therapeutic obstetrical procedures 142: Partial excision hone 143: Bunionectomy or repair of toe deformities 143: Bunionectomy or repair of toe deformities 144: Treatment; facial fracture or dislocation of hip and femur 145: Treatment; fracture or dislocation of hip and femur 146: Treatment; fracture or dislocation of hip and femur 157: Other posterial recture or dislocation of hip and femur | | | Percent of |
|--|--|-----------|---------------|
| 119: Ophorectomy; unilateral and bilateral 11,341 0.15% 120: Other operations on ovary 4,104 0.05% 121: Ligation or occlusion of fallopian tubes 10,538 0.13% 122: Removal of ectopic pregnancy 3,160 0.04% 123: Other operations on fallopian tubes 1,330 0.02% 124: Hysterectomy; abdominal and vaginal 125: Other oxcision of cervix and uterus 5,903 0.08% 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 139: Fetal monitoring 100: Attificial rupture of membranes to assist delivery 130: Other therapeutic obstetric laceration 130: Fetal monitoring 140: Repair of current obstetric laceration 141: Other therapeutic procedures 143: Bunionectomy or repair of toe deformities 144: Partial excision bone 145: Treatment; facial fracture or dislocation of hip and femur 146: Treatment; fracture or dislocation of hip and femur 147: Treatment; fracture or dislocation of hip and femur 148: Treatment; fracture or dislocation of hip and femur | PRCCS1 | Frequency | Total |
| 120: Other operations on ovary 121: Ligation or occlusion of fallopian tubes 10,538 122: Removal of ectopic pregnancy 3,160 0.04x 123: Other operations on fallopian tubes 1,330 0.02x 124: Hystorectomy; abdominal and vaginal 125: Other excision of cervix and uterus 1,300 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amiocentesis 148: Oignostic amiocentesis 148: Oignostic amiocentesis 148: Oignostic amiocentesis 148: Oignostic amiocentesis 159: Feral monitoring 160: Artificial rupture of membranes to assist delivery 170: Other procedures to assist delivery 170: O | 118: Other OR therapeutic procedures; male genital | 3,726 | 0.05% |
| 121: Ligation or occlusion of fallopian tubes 10,538 0.13x 122: Removal of ectopic pregnancy 3,160 0.04x 123: Other operations on fallopian tubes 1,330 0.02x 124: Hysterectomy; abdominal and vaginal 125: Other excision of cervix and uterus 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 139: Fetal monitoring 100: The procedures to assist delivery 139: Fetal monitoring 100: The procedures of current obstetrical procedures 144: Partial excision bone 145: Partial excision bone 146: Treatment; facial fracture or dislocation of hip and femur 153: Other 153: Treatment; fracture or dislocation of hip and femur 153: Other 153: Treatment; fracture or dislocation of hip and femur 153: Other 153: Treatment; fracture or dislocation of hip and femur 154: Treatment; fracture or dislocation of hip and femur 155: Treatment; fracture or dislocation of hip and femur 155: Treatment; fracture or dislocation of hip and femur 155: Treatment; fracture or dislocation of hip and femur | 119: Oophorectomy; unilateral and bilateral | 11,341 | 0.15% |
| 122: Removal of ectopic pregnancy 3,160 0.04x 123: Other operations on fallopian tubes 1,330 0.02x 124: Hysterectomy; abdominal and vaginal 91,701 1.17x 125: Other excision of cervix and uterus 5,903 0.08x 126: Abortion (termination of pregnancy) 210 0.00x 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 5,869 0.08x 128: Diagnostic dilatation and curettage (D&C) 1,637 0.02x 129: Repair of cystocele and rectocele; obliteration of vaginal vault 6,241 0.08x 130: Other diagnostic procedures; female organs 1,657 0.02x 131: Other non-OR therapeutic procedures; female organs 10,052 0.13x 132: Other OR therapeutic procedures; female organs 10,052 0.13x 133: Episiotomy 37,118 0.48x 134: Cesarean section 274,664 3.52x 135: Forceps; vacuum; and breech delivery 14,406 0.18x 136: Artificial rupture of membranes to assist delivery 14,406 0.18x 137: Other procedures to assist delivery 11,406 0.13x 139: Fetal monitoring 10,316 0.13x | 120: Other operations on ovary | 4,104 | 0.05% |
| 123: Other operations on fallopian tubes 1,330 0.02% 124: Hysterectomy; abdominal and vaginal 91,701 1.17% 125: Other excision of cervix and uterus 5,903 0.08% 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 1,637 0.02% 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 137: Other procedures and breech delivery 137: Forceps; vacuum; and breech delivery 137: Other procedures to assist delivery 137: Other procedures to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 148 0.01% 139: Fetal monitoring 140: Repair of current obstetric laceration 142: Partial excision bone 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; factal fracture or dislocation 145: Treatment; fracture or dislocation of radius and ulna 146: Treatment; fracture or dislocation of hip and femur 53:067 0.68% | 121: Ligation or occlusion of fallopian tubes | 10,538 | 0.13% |
| 124: Hysterectomy; abdominal and vaginal 91,701 1.17% 125: Other excision of cervix and uterus 5,903 0.08% 126: Abortion (termination of pregnancy) 210 0.00% 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 5,869 0.08% 128: Diagnostic dilatation and curettage (D&C) 1,637 0.02% 129: Repair of cystocele and rectocele; obliteration of vaginal vault 6,241 0.08% 130: Other diagnostic procedures; female organs 1,657 0.02% 131: Other non-OR therapeutic procedures; female organs 908 0.01% 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 14,406 0.18% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 | 122: Removal of ectopic pregnancy | 3,160 | 0.04% |
| 125: Other excision of cervix and uterus 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystoccle and rectoccle; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 139: Fetal monitoring 10,316 10:138 1199: Fetal monitoring 10,316 1199: Fetal monitoring 1199: Fetal | 123: Other operations on fallopian tubes | 1,330 | 0.02% |
| 126: Abortion (termination of pregnancy) 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 128: Diagnostic dilatation and curettage (D&C) 129: Repair of cystocele and rectocele; obliteration of vaginal vault 130: Other diagnostic procedures; female organs 131: Other non-OR therapeutic procedures; female organs 131: Other OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 133: Episiotomy 134: Cesarean section 135: Forceps; vacuum; and breech delivery 136: Artificial rupture of membranes to assist delivery 137: Other procedures to assist delivery 138: Diagnostic amniocentesis 139: Fetal monitoring 10,316 139: Fetal monitoring 10,316 140: Repair of current obstetric laceration 123,541 141: Other therapeutic obstetrical procedures 142: Partial excision bone 143: Bunionectomy or repair of toe deformities 144: Treatment; facial fracture or dislocation 145: Treatment; fracture or dislocation of hip and femur 146: Treatment; fracture or dislocation of hip and femur 150,002 168 168: Treatment; fracture or dislocation of hip and femur 150,008 168: Treatment; fracture or dislocation of hip and femur 150,008 168: Treatment; fracture or dislocation of hip and femur 150,008 168: Treatment; fracture or dislocation of hip and femur | 124: Hysterectomy; abdominal and vaginal | 91,701 | 1.17% |
| 127: Dilatation and curettage (D&C); aspiration after delivery or abortion 5,869 0.08% 128: Diagnostic dilatation and curettage (D&C) 1,637 0.02% 129: Repair of cystocele and rectocele; obliteration of vaginal vault 6,241 0.08% 130: Other diagnostic procedures; female organs 1,657 0.02% 131: Other non-OR therapeutic procedures; female organs 908 0.01% 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% </td <td>125: Other excision of cervix and uterus</td> <td>5,903</td> <td>0.08%</td> | 125: Other excision of cervix and uterus | 5,903 | 0.08% |
| 128: Diagnostic dilatation and curettage (DSC) 1,637 0.02% 129: Repair of cystocele and rectocele; obliteration of vaginal vault 6,241 0.08% 130: Other diagnostic procedures; female organs 1,657 0.02% 131: Other non-OR therapeutic procedures; female organs 908 0.01% 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; faccial fracture or dislocation of radius and ulna 10,394 0.13% | 126: Abortion (termination of pregnancy) | 210 | 0.00% |
| 129: Repair of cystocele and rectocele; obliteration of vaginal vault 6,241 0.08% 130: Other diagnostic procedures; female organs 1,657 0.02% 131: Other non-OR therapeutic procedures; female organs 908 0.01% 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 127: Dilatation and curettage (D&C); aspiration after delivery or abortion | 5,869 | 0.08% |
| 130: Other diagnostic procedures; female organs 1,657 0.02% 131: Other non-OR therapeutic procedures; female organs 908 0.01% 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 128: Diagnostic dilatation and curettage (D&C) | 1,637 | 0.02% |
| 131: Other non-OR therapeutic procedures; female organs 132: Other OR therapeutic procedures; female organs 10,052 0.138 133: Episiotomy 37,118 0.488 134: Cesarean section 274,664 3.528 135: Forceps; vacuum; and breech delivery 33,574 0.438 136: Artificial rupture of membranes to assist delivery 14,406 137: Other procedures to assist delivery 317,651 4.078 138: Diagnostic amniocentesis 488 0.018 139: Fetal monitoring 10,316 0.138 140: Repair of current obstetric laceration 123,541 1.588 141: Other therapeutic obstetrical procedures 2,760 0.048 142: Partial excision bone 8,957 0.118 143: Bunionectomy or repair of toe deformities 293 0.008 144: Treatment; facial fracture or dislocation 4,833 0.068 145: Treatment; fracture or dislocation of radius and ulna 146: Treatment; fracture or dislocation of hip and femur 53,067 0.688 | 129: Repair of cystocele and rectocele; obliteration of vaginal vault | 6,241 | 0.08% |
| 132: Other OR therapeutic procedures; female organs 10,052 0.13% 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 146: Treatment; fracture or dislocation of radius and ulna 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 130: Other diagnostic procedures; female organs | 1,657 | 0.02% |
| 133: Episiotomy 37,118 0.48% 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 131: Other non-OR therapeutic procedures; female organs | 908 | 0.01% |
| 134: Cesarean section 274,664 3.52% 135: Forceps; vacuum; and breech delivery 33,574 0.43% 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 132: Other OR therapeutic procedures; female organs | 10,052 | 0.13% |
| 135: Forceps; vacuum; and breech delivery 133,574 136: Artificial rupture of membranes to assist delivery 14,406 137: Other procedures to assist delivery 317,651 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 133: Episiotomy | 37,118 | 0.48% |
| 136: Artificial rupture of membranes to assist delivery 14,406 0.18% 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 134: Cesarean section | 274,664 | 3.52% |
| 137: Other procedures to assist delivery 317,651 4.07% 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 135: Forceps; vacuum; and breech delivery | 33,574 | 0.43% |
| 138: Diagnostic amniocentesis 488 0.01% 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 136: Artificial rupture of membranes to assist delivery | 14,406 | 0.18% |
| 139: Fetal monitoring 10,316 0.13% 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 137: Other procedures to assist delivery | 317,651 | 4.07% |
| 140: Repair of current obstetric laceration 123,541 1.58% 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 138: Diagnostic amniocentesis | 488 | 0.01% |
| 141: Other therapeutic obstetrical procedures 2,760 0.04% 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 139: Fetal monitoring | 10,316 | 0.13% |
| 142: Partial excision bone 8,957 0.11% 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 140: Repair of current obstetric laceration | 123,541 | 1.58% |
| 143: Bunionectomy or repair of toe deformities 293 0.00% 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 141: Other therapeutic obstetrical procedures | 2,760 | 0.04% |
| 144: Treatment; facial fracture or dislocation 4,833 0.06% 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 142: Partial excision bone | 8,957 | 0.11% |
| 145: Treatment; fracture or dislocation of radius and ulna 10,394 0.13% 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 143: Bunionectomy or repair of toe deformities | 293 | 0.00% |
| 146: Treatment; fracture or dislocation of hip and femur 53,067 0.68% | 144: Treatment; facial fracture or dislocation | 4,833 | 0.06% |
| | 145: Treatment; fracture or dislocation of radius and ulna | 10,394 | 0.13% |
| 147: Treatment; fracture or dislocation of lower extremity (other than hip or femur) 35,812 0.46% | 146: Treatment; fracture or dislocation of hip and femur | 53,067 | 0.68% |
| - I ' I | 147: Treatment; fracture or dislocation of lower extremity (other than hip or femur) | 35,812 | 0.46% |

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 148: Other fracture and dislocation procedure | 18,290 | 0.23% |
| 149: Arthroscopy | 868 | 0.01% |
| 150: Division of joint capsule; ligament or cartilage | 629 | 0.01% |
| 151: Excision of semilunar cartilage of knee | 882 | 0.01% |
| 152: Arthroplasty knee | 134,396 | 1.72% |
| 153: Hip replacement; total and partial | 86,509 | 1.11% |
| 154: Arthroplasty other than hip or knee | 13,619 | 0.17% |
| 155: Arthrocentesis | 7,181 | 0.09% |
| 156: Injections and aspirations of muscles; tendons; bursa; joints and soft tissue | 1,433 | 0.02% |
| 157: Amputation of lower extremity | 20,876 | 0.27% |
| 158: Spinal fusion | 85,589 | 1.10% |
| 159: Other diagnostic procedures on musculoskeletal system | 10,136 | 0.13% |
| 160: Other therapeutic procedures on muscles and tendons | 24,324 | 0.31% |
| 161: Other OR therapeutic procedures on bone | 12,348 | 0.16% |
| 162: Other OR therapeutic procedures on joints | 14,764 | 0.19% |
| 163: Other non-OR therapeutic procedures on musculoskeletal system | 3,549 | 0.05% |
| 164: Other OR therapeutic procedures on musculoskeletal system | 4,873 | 0.06% |
| 165: Breast biopsy and other diagnostic procedures on breast | 894 | 0.01% |
| 166: Lumpectomy; quadrantectomy of breast | 1,316 | 0.02% |
| 167: Mastectomy | 9,391 | 0.12% |
| 168: Incision and drainage; skin and subcutaneous tissue | 32,864 | 0.42% |
| 169: Debridement of wound; infection or burn | 35,696 | 0.46% |
| 170: Excision of skin lesion | 3,480 | 0.04% |
| 171: Suture of skin and subcutaneous tissue | 16,272 | 0.21% |
| 172: Skin graft | 9,761 | 0.12% |
| 173: Other diagnostic procedures on skin and subcutaneous tissue | 2,756 | 0.04% |
| 174: Other non-OR therapeutic procedures on skin and breast | 23,032 | 0.29% |
| 175: Other OR therapeutic procedures on skin and breast | 9,349 | 0.12% |
| 176: Other organ transplantation | 2,111 | 0.03% |
| 177: Computerized axial tomography (CT) scan head | 18,337 | 0.23% |

| | | Percent of |
|---|-----------|---------------|
| PRCCS1 | Frequency | Total |
| 178: CT scan chest | 10,051 | 0.13% |
| 179: CT scan abdomen | 13,656 | 0.17% |
| 180: Other CT scan | 2,748 | 0.04% |
| 181: Myelogram | 606 | 0.01% |
| 182: Mammography | 41 | 0.00% |
| 183: Routine chest X-ray | 807 | 0.01% |
| 184: Intraoperative cholangiogram | 134 | 0.00% |
| 185: Upper gastrointestinal X-ray | 332 | 0.00% |
| 186: Lower gastrointestinal X-ray | 26 | 0.00% |
| 187: Intravenous pyelogram | 337 | 0.00% |
| 188: Cerebral arteriogram | 8,092 | 0.10% |
| 189: Contrast aortogram | 2,075 | 0.03% |
| 190: Contrast arteriogram of femoral and lower extremity arteries | 1,668 | 0.02% |
| 191: Arterio- or venogram (not heart and head) | 5,611 | 0.07% |
| 192: Diagnostic ultrasound of head and neck | 1,822 | 0.02% |
| 193: Diagnostic ultrasound of heart (echocardiogram) | 54,433 | 0.70% |
| 194: Diagnostic ultrasound of gastrointestinal tract | 269 | 0.00% |
| 195: Diagnostic ultrasound of urinary tract | 1,133 | 0.01% |
| 196: Diagnostic ultrasound of abdomen or retroperitoneum | 3,114 | 0.04% |
| 197: Other diagnostic ultrasound | 5,147 | 0.07% |
| 198: Magnetic resonance imaging | 16,312 | 0.21% |
| 199: Electroencephalogram (EEG) | 3,684 | 0.05% |
| 200: Nonoperative urinary system measurements | 412 | 0.01% |
| 201: Cardiac stress tests | 11,546 | 0.15% |
| 202: Electrocardiogram | 4,424 | 0.06% |
| 203: Electrographic cardiac monitoring | 7,307 | 0.09% |
| 204: Swan-Ganz catheterization for monitoring | 607 | 0.01% |
| 205: Arterial blood gases | 1,237 | 0.02% |
| 206: Microscopic examination (bacterial smear; culture; toxicology) | 396 | 0.01% |
| 207: Radioisotope bone scan | 346 | 0.00% |
| | | |

| PRCCS1 | Frequency | Percent of Total |
|--|-----------|------------------------|
| 208: Radioisotope pulmonary scan | 1,087 | 0.01% |
| 209: Radioisotope scan and function studies | 2,857 | 0.04% |
| 210: Other radioisotope scan | 356 | 0.00% |
| 211: Therapeutic radiology for cancer treatment | 9,021 | 0.12% |
| 212: Diagnostic physical therapy | 1,380 | 0.02% |
| 213: Physical therapy exercises; manipulation; and other procedures | 31,271 | 0.40% |
| 214: Traction; splints; and other wound care | 6,946 | 0.09% |
| 215: Other physical therapy and rehabilitation | 7,004 | 0.09% |
| 216: Respiratory intubation and mechanical ventilation | 168,758 | 2.16% |
| 217: Other respiratory therapy | 18,231 | 0.23% |
| 218: Psychological and psychiatric evaluation and therapy | 29,584 | 0.38% |
| 219: Alcohol and drug rehabilitation/detoxification | 63,272 | 0.81% |
| 220: Ophthalmologic and otologic diagnosis and treatment | 35,579 | 0.46% |
| 221: Nasogastric tube | 8,544 | 0.11% |
| 222: Blood transfusion | 149,785 | 1.92% |
| 223: Enteral and parenteral nutrition | 22,613 | 0.29% |
| 224: Cancer chemotherapy | 32,692 | 0.42% |
| 225: Conversion of cardiac rhythm | 16,374 | 0.21% |
| 226: Other diagnostic radiology and related techniques | 6,463 | 0.08% |
| 227: Other diagnostic procedures (interview; evaluation; consultation) | 19,649 | 0.25% |
| 228: Prophylactic vaccinations and inoculations | 227,489 | 2.91% |
| 229: Nonoperative removal of foreign body | 1,157 | 0.01% |
| 230: Extracorporeal shock wave other than urinary | <= 10 | *.**% |
| 231: Other therapeutic procedures | 99,427 | 1.27% |

| PRDAY1 Frequency Total .: Missing 3,324,820 42.57% .C: Inconsistent 1,404 0.02% -4 days 143 0.00% -3 days 1,310 0.02% -2 days 4,453 0.06% -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days <= 10 *.**% | | | |
|--|------------------|-----------|--------|
| .C: Inconsistent 1,404 0.02% -4 days 143 0.00% -3 days 1,310 0.02% -2 days 4,453 0.06% -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | PRDAY1 | Frequency | of |
| -4 days 143 0.00% -3 days 1,310 0.02% -2 days 4,453 0.06% -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | .: Missing | 3,324,820 | 42.57% |
| -3 days 1,310 0.02% -2 days 4,453 0.06% -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | .C: Inconsistent | 1,404 | 0.02% |
| -2 days 4,453 0.06% -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | -4 days | 143 | 0.00% |
| -1 day 33,968 0.43% 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | -3 days | 1,310 | 0.02% |
| 0 days 2,475,080 31.69% 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | -2 days | 4,453 | 0.06% |
| 1 day 936,353 11.99% 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | -1 day | 33,968 | 0.43% |
| 2 days 405,075 5.19% 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 0 days | 2,475,080 | 31.69% |
| 3 days 204,450 2.62% 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 1 day | 936,353 | 11.99% |
| 4 days 121,289 1.55% 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 2 days | 405,075 | 5.19% |
| 5 days 77,510 0.99% 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 3 days | 204,450 | 2.62% |
| 6 - 30 days 218,085 2.79% 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 4 days | 121,289 | 1.55% |
| 31 - 60 days 5,455 0.07% 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 5 days | 77,510 | 0.99% |
| 61 - 90 days 920 0.01% 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 6 - 30 days | 218,085 | 2.79% |
| 91 - 210 days 413 0.01% 211 - 330 days 27 0.00% | 31 - 60 days | 5,455 | 0.07% |
| 211 - 330 days 27 0.00% | 61 - 90 days | 920 | 0.01% |
| | 91 - 210 days | 413 | 0.01% |
| 331 - 368 days <= 10 *.**% | 211 - 330 days | 27 | 0.00% |
| | 331 - 368 days | <= 10 | *.**% |

| RACE | Frequency | Percent of Total |
|---------------------------|-----------|------------------------|
| .: Missing | 1,196,084 | 15.31% |
| .A: Invalid | 85 | 0.00% |
| 1: White | 4,358,125 | 55.80% |
| 2: Black | 909,981 | 11.65% |
| 3: Hispanic | 849,907 | 10.88% |
| 4: Asian/Pacific Islander | 176,129 | 2.25% |
| 5: Native American | 52,781 | 0.68% |
| 6: Other | 267,670 | 3.43% |

| тотснд | Frequency | Percent of Total |
|-----------------------|-----------|------------------------|
| .: Missing | 91,019 | 1.17% |
| .A: Invalid | 762 | 0.01% |
| .C: Inconsistent | 1,924 | 0.02% |
| \$100- \$1,000 | 46,121 | 0.59% |
| \$1,001- \$5,000 | 1,098,788 | 14.07% |
| \$5,001- \$10,000 | 1,369,684 | 17.54% |
| \$10,001- \$50,000 | 4,052,197 | 51.88% |
| \$50,001- \$100,000 | 759,278 | 9.72% |
| \$100,001- \$200,000 | 280,948 | 3.60% |
| \$200,001- \$300,000 | 61,299 | 0.78% |
| \$300,001- \$400,000 | 22,143 | 0.28% |
| \$400,001- \$500,000 | 10,648 | 0.14% |
| \$500,001-\$1,000,000 | 13,580 | 0.17% |
| Over \$1,000,000 | 2,371 | 0.03% |

| TRAN_IN | Frequency | Percent of Total |
|--|-----------|------------------------|
| .: ASOURCE and POO missing or invalid | 21,733 | 0.28% |
| 0: Not a transfer | 7,319,132 | 93.71% |
| 1: Transferred in from a different acute care hospital [ATYPE NE 4 & (ASOURCE=2 or POO=4)] | 324,423 | 4.15% |
| 2: Transferred in from another type of health facility [ATYPE NE 4 & (ASOURCE=3 or POO=5,6)] | 145,474 | 1.86% |

| YEAR | Frequency | Percent of Total |
|------|-----------|------------------------|
| 2009 | 7,810,762 | 100.0% |

| ZIPINC_QRTL | Frequency | Percent of Total |
|--------------------|-----------|------------------------|
| A | 454 | 0.01% |
| .: Missing | 234,937 | 3.01% |
| 1: First quartile | 2,150,509 | 27.53% |
| 2: Second quartile | 2,028,086 | 25.97% |
| 3: Third quartile | 1,796,365 | 23.00% |
| 4: Fourth quartile | 1,600,411 | 20.49% |

Variable: AGE (Age in years at admission)

| Moments | | | | |
|-----------------|------------|---------------------|------------|--|
| N | 7800241 | 7800241 Sum Weights | | |
| Mean | 48.1857946 | Sum Observations | 375860811 | |
| Std Deviation | 27.7788898 | Variance | 771.666716 | |
| Skewness | -0.3248887 | Kurtosis | -0.9963974 | |
| Uncorrected SS | 2.41303E10 | Corrected SS | 6019185583 | |
| Coeff Variation | 57.6495416 | Std Error Mean | 0.00994628 | |

| | Basic Statistical Measures | | | | |
|----------------------|----------------------------|---------------------|-----------|--|--|
| Location Variability | | | 7 | | |
| Mean | 48.18579 | Std Deviation | 27.77889 | | |
| Median | 52.00000 | Variance | 771.66672 | | |
| Mode | 0.00000 | Range | 119.00000 | | |
| | | Interquartile Range | 45.00000 | | |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|---|----------|----------|--------|
| Test Statistic p Value | | | | ue |
| Student's t | t | 4844.603 | Pr > t | <.0001 |
| Sign | M | 3433167 | Pr >= M | <.0001 |
| Signed Rank | S | 1.179E13 | Pr >= S | <.0001 |

| Quantiles (| Definition 5) |
|-------------|---------------|
| Quantile | Estimate |
| 100% Max | 119 |
| 99% | 93 |
| 95% | 87 |
| 90% | 83 |
| 75% Q3 | 72 |
| 50% Median | 52 |
| 25% Q1 | 27 |
| 10% | 0 |
| · | · |

Variable: AGE (Age in years at admission)

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 5% | 0 |
| 1% | 0 |
| 0% Min | 0 |

| Missing Values | | | | |
|------------------|-------|------------|----------------|--|
| | | Percent Of | | |
| Missing Value | Count | All Obs | Missing Obs | |
| | 9687 | 0.12 | 92.07 | |
| A | 42 | 0.00 | 0.40 | |
| С | 792 | 0.01 | 7.53 | |
| Total | 10521 | 0.13 | 100.00 | |

Variable: LOS (Length of stay (cleaned))

| Moments | | | | |
|-----------------|------------|------------------|------------|--|
| N | 7807930 | Sum Weights | 7807930 | |
| Mean | 4.57674557 | Sum Observations | 35734909 | |
| Std Deviation | 6.74387005 | Variance | 45.4797833 | |
| Skewness | 10.8157978 | Kurtosis | 268.013094 | |
| Uncorrected SS | 518652505 | Corrected SS | 355102919 | |
| Coeff Variation | 147.350775 | Std Error Mean | 0.00241347 | |

| | Basic Statistical Measures | | | | |
|--------|----------------------------|-------------------------|-----------|--|--|
| Loc | ation | Variability | | | |
| Mean | 4.576746 | 46 Std Deviation 6.7438 | | | |
| Median | 3.000000 | Variance | 45.47978 | | |
| Mode | 2.000000 | Range | 365.00000 | | |
| | | Interquartile Range | 3.00000 | | |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|---|----------|----------|--------|
| Test Statistic p Value | | | | ue |
| Student's t | t | 1896.337 | Pr > t | <.0001 |
| Sign | M | 3827732 | Pr >= M | <.0001 |
| Signed Rank | S | 1.465E13 | Pr >= S | <.0001 |

| Quantiles (| Definition 5) |
|-------------|---------------|
| Quantile | Estimate |
| 100% Max | 365 |
| 99% | 30 |
| 95% | 14 |
| 90% | 9 |
| 75% Q3 | 5 |
| 50% Median | 3 |
| 25% Q1 | 2 |
| 10% | 1 |
| | <u> </u> |

Variable: LOS (Length of stay (cleaned))

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 5% | 1 |
| 1% | 0 |
| 0% Min | 0 |

| Missing Values | | | | |
|------------------|-------|---------|----------------|--|
| | | Perce | nt Of | |
| Missing Value | Count | All Obs | Missing Obs | |
| • | 2470 | 0.03 | 87.22 | |
| А | 1 | 0.00 | 0.04 | |
| С | 361 | 0.00 | 12.75 | |
| Total | 2832 | 0.04 | 100.00 | |

Variable: LOS_X (Length of stay (as received from source))

| Moments | | | | |
|-----------------|------------|------------------|------------|--|
| N | 7795819 | 7795819 | | |
| Mean | 4.61871177 | Sum Observations | 36006641 | |
| Std Deviation | 11.061249 | Variance | 122.35123 | |
| Skewness | 144.09814 | Kurtosis | 74265.0795 | |
| Uncorrected SS | 1120132219 | Corrected SS | 953827922 | |
| Coeff Variation | 239.487753 | Std Error Mean | 0.00396162 | |

| | Basic Statistical Measures | | | | |
|-----------------|-----------------------------|---------------------|-----------|--|--|
| Location Varia | | | 7 | | |
| Mean | Mean 4.618712 Std Deviation | | | | |
| Median 3.000000 | | Variance | 122.35123 | | |
| Mode 2.000000 R | | Range | 10980 | | |
| | | Interquartile Range | 3.00000 | | |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|---|----------|----------|--------|
| Test Statistic p Value | | | | |
| Student's t | t | 1165.863 | Pr > t | <.0001 |
| Sign | M | 3821819 | Pr >= M | <.0001 |
| Signed Rank | S | 1.461E13 | Pr >= S | <.0001 |

| Quantiles (D | efinition 5) |
|--------------|--------------|
| Quantile | Estimate |
| 100% Max | 6947 |
| 99% | 30 |
| 95% | 14 |
| 90% | 9 |
| 75% Q3 | 5 |
| 50% Median | 3 |
| 25% Q1 | 2 |
| 10% | 1 |
| · | · |

 $Variable: \ \ LOS_X \ \ (Length \ of \ stay \ (as \ received \ from \ source))$

| Quantiles (Definition 5) | | |
|--------------------------|----------|--|
| Quantile | Estimate | |
| 5% | 1 | |
| 1% | 0 | |
| 0% Min | -4033 | |

| Missing Values | | | | |
|------------------|-------|------------|----------------|--|
| | | Percent Of | | |
| Missing Value | Count | All Obs | Missing Obs | |
| | 14942 | 0.19 | 99.99 | |
| А | 1 | 0.00 | 0.01 | |
| Total | 14943 | 0.19 | 100.00 | |

Variable: TOTCHG (Total charges (cleaned))

| Moments | | | | |
|-----------------|---------------------|------------------|------------|--|
| N | 7717057 Sum Weights | | | |
| Mean | 30703.5361 | Sum Observations | 2.36941E11 | |
| Std Deviation | 54076.0329 | Variance | 2924217332 | |
| Skewness | 8.47522817 | Kurtosis | 123.711711 | |
| Uncorrected SS | 2.98413E16 | Corrected SS | 2.25663E16 | |
| Coeff Variation | 176.123143 | Std Error Mean | 19.4661009 | |

| | Basic Statistical Measures | | | | |
|------------------------|----------------------------|---------------------|------------|--|--|
| Location Variability | | | У | | |
| Mean | 30703.54 | Std Deviation | 54076 | | |
| Median 16173.00 Varian | | Variance | 2924217332 | | |
| Mode 1924.00 Range | | Range | 1499861 | | |
| | | Interquartile Range | 25711 | | |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|---|----------|----------|--------|
| Test Statistic p Value | | | | |
| Student's t | t | 1577.282 | Pr > t | <.0001 |
| Sign | M | 3858529 | Pr >= M | <.0001 |
| Signed Rank | S | 1.489E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | | |
|--------------------------|----------|--|
| Quantile | Estimate | |
| 100% Max | 1499961 | |
| 99% | 239386 | |
| 95% | 100791 | |
| 90% | 65681 | |
| 75% Q3 | 33540 | |
| 50% Median | 16173 | |
| 25% Q1 | 7829 | |
| 10% | 3592 | |
| · | | |

Variable: TOTCHG (Total charges (cleaned))

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 5% | 2212 |
| 1% | 1163 |
| 0% Min | 100 |

| Missing Values | | | | |
|------------------|-------|------------|----------------|--|
| | | Percent Of | | |
| Missing Value | Count | All Obs | Missing Obs | |
| | 91019 | 1.17 | 97.13 | |
| А | 762 | 0.01 | 0.81 | |
| С | 1924 | 0.02 | 2.05 | |
| Total | 93705 | 1.20 | 100.00 | |

Variable: TOTCHG_X (Total charges (as received from source))

| Moments | | | | |
|-----------------|------------|--------------------|------------|--|
| N | 7706768 | 7706768 | | |
| Mean | 31188.7809 | Sum Observations | 2.40365E11 | |
| Std Deviation | 65584.929 | 65584.929 Variance | | |
| Skewness | 27.4471976 | Kurtosis | 2781.65412 | |
| Uncorrected SS | 4.06464E16 | Corrected SS | 3.31498E16 | |
| Coeff Variation | 210.283721 | Std Error Mean | 23.6247875 | |

| | Basic Statistical Measures | | | | |
|--------------------------|--------------------------------|---------------------|-------|--|--|
| Location Variability | | | У | | |
| Mean | Mean 31188.78 Std Deviation 69 | | | | |
| Median 16189.00 Variance | | 4301382913 | | | |
| Mode 1924.00 Range | | 17420996 | | | |
| | | Interquartile Range | 25748 | | |

| Tests for Location: Mu0=0 | | | | | |
|---------------------------|-------------------|----------|----------|--------|--|
| Test | Statistic p Value | | | | |
| Student's t | t | 1320.172 | Pr > t | <.0001 | |
| Sign | M | 3853375 | Pr >= M | <.0001 | |
| Signed Rank | S | 1.485E13 | Pr >= S | <.0001 | |

| Quantiles (Definition 5) | | |
|--------------------------|-------------|--|
| Quantile | Estimate | |
| 100% Max | 17387250.00 | |
| 99% | 242183.63 | |
| 95% | 101109.00 | |
| 90% | 65824.69 | |
| 75% Q3 | 33580.61 | |
| 50% Median | 16189.00 | |
| 25% Q1 | 7833.00 | |
| 10% | 3591.05 | |
| · | · | |

 $Variable: \ \ \, \texttt{TOTCHG_X} \quad \, (\texttt{Total charges (as received from source)})$

| Quantiles (Definition 5) | | |
|--------------------------|-----------|--|
| Quantile | Estimate | |
| 5% | 2211.00 | |
| 1% | 1161.00 | |
| 0% Min | -33746.18 | |

| Missing Values | | | | |
|------------------|--------|---------|----------------|--|
| Percent Of | | | nt Of | |
| Missing Value | Count | All Obs | Missing Obs | |
| | 103492 | 1.32 | 99.52 | |
| А | 502 | 0.01 | 0.48 | |
| Total | 103994 | 1.33 | 100.00 | |

Variable: DISCWT (Weight to discharges in AHA universe)

| Moments | | | | |
|-----------------|------------|------------------|------------|--|
| N | 7810762 | Sum Weights | 7810762 | |
| Mean | 5.04879754 | Sum Observations | 39434956 | |
| Std Deviation | 0.53762346 | Variance | 0.28903899 | |
| Skewness | 1.58328646 | Kurtosis | 29.3174635 | |
| Uncorrected SS | 201356723 | Corrected SS | 2257614.45 | |
| Coeff Variation | 10.6485447 | Std Error Mean | 0.00019237 | |

| Basic Statistical Measures | | | | |
|----------------------------|-------------------------------|---------------------|----------|--|
| Loc | ation | Variability | | |
| Mean | 5.048798 Std Deviation 0.5370 | | | |
| Median 5.114155 Variance | | 0.28904 | | |
| Mode 4.580813 Range | | Range | 19.00658 | |
| | | Interquartile Range | 0.73512 | |

| Tests for Location: Mu0=0 | | | | |
|---------------------------|-----------|----------|----------|--------|
| Test Statistic p Value | | | | ue |
| Student's t | t | 26245.6 | Pr > t | <.0001 |
| Sign | M 3905381 | | Pr >= M | <.0001 |
| Signed Rank | S | 1.525E13 | Pr >= S | <.0001 |

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 100% Max | 22.14237 |
| 99% | 5.86943 |
| 95% | 5.66211 |
| 90% | 5.66211 |
| 75% Q3 | 5.43325 |
| 50% Median | 5.11416 |
| 25% Q1 | 4.69812 |
| 10% | 4.58081 |
| · | |

Variable: DISCWT (Weight to discharges in AHA universe)

| Quantiles (Definition 5) | |
|--------------------------|----------|
| Quantile | Estimate |
| 5% | 4.48366 |
| 1% | 3.42970 |
| 0% Min | 3.13579 |