| Data Summary | | | | | |
|------------------------|----------|--|--|--|--|
| Number of Strata | 96 | | | | |
| Number of Clusters | 2505 | | | | |
| Number of Observations | 16805508 | | | | |
| Sum of Weights | 33420845 | | | | |

| | Statistics | | | | | | | | |
|-------------|--|------------|--------|---------|---------|--------|----------------------|-----------------|----------|
| Variable | Label | N | N Miss | Minimum | Maximum | Mean | Std Error of Mean | 95% CL 1 | for Mean |
| AGE | Age in years at admission | 16,805,508 | 0 | 0.00 | 90.00 | 49.91 | 0.50 | 48.9330 | 50.8823 |
| AWEEKEND | Admission day is a weekend | 16,805,464 | 44 | 0.00 | 1.00 | 0.22 | 0.00 | 0.2159 | 0.2183 |
| DIED | Died during hospitalization | 16,799,624 | 5,884 | 0.00 | 1.00 | 0.03 | 0.00 | 0.0296 | 0.0312 |
| DISPUNIFORM | Disposition of patient (uniform) | 16,799,624 | 5,884 | 1.00 | 99.00 | 2.91 | 0.02 | 2.8702 | 2.9570 |
| DMONTH | Discharge month | 16,805,508 | 0 | 1.00 | 12.00 | 6.55 | 0.01 | 6.5388 | 6.5630 |
| DQTR | Discharge quarter | 16,805,508 | 0 | 1.00 | 4.00 | 2.52 | 0.00 | 2.5130 | 2.5208 |
| DRG | DRG in effect on discharge date | 16,805,508 | 0 | 1.00 | 999.00 | 548.14 | 2.58 | 543.0789 | 553.1921 |
| DRGVER | DRG grouper version used on discharge date | 16,805,508 | 0 | 38.00 | 39.00 | 38.25 | 0.00 | 38.2493 | 38.2521 |
| DRG_NoPOA | DRG in use on discharge date, calculated without POA | 16,805,508 | 0 | 1.00 | 999.00 | 547.97 | 2.58 | 542.9161 | 553.0197 |

19:46 Friday, December 29, 2023 2

| | | | Statistics | | | | | | |
|-----------------|---|------------|------------|---------|---------|-------|----------------------|-----------------|----------|
| Variable | Label | N | N Miss | Minimum | Maximum | Mean | Std Error of Mean | 95% CL 1 | for Mean |
| ELECTIVE | Elective versus non-elective admission | 16,791,560 | 13,948 | 0.00 | 1.00 | 0.16 | 0.00 | 0.1554 | 0.1663 |
| FEMALE | Indicator of sex | 16,805,508 | 0 | 0.00 | 1.00 | 0.55 | 0.00 | 0.5478 | 0.5542 |
| HCUP_ED | HCUP Emergency Department service indicator | 16,805,508 | 0 | 0.00 | 4.00 | 0.82 | 0.02 | 0.7853 | 0.8517 |
| I10_BIRTH | ICD-10-CM Birth Indicator | 16,805,508 | 0 | 0.00 | 3.00 | 0.11 | 0.01 | 0.0928 | 0.1220 |
| I10_DELIVERY | ICD-10-CM Delivery Indicator | 16,805,508 | 0 | 0.00 | 1.00 | 0.11 | 0.00 | 0.1007 | 0.1094 |
| I10_INJURY | Injury ICD-10-CM diagnosis reported on record (1: First-listed injury; 2: Other than first-listed injury; 0: No injury) | 16,805,508 | 0 | 0.00 | 2.00 | 0.12 | 0.00 | 0.1203 | 0.1267 |
| I10_MULTINJURY | Multiple ICD-10-CM injuries reported on record | 16,805,508 | 0 | 0.00 | 1.00 | 0.04 | 0.00 | 0.0358 | 0.0392 |
| I10_NDX | ICD-10-CM Number of diagnoses on this record | 16,805,508 | 0 | 0.00 | 40.00 | 13.51 | 0.12 | 13.2798 | 13.7418 |
| I10_NPR | ICD-10-PCS Number of procedures on this record | 16,805,508 | 0 | 0.00 | 25.00 | 1.87 | 0.02 | 1.8270 | 1.9090 |
| I10_SERVICELINE | ICD-10-CM/PCS Hospital Service Line | 16,805,508 | 0 | 1.00 | 5.00 | 3.66 | 0.03 | 3.6084 | 3.7099 |
| LOS | Length of stay (cleaned) | 16,804,579 | 929 | 0.00 | 365.00 | 5.30 | 0.04 | 5.2157 | 5.3784 |
| MDC | MDC in effect on discharge date | 16,805,508 | 0 | 0.00 | 25.00 | 10.17 | 0.05 | 10.0730 | 10.2684 |

19:46 Friday, December 29, 2023 3

| | | | Statistics | | | | | | |
|-----------------|--|------------|------------|----------|-----------|-----------|----------------------|------------|------------|
| Variable | Label | N | N Miss | Minimum | Maximum | Mean | Std Error of Mean | 95% CL | for Mean |
| MDC_NoPOA | MDC in use on discharge date, calculated without POA | 16,805,508 | 0 | 0.00 | 25.00 | 10.17 | 0.05 | 10.0766 | 10.2719 |
| NRD_DaysToEvent | Timing variable used to identify days between admissions | 16,805,452 | 56 | 1,912.00 | 35,531.00 | 19,020.72 | 72.34 | 18878.8665 | 19162.5696 |
| PAY1 | Primary expected payer (uniform) | 16,776,320 | 29,188 | 1.00 | 6.00 | 2.09 | 0.01 | 2.0733 | 2.1104 |
| PCLASS_ORPROC | Indicates operating room (major diagnostic or therapeutic) procedure on the record | 16,805,508 | 0 | 0.00 | 1.00 | 0.25 | 0.00 | 0.2478 | 0.2581 |
| PL_NCHS | Patient Location: NCHS Urban-Rural Code | 16,687,530 | 117,978 | 1.00 | 6.00 | 2.71 | 0.02 | 2.6676 | 2.7622 |
| PRDAY1 | Number of days from admission to I10_PR1 | 11,061,932 | 5,743,576 | -4.00 | 365.00 | 1.46 | 0.02 | 1.4337 | 1.4926 |
| PRDAY2 | Number of days from admission to I10_PR2 | 7,000,372 | 9,805,136 | -4.00 | 365.00 | 1.91 | 0.02 | 1.8710 | 1.9572 |
| PRDAY3 | Number of days from admission to I10_PR3 | 4,542,485 | 12,263,023 | -4.00 | 365.00 | 2.52 | 0.03 | 2.4578 | 2.5826 |
| PRDAY4 | Number of days from admission to I10_PR4 | 2,928,699 | 13,876,809 | -4.00 | 365.00 | 3.12 | 0.04 | 3.0394 | 3.1968 |
| PRDAY5 | Number of days from admission to I10_PR5 | 1,939,519 | 14,865,989 | -4.00 | 365.00 | 3.77 | 0.05 | 3.6719 | 3.8583 |
| PRDAY6 | Number of days from admission to I10_PR6 | 1,319,228 | 15,486,280 | -4.00 | 365.00 | 4.23 | 0.05 | 4.1292 | 4.3400 |
| PRDAY7 | Number of days from admission to I10_PR7 | 787,951 | 16,017,557 | -4.00 | 365.00 | 5.21 | 0.07 | 5.0641 | 5.3517 |
| PRDAY8 | Number of days from admission to I10_PR8 | 577,461 | 16,228,047 | -4.00 | 365.00 | 6.19 | 0.09 | 6.0233 | 6.3615 |
| PRDAY9 | Number of days from admission to I10_PR9 | 432,637 | 16,372,871 | -4.00 | 365.00 | 6.47 | 0.10 | 6.2822 | 6.6589 |

19:46 Friday, December 29, 2023 4

| | | | Statistics | | | | | | |
|----------|---|---------|------------|---------|---------|-------|----------------------|----------|----------|
| Variable | Label | N | N Miss | Minimum | Maximum | Mean | Std Error of Mean | 95% CL 1 | for Mean |
| PRDAY10 | Number of days from admission to I10_PR10 | 331,308 | 16,474,200 | -4.00 | 365.00 | 8.27 | 0.14 | 7.9982 | 8.5325 |
| PRDAY11 | Number of days from admission to I10_PR11 | 254,688 | 16,550,820 | -4.00 | 365.00 | 7.77 | 0.14 | 7.5016 | 8.0418 |
| PRDAY12 | Number of days from admission to I10_PR12 | 201,367 | 16,604,141 | -4.00 | 365.00 | 8.69 | 0.17 | 8.3526 | 9.0369 |
| PRDAY13 | Number of days from admission to I10_PR13 | 159,098 | 16,646,410 | -4.00 | 365.00 | 10.13 | 0.18 | 9.7822 | 10.4813 |
| PRDAY14 | Number of days from admission to I10_PR14 | 127,059 | 16,678,449 | -4.00 | 365.00 | 9.89 | 0.24 | 9.4115 | 10.3617 |
| PRDAY15 | Number of days from admission to I10_PR15 | 103,180 | 16,702,328 | -4.00 | 365.00 | 13.23 | 0.32 | 12.5981 | 13.8599 |
| PRDAY16 | Number of days from admission to I10_PR16 | 85,236 | 16,720,272 | -4.00 | 365.00 | 15.31 | 0.45 | 14.4281 | 16.2005 |
| PRDAY17 | Number of days from admission to I10_PR17 | 70,912 | 16,734,596 | -4.00 | 365.00 | 15.98 | 0.47 | 15.0574 | 16.9044 |
| PRDAY18 | Number of days from admission to I10_PR18 | 59,886 | 16,745,622 | -4.00 | 363.00 | 16.89 | 0.52 | 15.8790 | 17.9078 |
| PRDAY19 | Number of days from admission to I10_PR19 | 50,685 | 16,754,823 | -4.00 | 365.00 | 16.38 | 0.45 | 15.4944 | 17.2640 |

19:46 Friday, December 29, 2023 5

| | | | Statistics | | | | | | |
|---------------|--|------------|------------|---------|---------------|-----------|----------------------|-----------------|------------|
| Variable | Label | N | N Miss | Minimum | Maximum | Mean | Std Error of Mean | 95% CL 1 | for Mean |
| PRDAY20 | Number of days from admission to I10_PR20 | 42,809 | 16,762,699 | -4.00 | 365.00 | 17.35 | 0.53 | 16.3222 | 18.3842 |
| PRDAY21 | Number of days from admission to I10_PR21 | 36,608 | 16,768,900 | -4.00 | 365.00 | 18.24 | 0.60 | 17.0657 | 19.4098 |
| PRDAY22 | Number of days from admission to I10_PR22 | 30,596 | 16,774,912 | -4.00 | 365.00 | 18.23 | 0.56 | 17.1215 | 19.3378 |
| PRDAY23 | Number of days from admission to I10_PR23 | 25,652 | 16,779,856 | -4.00 | 364.00 | 17.49 | 0.48 | 16.5336 | 18.4373 |
| PRDAY24 | Number of days from admission to I10_PR24 | 22,346 | 16,783,162 | -3.00 | 365.00 | 16.70 | 0.53 | 15.6632 | 17.7459 |
| PRDAY25 | Number of days from admission to I10_PR25 | 19,479 | 16,786,029 | -3.00 | 340.00 | 19.03 | 0.59 | 17.8691 | 20.1824 |
| REHABTRANSFER | A combined record involving rehab transfer | 16,805,508 | 0 | 0.00 | 1.00 | 0.01 | 0.00 | 0.0087 | 0.0100 |
| RESIDENT | Patient State is the same as Hospital State | 16,805,508 | 0 | 0.00 | 1.00 | 0.95 | 0.00 | 0.9479 | 0.9584 |
| ТОТСНБ | Total charges (cleaned) | 16,698,076 | 107,432 | 100.00 | 10,000,000.00 | 66,426.41 | 1,344.47 | 63789.9617 | 69062.8569 |
| ZIPINC_QRTL | Median household income national quartile for patient ZIP Code | 16,633,447 | 172,061 | 1.00 | 4.00 | 2.36 | 0.02 | 2.3220 | 2.3966 |

| AGE | Frequency | Percent of Total |
|-----|-----------|---------------------|
| 0 | 3,836,767 | 11.48% |
| 1 | 90,790 | 0.27% |
| 2 | 59,430 | 0.18% |
| 3 | 46,662 | 0.14% |
| 4 | 40,477 | 0.12% |
| 5 | 37,303 | 0.11% |
| 6 | 33,238 | 0.10% |
| 7 | 31,890 | 0.10% |
| 8 | 31,637 | 0.09% |
| 9 | 33,721 | 0.10% |
| 10 | 36,450 | 0.11% |
| 11 | 43,411 | 0.13% |
| 12 | 58,064 | 0.17% |
| 13 | 77,151 | 0.23% |
| 14 | 89,895 | 0.27% |
| 15 | 102,955 | 0.31% |
| 16 | 116,174 | 0.35% |
| 17 | 137,203 | 0.41% |
| 18 | 121,101 | 0.36% |
| 19 | 162,619 | 0.49% |
| 20 | 195,294 | 0.58% |
| 21 | 218,721 | 0.65% |
| 22 | 240,044 | 0.72% |
| 23 | 261,991 | 0.78% |
| 24 | 278,822 | 0.83% |
| 25 | 300,982 | 0.90% |

| AGE | Frequency | Percent of Total |
|-----|-----------|---------------------|
| 26 | 325,419 | 0.97% |
| 27 | 351,535 | 1.05% |
| 28 | 374,858 | 1.12% |
| 29 | 398,889 | 1.19% |
| 30 | 416,563 | 1.25% |
| 31 | 426,068 | 1.27% |
| 32 | 415,190 | 1.24% |
| 33 | 402,215 | 1.20% |
| 34 | 383,392 | 1.15% |
| 35 | 369,643 | 1.11% |
| 36 | 345,033 | 1.03% |
| 37 | 319,373 | 0.96% |
| 38 | 307,224 | 0.92% |
| 39 | 292,182 | 0.87% |
| 40 | 283,107 | 0.85% |
| 41 | 270,284 | 0.81% |
| 42 | 254,466 | 0.76% |
| 43 | 248,786 | 0.74% |
| 44 | 246,453 | 0.74% |
| 45 | 234,105 | 0.70% |
| 46 | 243,628 | 0.73% |
| 47 | 250,817 | 0.75% |
| 48 | 267,606 | 0.80% |
| 49 | 289,021 | 0.86% |
| 50 | 323,208 | 0.97% |
| 51 | 327,930 | 0.98% |

| AGE | Frequency | Percent of Total |
|-----|-----------|---------------------|
| 52 | 334,073 | 1.00% |
| 53 | 341,913 | 1.02% |
| 54 | 360,421 | 1.08% |
| 55 | 386,045 | 1.16% |
| 56 | 419,897 | 1.26% |
| 57 | 449,196 | 1.34% |
| 58 | 469,870 | 1.41% |
| 59 | 488,509 | 1.46% |
| 60 | 511,363 | 1.53% |
| 61 | 520,813 | 1.56% |
| 62 | 525,602 | 1.57% |
| 63 | 536,153 | 1.60% |
| 64 | 543,311 | 1.63% |
| 65 | 544,767 | 1.63% |
| 66 | 546,139 | 1.63% |
| 67 | 543,015 | 1.62% |
| 68 | 539,162 | 1.61% |
| 69 | 542,375 | 1.62% |
| 70 | 537,254 | 1.61% |
| 71 | 536,674 | 1.61% |
| 72 | 545,254 | 1.63% |
| 73 | 564,352 | 1.69% |
| 74 | 595,758 | 1.78% |
| 75 | 482,766 | 1.44% |
| 76 | 476,425 | 1.43% |
| 77 | 494,450 | 1.48% |

| AGE | Frequency | Percent of Total |
|-----|-----------|---------------------|
| 78 | 511,919 | 1.53% |
| 79 | 464,347 | 1.39% |
| 80 | 432,377 | 1.29% |
| 81 | 411,837 | 1.23% |
| 82 | 401,277 | 1.20% |
| 83 | 388,412 | 1.16% |
| 84 | 359,840 | 1.08% |
| 85 | 339,933 | 1.02% |
| 86 | 321,175 | 0.96% |
| 87 | 286,990 | 0.86% |
| 88 | 267,838 | 0.80% |
| 89 | 246,936 | 0.74% |
| 90 | 1,102,617 | 3.30% |

| AWEEKEND | Frequency | Percent of Total |
|---------------------|------------|---------------------|
| . : Missing | 79 | 0.00% |
| 0 : Monday-Friday | 26,165,946 | 78.29% |
| 1 : Saturday-Sunday | 7,254,820 | 21.71% |

| DIED | Frequency | Percent of Total |
|-----------------------------|------------|---------------------|
| . : Missing | 9,239 | 0.03% |
| .A: Invalid | 971 | 0.00% |
| 0 : Did not die in hospital | 32,393,538 | 96.93% |
| 1 : Died in hospital | 1,017,097 | 3.04% |

| DISPUNIFORM | Frequency | Percent of Total |
|--|------------|---------------------|
| . : Missing | 9,239 | 0.03% |
| .A: Invalid | 971 | 0.00% |
| 1 : Discharged to home or self care | 22,722,061 | 67.99% |
| 2 : Transfer: short-term hospital | 273,269 | 0.82% |
| 5 : Transfer: other type of facility | 3,918,044 | 11.72% |
| 6 : Home health care | 4,867,653 | 14.56% |
| 7 : Against medical advice | 605,421 | 1.81% |
| 20 : Died in hospital | 1,017,097 | 3.04% |
| 99 : Discharged alive, destination unknown | 7,091 | 0.02% |

| DMONTH | Frequency | Percent of Total |
|--------|-----------|---------------------|
| 1 | 2,734,547 | 8.18% |
| 2 | 2,505,579 | 7.50% |
| 3 | 2,819,953 | 8.44% |
| 4 | 2,798,551 | 8.37% |
| 5 | 2,828,708 | 8.46% |
| 6 | 2,787,563 | 8.34% |
| 7 | 2,893,868 | 8.66% |
| 8 | 2,882,578 | 8.63% |
| 9 | 2,780,660 | 8.32% |
| 10 | 2,821,860 | 8.44% |
| 11 | 2,698,196 | 8.07% |
| 12 | 2,868,781 | 8.58% |

| DQTR | Frequency | Percent of Total |
|-------------------|-----------|---------------------|
| 1: First quarter | 8,060,079 | 24.12% |
| 2: Second quarter | 8,414,823 | 25.18% |
| 3: Third quarter | 8,557,106 | 25.60% |
| 4: Fourth quarter | 8,388,837 | 25.10% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for DQTR

19:46 Friday, December 29, 2023 15

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for DRGVER

| DRGVER | Frequency | Percent of Total |
|--------------------------|------------|---------------------|
| 38: Effective 10/01/2020 | 25,042,695 | 74.93% |
| 39: Effective 10/01/2021 | 8,378,150 | 25.07% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 1: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 8,060 | 0.02% |
| 2: HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 328 | 0.00% |
| 3: ECMO OR TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W MAJ O.R. | 60,464 | 0.18% |
| 4: TRACH W MV >96 HRS OR PDX EXC FACE, MOUTH & NECK W/O MAJ O.R. | 58,430 | 0.17% |
| 5: LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 7,122 | 0.02% |
| 6: LIVER TRANSPLANT WITHOUT MCC | 2,165 | 0.01% |
| 7: LUNG TRANSPLANT | 1,561 | 0.00% |
| 8: SIMULTANEOUS PANCREAS AND KIDNEY TRANSPLANT | 664 | 0.00% |
| 10: PANCREAS TRANSPLANT | 121 | 0.00% |
| 11: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH MCC | 7,152 | 0.02% |
| 12: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITH CC | 7,102 | 0.02% |
| 13: TRACHEOSTOMY FOR FACE, MOUTH AND NECK DIAGNOSES OR LARYNGECTOMY WITHOUT CC/MCC | 2,173 | 0.01% |
| 14: ALLOGENEIC BONE MARROW TRANSPLANT | 8,581 | 0.03% |
| 16: AUTOLOGOUS BONE MARROW TRANSPLANT WITH CC/MCC | 12,096 | 0.04% |
| 17: AUTOLOGOUS BONE MARROW TRANSPLANT WITHOUT CC/MCC | 300 | 0.00% |
| 18: CHIMERIC ANTIGEN RECEPTOR (CAR) T-CELL AND OTHER IMMUNOTHERAPIES | 951 | 0.00% |
| 18: CHIMERIC ANTIGEN RECEPTOR (CAR) T-CELL IMMUNOTHERAPY | 2,353 | 0.01% |
| 19: SIMULTANEOUS PANCREAS AND KIDNEY TRANSPLANT WITH HEMODIALYSIS | 169 | 0.00% |
| 20: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITH MCC | 9,079 | 0.03% |
| 21: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITH CC | 3,057 | 0.01% |
| 22: INTRACRANIAL VASCULAR PROCEDURES WITH PDX HEMORRHAGE WITHOUT CC/MCC | 989 | 0.00% |
| 23: CRANIOT W MAJ DEV IMPL/ACUTE CNS PDX W MCC OR CHEMO/EPILEPS W NEUROS | 41,410 | 0.12% |
| 24: CRANIO W MAJOR DEV IMPL/ACUTE COMPLEX CNS PDX W/O MCC | 15,540 | 0.05% |
| 25: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 80,107 | 0.24% |
| 26: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 34,880 | 0.10% |
| 27: CRANIOTOMY AND ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 39,846 | 0.12% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 28: SPINAL PROCEDURES WITH MCC | 8,503 | 0.03% |
| 29: SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 15,137 | 0.05% |
| 30: SPINAL PROCEDURES WITHOUT CC/MCC | 7,954 | 0.02% |
| 31: VENTRICULAR SHUNT PROCEDURES WITH MCC | 4,681 | 0.01% |
| 32: VENTRICULAR SHUNT PROCEDURES WITH CC | 9,531 | 0.03% |
| 33: VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 6,551 | 0.02% |
| 34: CAROTID ARTERY STENT PROCEDURES WITH MCC | 3,523 | 0.01% |
| 35: CAROTID ARTERY STENT PROCEDURES WITH CC | 9,751 | 0.03% |
| 36: CAROTID ARTERY STENT PROCEDURES WITHOUT CC/MCC | 12,999 | 0.04% |
| 37: EXTRACRANIAL PROCEDURES WITH MCC | 7,082 | 0.02% |
| 38: EXTRACRANIAL PROCEDURES WITH CC | 22,108 | 0.07% |
| 39: EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 38,616 | 0.12% |
| 40: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITH MCC | 11,937 | 0.04% |
| 41: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITH CC OR PERIPH NEUROSTIM | 19,833 | 0.06% |
| 42: PERIP/CRANIAL NERVE & OTHER NERV SYST PROC WITHOUT CC/MCC | 9,399 | 0.03% |
| 52: SPINAL DISORDERS AND INJURIES WITH CC/MCC | 3,945 | 0.01% |
| 53: SPINAL DISORDERS AND INJURIES WITHOUT CC/MCC | 1,051 | 0.00% |
| 54: NERVOUS SYSTEM NEOPLASMS WITH MCC | 35,114 | 0.11% |
| 55: NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 11,189 | 0.03% |
| 56: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 31,825 | 0.10% |
| 57: DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 88,787 | 0.27% |
| 58: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH MCC | 3,092 | 0.01% |
| 59: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITH CC | 10,066 | 0.03% |
| 60: MULTIPLE SCLEROSIS AND CEREBELLAR ATAXIA WITHOUT CC/MCC | 10,748 | 0.03% |
| 61: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITH MCC | 12,222 | 0.04% |
| 62: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITH CC | 28,780 | 0.09% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 63: ISCHEMIC STROKE/PRECEREB OCC/TRANS ISCHEMIA W THROMBOLYTIC AGENT WITHOUT CC/MCC | 6,113 | 0.02% |
| 64: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 186,967 | 0.56% |
| 65: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC OR TPA IN 24 HOURS | 250,868 | 0.75% |
| 66: INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 75,282 | 0.23% |
| 67: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITH MCC | 2,494 | 0.01% |
| 68: NONSPECIFIC CVA AND PRECEREBRAL OCCLUSION WITHOUT INFARCTION WITHOUT MCC | 10,143 | 0.03% |
| 69: TRANSIENT ISCHEMIA WITHOUT THROMBOLYTIC | 76,397 | 0.23% |
| 70: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 40,872 | 0.12% |
| 71: NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 40,681 | 0.12% |
| 72: NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 9,392 | 0.03% |
| 73: CRANIAL AND PERIPHERAL NERVE DISORDERS WITH MCC | 16,778 | 0.05% |
| 74: CRANIAL AND PERIPHERAL NERVE DISORDERS WITHOUT MCC | 55,078 | 0.16% |
| 75: VIRAL MENINGITIS WITH CC/MCC | 2,889 | 0.01% |
| 76: VIRAL MENINGITIS WITHOUT CC/MCC | 2,202 | 0.01% |
| 77: HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 4,065 | 0.01% |
| 78: HYPERTENSIVE ENCEPHALOPATHY WITH CC | 5,279 | 0.02% |
| 79: HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 867 | 0.00% |
| 80: NONTRAUMATIC STUPOR AND COMA WITH MCC | 2,633 | 0.01% |
| 81: NONTRAUMATIC STUPOR AND COMA WITHOUT MCC | 1,601 | 0.00% |
| 82: TRAUMATIC STUPOR AND COMA >1 HOUR WITH MCC | 23,118 | 0.07% |
| 83: TRAUMATIC STUPOR AND COMA >1 HOUR WITH CC | 27,971 | 0.08% |
| 84: TRAUMATIC STUPOR AND COMA >1 HOUR WITHOUT CC/MCC | 16,935 | 0.05% |
| 85: TRAUMATIC STUPOR AND COMA <1 HOUR WITH MCC | 19,276 | 0.06% |
| 86: TRAUMATIC STUPOR AND COMA <1 HOUR WITH CC | 33,333 | 0.10% |
| 87: TRAUMATIC STUPOR AND COMA <1 HOUR WITHOUT CC/MCC | 22,011 | 0.07% |
| 88: CONCUSSION WITH MCC | 1,860 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 89: CONCUSSION WITH CC | 5,523 | 0.02% |
| 90: CONCUSSION WITHOUT CC/MCC | 3,417 | 0.01% |
| 91: OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 41,758 | 0.12% |
| 92: OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 56,809 | 0.17% |
| 93: OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 25,144 | 0.08% |
| 94: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 5,234 | 0.02% |
| 95: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 6,702 | 0.02% |
| 96: BACTERIAL AND TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 2,970 | 0.01% |
| 97: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH MCC | 6,174 | 0.02% |
| 98: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS WITH CC | 6,624 | 0.02% |
| 99: NON-BACTERIAL INFECTION OF NERVOUS SYSTEM EXCEPT VIRAL MENINGITIS W/O CC/MCC | 3,476 | 0.01% |
| 100: SEIZURES WITH MCC | 80,415 | 0.24% |
| 101: SEIZURES WITHOUT MCC | 158,772 | 0.48% |
| 102: HEADACHES WITH MCC | 4,680 | 0.01% |
| 103: HEADACHES WITHOUT MCC | 40,807 | 0.12% |
| 113: ORBITAL PROCEDURES WITH CC/MCC | 1,947 | 0.01% |
| 114: ORBITAL PROCEDURES WITHOUT CC/MCC | 903 | 0.00% |
| 115: EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 2,953 | 0.01% |
| 116: INTRAOCULAR PROCEDURES WITH CC/MCC | 1,796 | 0.01% |
| 117: INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 1,186 | 0.00% |
| 121: ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 2,445 | 0.01% |
| 122: ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 1,240 | 0.00% |
| 123: NEUROLOGICAL EYE DISORDERS | 12,116 | 0.04% |
| 124: OTHER DISORDERS OF THE EYE WITH MCC | 2,770 | 0.01% |
| 125: OTHER DISORDERS OF THE EYE WITHOUT MCC | 12,261 | 0.04% |
| 135: SINUS AND MASTOID PROCEDURES WITH CC/MCC | 1,158 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 136: SINUS AND MASTOID PROCEDURES WITHOUT CC/MCC | 478 | 0.00% |
| 137: MOUTH PROCEDURES WITH CC/MCC | 4,955 | 0.01% |
| 138: MOUTH PROCEDURES WITHOUT CC/MCC | 2,769 | 0.01% |
| 139: SALIVARY GLAND PROCEDURES | 1,279 | 0.00% |
| 140: MAJOR HEAD AND NECK PROCEDURES WITH MCC | 3,464 | 0.01% |
| 141: MAJOR HEAD AND NECK PROCEDURES WITH CC | 11,774 | 0.04% |
| 142: MAJOR HEAD AND NECK PROCEDURES WITHOUT CC/MCC | 12,831 | 0.04% |
| 143: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITH MCC | 4,331 | 0.01% |
| 144: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITH CC | 8,834 | 0.03% |
| 145: OTHER EAR, NOSE, MOUTH AND THROAT O.R. PROCEDURES WITHOUT CC/MCC | 12,077 | 0.04% |
| 146: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITH MCC | 3,715 | 0.01% |
| 147: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITH CC | 2,782 | 0.01% |
| 148: EAR, NOSE, MOUTH AND THROAT MALIGNANCY WITHOUT CC/MCC | 796 | 0.00% |
| 149: DYSEQUILIBRIUM | 36,345 | 0.11% |
| 150: EPISTAXIS WITH MCC | 1,954 | 0.01% |
| 151: EPISTAXIS WITHOUT MCC | 4,302 | 0.01% |
| 152: OTITIS MEDIA AND URI WITH MCC | 6,062 | 0.02% |
| 153: OTITIS MEDIA AND URI WITHOUT MCC | 30,639 | 0.09% |
| 154: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITH MCC | 5,639 | 0.02% |
| 155: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITH CC | 11,558 | 0.03% |
| 156: OTHER EAR, NOSE, MOUTH AND THROAT DIAGNOSES WITHOUT CC/MCC | 6,503 | 0.02% |
| 157: DENTAL AND ORAL DISEASES WITH MCC | 5,988 | 0.02% |
| 158: DENTAL AND ORAL DISEASES WITH CC | 15,055 | 0.05% |
| 159: DENTAL AND ORAL DISEASES WITHOUT CC/MCC | 7,381 | 0.02% |
| 163: MAJOR CHEST PROCEDURES WITH MCC | 37,177 | 0.11% |
| 164: MAJOR CHEST PROCEDURES WITH CC | 48,250 | 0.14% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 165: MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 28,025 | 0.08% |
| 166: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITH MCC | 28,926 | 0.09% |
| 167: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITH CC | 18,353 | 0.05% |
| 168: OTHER RESPIRATORY SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 7,786 | 0.02% |
| 175: PULMONARY EMBOLISM WITH MCC OR ACUTE COR PULMONALE | 94,193 | 0.28% |
| 176: PULMONARY EMBOLISM WITHOUT MCC | 81,774 | 0.24% |
| 177: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITH MCC | 1,398,948 | 4.19% |
| 178: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITH CC | 111,510 | 0.33% |
| 179: RESPIRATORY INFECTIONS AND INFLAMMATIONS WITHOUT CC/MCC | 36,231 | 0.11% |
| 180: RESPIRATORY NEOPLASMS WITH MCC | 44,560 | 0.13% |
| 181: RESPIRATORY NEOPLASMS WITH CC | 20,535 | 0.06% |
| 182: RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 1,509 | 0.00% |
| 183: MAJOR CHEST TRAUMA WITH MCC | 12,315 | 0.04% |
| 184: MAJOR CHEST TRAUMA WITH CC | 25,415 | 0.08% |
| 185: MAJOR CHEST TRAUMA WITHOUT CC/MCC | 6,577 | 0.02% |
| 186: PLEURAL EFFUSION WITH MCC | 19,389 | 0.06% |
| 187: PLEURAL EFFUSION WITH CC | 12,765 | 0.04% |
| 188: PLEURAL EFFUSION WITHOUT CC/MCC | 2,579 | 0.01% |
| 189: PULMONARY EDEMA AND RESPIRATORY FAILURE | 286,996 | 0.86% |
| 190: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 192,013 | 0.57% |
| 191: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 78,392 | 0.23% |
| 192: CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 28,997 | 0.09% |
| 193: SIMPLE PNEUMONIA AND PLEURISY WITH MCC | 234,810 | 0.70% |
| 194: SIMPLE PNEUMONIA AND PLEURISY WITH CC | 130,258 | 0.39% |
| 195: SIMPLE PNEUMONIA AND PLEURISY WITHOUT CC/MCC | 38,468 | 0.12% |
| 196: INTERSTITIAL LUNG DISEASE WITH MCC | 23,320 | 0.07% |

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | |
|---|--|
| Weighted Frequency Distribution for DRG_NOPOA | |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 197: INTERSTITIAL LUNG DISEASE WITH CC | 6,456 | 0.02% |
| 198: INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1,876 | 0.01% |
| 199: PNEUMOTHORAX WITH MCC | 21,286 | 0.06% |
| 200: PNEUMOTHORAX WITH CC | 36,408 | 0.11% |
| 201: PNEUMOTHORAX WITHOUT CC/MCC | 11,539 | 0.03% |
| 202: BRONCHITIS AND ASTHMA WITH CC/MCC | 117,416 | 0.35% |
| 203: BRONCHITIS AND ASTHMA WITHOUT CC/MCC | 78,677 | 0.24% |
| 204: RESPIRATORY SIGNS AND SYMPTOMS | 21,274 | 0.06% |
| 205: OTHER RESPIRATORY SYSTEM DIAGNOSES WITH MCC | 27,975 | 0.08% |
| 206: OTHER RESPIRATORY SYSTEM DIAGNOSES WITHOUT MCC | 27,340 | 0.08% |
| 207: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT >96 HOURS | 120,831 | 0.36% |
| 208: RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <=96 HOURS | 145,166 | 0.43% |
| 215: OTHER HEART ASSIST SYSTEM IMPLANT | 16,129 | 0.05% |
| 216: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITH MCC | 14,524 | 0.04% |
| 217: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITH CC | 4,137 | 0.01% |
| 218: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W CARDIAC CATH WITHOUT CC/MCC | 492 | 0.00% |
| 219: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITH MCC | 43,601 | 0.13% |
| 220: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITH CC | 38,600 | 0.12% |
| 221: CARDIAC VALVE & OTH MAJOR CARDIOTHORACIC PROC W/O CARDIAC CATH WITHOUT CC/MCC | 5,638 | 0.02% |
| 222: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI, HF OR SHOCK WITH MCC | 4,903 | 0.01% |
| 223: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI, HF OR SHOCK WITHOUT MCC | 1,101 | 0.00% |
| 224: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI, HF OR SHOCK WITH MCC | 6,763 | 0.02% |
| 225: CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI, HF OR SHOCK WITHOUT MCC | 4,178 | 0.01% |
| 226: CARDIAC DEFIBRILLATOR IMPLANT W/O CARDIAC CATH W MCC | 11,526 | 0.03% |
| 227: CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATHETERIZATION WITHOUT MCC | 10,784 | 0.03% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 228: OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 17,125 | 0.05% |
| 229: OTHER CARDIOTHORACIC PROCEDURES WITHOUT MCC | 17,849 | 0.05% |
| 231: CORONARY BYPASS WITH PTCA WITH MCC | 2,498 | 0.01% |
| 232: CORONARY BYPASS WITH PTCA WITHOUT MCC | 1,675 | 0.01% |
| 233: CORONARY BYPASS WITH CARDIAC CATHETERIZATION OR OPEN ABLATION WITH MCC | 7,970 | 0.02% |
| 233: CORONARY BYPASS WITH CARDIAC CATHETERIZATION WITH MCC | 21,742 | 0.07% |
| 234: CORONARY BYPASS WITH CARDIAC CATHETERIZATION OR OPEN ABLATION WITHOUT MCC | 8,354 | 0.02% |
| 234: CORONARY BYPASS WITH CARDIAC CATHETERIZATION WITHOUT MCC | 24,775 | 0.07% |
| 235: CORONARY BYPASS WITHOUT CARDIAC CATHETERIZATION WITH MCC | 32,572 | 0.10% |
| 236: CORONARY BYPASS WITHOUT CARDIAC CATHETERIZATION WITHOUT MCC | 53,047 | 0.16% |
| 239: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITH MCC | 19,707 | 0.06% |
| 240: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITH CC | 19,122 | 0.06% |
| 241: AMPUTATION FOR CIRC SYSTEM DISORDERS EXCEPT UPPER LIMB AND TOE WITHOUT CC/MCC | 1,563 | 0.00% |
| 242: PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 32,749 | 0.10% |
| 243: PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 43,820 | 0.13% |
| 244: PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 25,145 | 0.08% |
| 245: AICD GENERATOR PROCEDURES | 2,747 | 0.01% |
| 246: PERC CVASC PROC WITH DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR STENTS | 127,657 | 0.38% |
| 247: PERC CVASC PROC WITH DRUG-ELUTING STENT WITHOUT MCC | 241,286 | 0.72% |
| 248: PERC CVASC PROC WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ ARTERIES OR STENTS | 2,328 | 0.01% |
| 249: PERC CVASC PROC WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 3,508 | 0.01% |
| 250: PERC CVASC PROC WITHOUT CORONARY ARTERY STENT WITH MCC | 10,007 | 0.03% |
| 251: PERC CVASC PROC WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 11,873 | 0.04% |
| 252: OTHER VASCULAR PROCEDURES WITH MCC | 57,583 | 0.17% |
| 253: OTHER VASCULAR PROCEDURES WITH CC | 57,976 | 0.17% |
| 254: OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 26,960 | 0.08% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 255: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITH MCC | 4,263 | 0.01% |
| 256: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITH CC | 5,367 | 0.02% |
| 257: UPPER LIMB AND TOE AMPUTATION FOR CIRCULATORY SYSTEM DISORDERS WITHOUT CC/MCC | 441 | 0.00% |
| 258: CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 1,422 | 0.00% |
| 259: CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 2,563 | 0.01% |
| 260: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 5,991 | 0.02% |
| 261: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 6,953 | 0.02% |
| 262: CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 2,498 | 0.01% |
| 263: VEIN LIGATION AND STRIPPING | 834 | 0.00% |
| 264: OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 23,167 | 0.07% |
| 265: AICD LEAD PROCEDURES | 1,705 | 0.01% |
| 266: ENDOVASCULAR CARDIAC VALVE REPLACEMENT AND SUPPLEMENT PROCEDURES WITH MCC | 41,929 | 0.13% |
| 267: ENDOVASCULAR CARDIAC VALVE REPLACEMENT AND SUPPLEMENT PROCEDURES WITHOUT MCC | 67,980 | 0.20% |
| 268: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON WITH MCC | 7,761 | 0.02% |
| 269: AORTIC AND HEART ASSIST PROCEDURES EXCEPT PULSATION BALLOON WITHOUT MCC | 29,795 | 0.09% |
| 270: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITH MCC | 51,323 | 0.15% |
| 271: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITH CC | 43,198 | 0.13% |
| 272: OTHER MAJOR CARDIOVASCULAR PROCEDURES WITHOUT CC/MCC | 14,737 | 0.04% |
| 273: PERCUTANEOUS AND OTHER INTRACARDIAC PROCEDURES WITH MCC | 17,821 | 0.05% |
| 274: PERCUTANEOUS AND OTHER INTRACARDIAC PROCEDURES WITHOUT MCC | 74,757 | 0.22% |
| 280: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 196,774 | 0.59% |
| 281: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 106,181 | 0.32% |
| 282: ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 50,570 | 0.15% |
| 283: ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 22,732 | 0.07% |
| 284: ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 2,068 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 285: ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 459 | 0.00% |
| 286: CIRCULATORY DISORDERS EXCEPT AMI, WITH CARDIAC CATHETERIZATION WITH MCC | 110,740 | 0.33% |
| 287: CIRCULATORY DISORDERS EXCEPT AMI, WITH CARDIAC CATHETERIZATION WITHOUT MCC | 136,575 | 0.41% |
| 288: ACUTE AND SUBACUTE ENDOCARDITIS WITH MCC | 4,548 | 0.01% |
| 289: ACUTE AND SUBACUTE ENDOCARDITIS WITH CC | 2,656 | 0.01% |
| 290: ACUTE AND SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 288 | 0.00% |
| 291: HEART FAILURE AND SHOCK WITH MCC | 796,756 | 2.38% |
| 292: HEART FAILURE AND SHOCK WITH CC | 141,279 | 0.42% |
| 293: HEART FAILURE AND SHOCK WITHOUT CC/MCC | 34,392 | 0.10% |
| 294: DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 810 | 0.00% |
| 295: DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | <= 50 | *.**% |
| 296: CARDIAC ARREST, UNEXPLAINED WITH MCC | 9,935 | 0.03% |
| 297: CARDIAC ARREST, UNEXPLAINED WITH CC | 1,043 | 0.00% |
| 298: CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 336 | 0.00% |
| 299: PERIPHERAL VASCULAR DISORDERS WITH MCC | 43,452 | 0.13% |
| 300: PERIPHERAL VASCULAR DISORDERS WITH CC | 59,613 | 0.18% |
| 301: PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 18,732 | 0.06% |
| 302: ATHEROSCLEROSIS WITH MCC | 6,410 | 0.02% |
| 303: ATHEROSCLEROSIS WITHOUT MCC | 25,045 | 0.07% |
| 304: HYPERTENSION WITH MCC | 41,323 | 0.12% |
| 305: HYPERTENSION WITHOUT MCC | 87,799 | 0.26% |
| 306: CARDIAC CONGENITAL AND VALVULAR DISORDERS WITH MCC | 7,978 | 0.02% |
| 307: CARDIAC CONGENITAL AND VALVULAR DISORDERS WITHOUT MCC | 7,900 | 0.02% |
| 308: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITH MCC | 134,507 | 0.40% |
| 309: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITH CC | 170,636 | 0.51% |
| 310: CARDIAC ARRHYTHMIA AND CONDUCTION DISORDERS WITHOUT CC/MCC | 114,219 | 0.34% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 311: ANGINA PECTORIS | 11,651 | 0.03% |
| 312: SYNCOPE AND COLLAPSE | 133,520 | 0.40% |
| 313: CHEST PAIN | 101,897 | 0.30% |
| 314: OTHER CIRCULATORY SYSTEM DIAGNOSES WITH MCC | 93,420 | 0.28% |
| 315: OTHER CIRCULATORY SYSTEM DIAGNOSES WITH CC | 53,266 | 0.16% |
| 316: OTHER CIRCULATORY SYSTEM DIAGNOSES WITHOUT CC/MCC | 12,799 | 0.04% |
| 319: OTHER ENDOVASCULAR CARDIAC VALVE PROCEDURES WITH MCC | 2,466 | 0.01% |
| 320: OTHER ENDOVASCULAR CARDIAC VALVE PROCEDURES WITHOUT MCC | 1,204 | 0.00% |
| 326: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITH MCC | 32,114 | 0.10% |
| 327: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITH CC | 36,090 | 0.11% |
| 328: STOMACH, ESOPHAGEAL AND DUODENAL PROCEDURES WITHOUT CC/MCC | 30,330 | 0.09% |
| 329: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITH MCC | 100,657 | 0.30% |
| 330: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITH CC | 166,546 | 0.50% |
| 331: MAJOR SMALL AND LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 107,403 | 0.32% |
| 332: RECTAL RESECTION WITH MCC | 499 | 0.00% |
| 333: RECTAL RESECTION WITH CC | 2,236 | 0.01% |
| 334: RECTAL RESECTION WITHOUT CC/MCC | 2,507 | 0.01% |
| 335: PERITONEAL ADHESIOLYSIS WITH MCC | 12,720 | 0.04% |
| 336: PERITONEAL ADHESIOLYSIS WITH CC | 26,928 | 0.08% |
| 337: PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 16,058 | 0.05% |
| 338: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 3,436 | 0.01% |
| 339: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 15,931 | 0.05% |
| 340: APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 25,363 | 0.08% |
| 341: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 4,158 | 0.01% |
| 342: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 15,012 | 0.04% |
| 343: APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 43,299 | 0.13% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 344: MINOR SMALL AND LARGE BOWEL PROCEDURES WITH MCC | 3,006 | 0.01% |
| 345: MINOR SMALL AND LARGE BOWEL PROCEDURES WITH CC | 7,750 | 0.02% |
| 346: MINOR SMALL AND LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 6,108 | 0.02% |
| 347: ANAL AND STOMAL PROCEDURES WITH MCC | 2,667 | 0.01% |
| 348: ANAL AND STOMAL PROCEDURES WITH CC | 7,836 | 0.02% |
| 349: ANAL AND STOMAL PROCEDURES WITHOUT CC/MCC | 5,000 | 0.01% |
| 350: INGUINAL AND FEMORAL HERNIA PROCEDURES WITH MCC | 3,245 | 0.01% |
| 351: INGUINAL AND FEMORAL HERNIA PROCEDURES WITH CC | 8,572 | 0.03% |
| 352: INGUINAL AND FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 7,677 | 0.02% |
| 353: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITH MCC | 6,752 | 0.02% |
| 354: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITH CC | 21,672 | 0.06% |
| 355: HERNIA PROCEDURES EXCEPT INGUINAL AND FEMORAL WITHOUT CC/MCC | 17,466 | 0.05% |
| 356: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 19,508 | 0.06% |
| 357: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 18,100 | 0.05% |
| 358: OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 6,419 | 0.02% |
| 368: MAJOR ESOPHAGEAL DISORDERS WITH MCC | 21,183 | 0.06% |
| 369: MAJOR ESOPHAGEAL DISORDERS WITH CC | 17,845 | 0.05% |
| 370: MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 2,802 | 0.01% |
| 371: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITH MCC | 32,766 | 0.10% |
| 372: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITH CC | 56,725 | 0.17% |
| 373: MAJOR GASTROINTESTINAL DISORDERS AND PERITONEAL INFECTIONS WITHOUT CC/MCC | 21,139 | 0.06% |
| 374: DIGESTIVE MALIGNANCY WITH MCC | 33,797 | 0.10% |
| 375: DIGESTIVE MALIGNANCY WITH CC | 33,865 | 0.10% |
| 376: DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 3,061 | 0.01% |
| 377: GASTROINTESTINAL HEMORRHAGE WITH MCC | 145,020 | 0.43% |
| 378: GASTROINTESTINAL HEMORRHAGE WITH CC | 254,647 | 0.76% |

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | • | |
|---|---|--|
| Weighted Frequency Distribution for DRG_NOPOA | | |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 379: GASTROINTESTINAL HEMORRHAGE WITHOUT CC/MCC | 33,081 | 0.10% |
| 380: COMPLICATED PEPTIC ULCER WITH MCC | 14,619 | 0.04% |
| 381: COMPLICATED PEPTIC ULCER WITH CC | 19,089 | 0.06% |
| 382: COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 4,620 | 0.01% |
| 383: UNCOMPLICATED PEPTIC ULCER WITH MCC | 2,565 | 0.01% |
| 384: UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 10,193 | 0.03% |
| 385: INFLAMMATORY BOWEL DISEASE WITH MCC | 14,134 | 0.04% |
| 386: INFLAMMATORY BOWEL DISEASE WITH CC | 38,097 | 0.11% |
| 387: INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 23,242 | 0.07% |
| 388: GASTROINTESTINAL OBSTRUCTION WITH MCC | 41,811 | 0.13% |
| 389: GASTROINTESTINAL OBSTRUCTION WITH CC | 117,108 | 0.35% |
| 390: GASTROINTESTINAL OBSTRUCTION WITHOUT CC/MCC | 83,928 | 0.25% |
| 391: ESOPHAGITIS, GASTROENTERITIS AND MISCELLANEOUS DIGESTIVE DISORDERS WITH MCC | 102,045 | 0.31% |
| 392: ESOPHAGITIS, GASTROENTERITIS AND MISCELLANEOUS DIGESTIVE DISORDERS WITHOUT MCC | 402,933 | 1.21% |
| 393: OTHER DIGESTIVE SYSTEM DIAGNOSES WITH MCC | 67,326 | 0.20% |
| 394: OTHER DIGESTIVE SYSTEM DIAGNOSES WITH CC | 102,545 | 0.31% |
| 395: OTHER DIGESTIVE SYSTEM DIAGNOSES WITHOUT CC/MCC | 34,324 | 0.10% |
| 405: PANCREAS, LIVER AND SHUNT PROCEDURES WITH MCC | 13,154 | 0.04% |
| 406: PANCREAS, LIVER AND SHUNT PROCEDURES WITH CC | 17,208 | 0.05% |
| 407: PANCREAS, LIVER AND SHUNT PROCEDURES WITHOUT CC/MCC | 7,114 | 0.02% |
| 408: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH MCC | 2,431 | 0.01% |
| 409: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. WITH CC | 2,712 | 0.01% |
| 410: BILIARY TRACT PROC EXC ONLY CHOLECYSTECTOMY WITH OR WITHOUT C.D.E. W/O CC/MCC | 1,315 | 0.00% |
| 411: CHOLECYSTECTOMY WITH C.D.E. WITH MCC | 374 | 0.00% |
| 412: CHOLECYSTECTOMY WITH C.D.E. WITH CC | 601 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 413: CHOLECYSTECTOMY WITH C.D.E. WITHOUT CC/MCC | 385 | 0.00% |
| 414: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITH MCC | 3,767 | 0.01% |
| 415: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITH CC | 6,586 | 0.02% |
| 416: CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT C.D.E. WITHOUT CC/MCC | 3,614 | 0.01% |
| 417: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITH MCC | 41,628 | 0.12% |
| 418: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITH CC | 82,616 | 0.25% |
| 419: LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT C.D.E. WITHOUT CC/MCC | 77,981 | 0.23% |
| 420: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITH MCC | 2,397 | 0.01% |
| 421: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITH CC | 2,316 | 0.01% |
| 422: HEPATOBILIARY DIAGNOSTIC PROCEDURES WITHOUT CC/MCC | 696 | 0.00% |
| 423: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 4,920 | 0.01% |
| 424: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 2,520 | 0.01% |
| 425: OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | 483 | 0.00% |
| 432: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITH MCC | 93,374 | 0.28% |
| 433: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITH CC | 66,926 | 0.20% |
| 434: CIRRHOSIS AND ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 4,702 | 0.01% |
| 435: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 38,103 | 0.11% |
| 436: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 18,991 | 0.06% |
| 437: MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 1,789 | 0.01% |
| 438: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 54,989 | 0.16% |
| 439: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 129,453 | 0.39% |
| 440: DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 68,829 | 0.21% |
| 441: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPATITIS WITH MCC | 60,690 | 0.18% |
| 442: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPATITIS WITH CC | 49,703 | 0.15% |
| 443: DISORDERS OF LIVER EXCEPT MALIGNANCY, CIRRHOSIS OR ALCOHOLIC HEPAT W/O CC/MCC | 11,273 | 0.03% |
| 444: DISORDERS OF THE BILIARY TRACT WITH MCC | 35,580 | 0.11% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 445: DISORDERS OF THE BILIARY TRACT WITH CC | 48,890 | 0.15% |
| 446: DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 26,302 | 0.08% |
| 453: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITH MCC | 10,325 | 0.03% |
| 454: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITH CC | 56,973 | 0.17% |
| 455: COMBINED ANTERIOR AND POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 59,329 | 0.18% |
| 456: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS WITH MCC | 5,512 | 0.02% |
| 457: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS WITH CC | 13,509 | 0.04% |
| 458: SPINAL FUSION EXC CERV W SPINAL CURV, MALIG, INFECT OR EXT FUSIONS W/O CC/MCC | 9,263 | 0.03% |
| 459: SPINAL FUSION EXCEPT CERVICAL WITH MCC | 9,397 | 0.03% |
| 460: SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 108,672 | 0.33% |
| 461: BILATERAL OR MULTIPLE MAJOR JOINT PROCEDURES OF LOWER EXTREMITY WITH MCC | 433 | 0.00% |
| 462: BILATERAL OR MULTIPLE MAJOR JOINT PROCEDURES OF LOWER EXTREMITY WITHOUT MCC | 10,120 | 0.03% |
| 463: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS WITH MCC | 13,516 | 0.04% |
| 464: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS WITH CC | 24,579 | 0.07% |
| 465: WND DEBRIDE & SKIN GRAFT EXC HAND FOR MUSC & CONNECTIVE TISSUE DIS W/O CC/MCC | 7,192 | 0.02% |
| 466: REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 10,151 | 0.03% |
| 467: REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 40,033 | 0.12% |
| 468: REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 25,963 | 0.08% |
| 469: MAJ HIP/KNEE JNT REPL OR REATTACH OF LOWER EXTREM W MCC OR TOTAL ANKLE REPL | 15,167 | 0.05% |
| 470: MAJ HIP/KNEE JNT REPL OR REATTACH OF LOWER EXTREM W/O MCC | 326,624 | 0.98% |
| 471: CERVICAL SPINAL FUSION WITH MCC | 9,345 | 0.03% |
| 472: CERVICAL SPINAL FUSION WITH CC | 47,571 | 0.14% |
| 473: CERVICAL SPINAL FUSION WITHOUT CC/MCC | 29,962 | 0.09% |
| 474: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS WITH MCC | 7,894 | 0.02% |
| 475: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS WITH CC | 10,360 | 0.03% |
| 476: AMPUTATION FOR MUSCULOSKELETAL SYS AND CONNECTIVE TISSUE DISORDERS W/O CC/MCC | 1,867 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 477: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 8,621 | 0.03% |
| 478: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH CC | 16,994 | 0.05% |
| 479: BIOPSIES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT CC/MCC | 4,193 | 0.01% |
| 480: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 61,476 | 0.18% |
| 481: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 156,205 | 0.47% |
| 482: HIP AND FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 55,660 | 0.17% |
| 483: MAJOR JOINT OR LIMB REATTACHMENT PROCEDURES OF UPPER EXTREMITIES | 65,741 | 0.20% |
| 485: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITH MCC | 3,458 | 0.01% |
| 486: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITH CC | 8,829 | 0.03% |
| 487: KNEE PROCEDURES WITH PRINCIPAL DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 3,052 | 0.01% |
| 488: KNEE PROCEDURES WITHOUT PRINCIPAL DIAGNOSIS OF INFECTION WITH CC/MCC | 7,533 | 0.02% |
| 489: KNEE PROCEDURES WITHOUT PRINCIPAL DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 6,050 | 0.02% |
| 492: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR WITH MCC | 20,959 | 0.06% |
| 493: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR WITH CC | 66,459 | 0.20% |
| 494: LOWER EXTREMITY AND HUMERUS PROCEDURES EXCEPT HIP, FOOT AND FEMUR W/O CC/MCC | 58,591 | 0.18% |
| 495: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITH MCC | 1,539 | 0.00% |
| 496: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITH CC | 5,808 | 0.02% |
| 497: LOCAL EXCISION AND REMOVAL OF INT FIX DEV EXCEPT HIP AND FEMUR WITHOUT CC/MCC | 2,956 | 0.01% |
| 498: LOCAL EXCISION AND REMOVAL OF INT FIX DEV OF HIP AND FEMUR WITH CC/MCC | 2,553 | 0.01% |
| 499: LOCAL EXCISION AND REMOVAL OF INT FIX DEV OF HIP AND FEMUR WITHOUT CC/MCC | 734 | 0.00% |
| 500: SOFT TISSUE PROCEDURES WITH MCC | 7,973 | 0.02% |
| 501: SOFT TISSUE PROCEDURES WITH CC | 21,509 | 0.06% |
| 502: SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 10,392 | 0.03% |
| 503: FOOT PROCEDURES WITH MCC | 2,733 | 0.01% |
| 504: FOOT PROCEDURES WITH CC | 9,795 | 0.03% |
| 505: FOOT PROCEDURES WITHOUT CC/MCC | 5,527 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 506: MAJOR THUMB OR JOINT PROCEDURES | 2,236 | 0.01% |
| 507: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 1,347 | 0.00% |
| 508: MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 586 | 0.00% |
| 509: ARTHROSCOPY | 176 | 0.00% |
| 510: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES WITH MCC | 3,455 | 0.01% |
| 511: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES WITH CC | 10,301 | 0.03% |
| 512: SHOULDER, ELBOW OR FOREARM PROCEDURES, EXCEPT MAJOR JOINT PROCEDURES W/O CC/MCC | 9,769 | 0.03% |
| 513: HAND OR WRIST PROCEDURES, EXCEPT MAJOR THUMB OR JOINT PROCEDURES WITH CC/MCC | 9,860 | 0.03% |
| 514: HAND OR WRIST PROCEDURES, EXCEPT MAJOR THUMB OR JOINT PROCEDURES WITHOUT CC/MCC | 4,899 | 0.01% |
| 515: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES WITH MCC | 11,085 | 0.03% |
| 516: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES WITH CC | 33,126 | 0.10% |
| 517: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE O.R. PROCEDURES W/O CC/MCC | 28,781 | 0.09% |
| 518: BACK AND NECK PROC EXC SPINAL FUSION WITH MCC OR DISC DEVICE OR NEUROSTIMULATOR | 8,845 | 0.03% |
| 519: BACK AND NECK PROCEDURES EXCEPT SPINAL FUSION WITH CC | 25,127 | 0.08% |
| 520: BACK AND NECK PROCEDURES EXCEPT SPINAL FUSION WITHOUT CC/MCC | 21,185 | 0.06% |
| 521: HIP REPLACEMENT WITH PRINCIPAL DIAGNOSIS OF HIP FRACTURE WITH MCC | 28,773 | 0.09% |
| 522: HIP REPLACEMENT WITH PRINCIPAL DIAGNOSIS OF HIP FRACTURE WITHOUT MCC | 90,786 | 0.27% |
| 533: FRACTURES OF FEMUR WITH MCC | 1,607 | 0.00% |
| 534: FRACTURES OF FEMUR WITHOUT MCC | 5,157 | 0.02% |
| 535: FRACTURES OF HIP AND PELVIS WITH MCC | 13,233 | 0.04% |
| 536: FRACTURES OF HIP AND PELVIS WITHOUT MCC | 37,294 | 0.11% |
| 537: SPRAINS, STRAINS, AND DISLOCATIONS OF HIP, PELVIS AND THIGH WITH CC/MCC | 1,652 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 538: SPRAINS, STRAINS, AND DISLOCATIONS OF HIP, PELVIS AND THIGH WITHOUT CC/MCC | 771 | 0.00% |
| 539: OSTEOMYELITIS WITH MCC | 8,857 | 0.03% |
| 540: OSTEOMYELITIS WITH CC | 11,744 | 0.04% |
| 541: OSTEOMYELITIS WITHOUT CC/MCC | 3,046 | 0.01% |
| 542: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL WITH MCC | 16,320 | 0.05% |
| 543: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL WITH CC | 27,856 | 0.08% |
| 544: PATHOLOGICAL FRACTURES AND MUSCULOSKELETAL AND CONNECTIVE TISSUE MAL W/O CC/MCC | 6,354 | 0.02% |
| 545: CONNECTIVE TISSUE DISORDERS WITH MCC | 12,942 | 0.04% |
| 546: CONNECTIVE TISSUE DISORDERS WITH CC | 16,971 | 0.05% |
| 547: CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 7,340 | 0.02% |
| 548: SEPTIC ARTHRITIS WITH MCC | 1,845 | 0.01% |
| 549: SEPTIC ARTHRITIS WITH CC | 4,995 | 0.01% |
| 550: SEPTIC ARTHRITIS WITHOUT CC/MCC | 1,947 | 0.01% |
| 551: MEDICAL BACK PROBLEMS WITH MCC | 30,387 | 0.09% |
| 552: MEDICAL BACK PROBLEMS WITHOUT MCC | 127,018 | 0.38% |
| 553: BONE DISEASES AND ARTHROPATHIES WITH MCC | 5,420 | 0.02% |
| 554: BONE DISEASES AND ARTHROPATHIES WITHOUT MCC | 26,114 | 0.08% |
| 555: SIGNS AND SYMPTOMS OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 5,636 | 0.02% |
| 556: SIGNS AND SYMPTOMS OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT MCC | 24,610 | 0.07% |
| 557: TENDONITIS, MYOSITIS AND BURSITIS WITH MCC | 11,057 | 0.03% |
| 558: TENDONITIS, MYOSITIS AND BURSITIS WITHOUT MCC | 39,825 | 0.12% |
| 559: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH MCC | 9,381 | 0.03% |
| 560: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITH CC | 24,242 | 0.07% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 561: AFTERCARE, MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE WITHOUT CC/MCC | 12,950 | 0.04% |
| 562: FRACTURE, SPRAIN, STRAIN AND DISLOC EXC FEMUR, HIP, PELVIS AND THIGH WITH MCC | 14,074 | 0.04% |
| 563: FRACTURE, SPRAIN, STRAIN AND DISLOC EXC FEMUR, HIP, PELVIS AND THIGH W/O MCC | 55,803 | 0.17% |
| 564: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITH MCC | 10,731 | 0.03% |
| 565: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITH CC | 19,086 | 0.06% |
| 566: OTHER MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE DIAGNOSES WITHOUT CC/MCC | 6,056 | 0.02% |
| 570: SKIN DEBRIDEMENT WITH MCC | 7,085 | 0.02% |
| 571: SKIN DEBRIDEMENT WITH CC | 19,325 | 0.06% |
| 572: SKIN DEBRIDEMENT WITHOUT CC/MCC | 6,413 | 0.02% |
| 573: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITH MCC | 1,673 | 0.01% |
| 574: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITH CC | 3,720 | 0.01% |
| 575: SKIN GRAFT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 528 | 0.00% |
| 576: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 1,243 | 0.00% |
| 577: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 4,796 | 0.01% |
| 578: SKIN GRAFT EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 3,528 | 0.01% |
| 579: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITH MCC | 13,099 | 0.04% |
| 580: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITH CC | 43,572 | 0.13% |
| 581: OTHER SKIN, SUBCUTANEOUS TISSUE AND BREAST PROCEDURES WITHOUT CC/MCC | 25,218 | 0.08% |
| 582: MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 2,108 | 0.01% |
| 583: MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 3,151 | 0.01% |
| 584: BREAST BIOPSY, LOCAL EXCISION AND OTHER BREAST PROCEDURES WITH CC/MCC | 4,270 | 0.01% |
| 585: BREAST BIOPSY, LOCAL EXCISION AND OTHER BREAST PROCEDURES WITHOUT CC/MCC | 7,847 | 0.02% |
| 592: SKIN ULCERS WITH MCC | 6,488 | 0.02% |
| 593: SKIN ULCERS WITH CC | 10,439 | 0.03% |
| 594: SKIN ULCERS WITHOUT CC/MCC | 1,143 | 0.00% |
| 595: MAJOR SKIN DISORDERS WITH MCC | 2,126 | 0.01% |

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | |
|---|--|
| Weighted Frequency Distribution for DRG_NOPOA | |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 596: MAJOR SKIN DISORDERS WITHOUT MCC | 7,293 | 0.02% |
| 597: MALIGNANT BREAST DISORDERS WITH MCC | 4,032 | 0.01% |
| 598: MALIGNANT BREAST DISORDERS WITH CC | 3,880 | 0.01% |
| 599: MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 269 | 0.00% |
| 600: NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 2,936 | 0.01% |
| 601: NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 2,737 | 0.01% |
| 602: CELLULITIS WITH MCC | 54,614 | 0.16% |
| 603: CELLULITIS WITHOUT MCC | 261,967 | 0.78% |
| 604: TRAUMA TO THE SKIN, SUBCUTANEOUS TISSUE AND BREAST WITH MCC | 8,572 | 0.03% |
| 605: TRAUMA TO THE SKIN, SUBCUTANEOUS TISSUE AND BREAST WITHOUT MCC | 36,618 | 0.11% |
| 606: MINOR SKIN DISORDERS WITH MCC | 4,925 | 0.01% |
| 607: MINOR SKIN DISORDERS WITHOUT MCC | 18,857 | 0.06% |
| 614: ADRENAL AND PITUITARY PROCEDURES WITH CC/MCC | 11,660 | 0.03% |
| 615: ADRENAL AND PITUITARY PROCEDURES WITHOUT CC/MCC | 5,717 | 0.02% |
| 616: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND MET DISORD WITH MCC | 9,988 | 0.03% |
| 617: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND MET DISORD WITH CC | 50,279 | 0.15% |
| 618: AMPUTATION OF LOWER LIMB FOR ENDOCRINE, NUTRITIONAL AND MET DISORD W/O CC/MCC | 392 | 0.00% |
| 619: O.R. PROCEDURES FOR OBESITY WITH MCC | 2,913 | 0.01% |
| 620: O.R. PROCEDURES FOR OBESITY WITH CC | 28,863 | 0.09% |
| 621: O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 165,406 | 0.49% |
| 622: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDO, NUTRITIONAL AND MET DISORD WITH MCC | 5,931 | 0.02% |
| 623: SKIN GRAFTS AND WOUND DEBRIDEMENT FOR ENDO, NUTRITIONAL AND MET DISORD WITH CC | 18,801 | 0.06% |
| 624: SKIN GRAFTS AND WOUND DEBRID FOR ENDO, NUTRITIONAL AND MET DISORD W/O CC/MCC | 883 | 0.00% |
| 625: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITH MCC | 1,769 | 0.01% |
| 626: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITH CC | 5,494 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 627: THYROID, PARATHYROID AND THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 6,062 | 0.02% |
| 628: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITH MCC | 7,690 | 0.02% |
| 629: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITH CC | 15,935 | 0.05% |
| 630: OTHER ENDOCRINE, NUTRITIONAL AND METABOLIC O.R. PROCEDURES WITHOUT CC/MCC | 799 | 0.00% |
| 637: DIABETES WITH MCC | 127,239 | 0.38% |
| 638: DIABETES WITH CC | 221,593 | 0.66% |
| 639: DIABETES WITHOUT CC/MCC | 77,091 | 0.23% |
| 640: MISCELLANEOUS DISORDERS OF NUTRITION, MET, FLUIDS AND ELECTROLYTES WITH MCC | 182,184 | 0.55% |
| 641: MISCELLANEOUS DISORDERS OF NUTRITION, MET, FLUIDS AND ELECTROLYTES WITHOUT MCC | 232,539 | 0.70% |
| 642: INBORN AND OTHER DISORDERS OF METABOLISM | 8,272 | 0.02% |
| 643: ENDOCRINE DISORDERS WITH MCC | 29,726 | 0.09% |
| 644: ENDOCRINE DISORDERS WITH CC | 35,681 | 0.11% |
| 645: ENDOCRINE DISORDERS WITHOUT CC/MCC | 13,802 | 0.04% |
| 650: KIDNEY TRANSPLANT WITH HEMODIALYSIS WITH MCC | 5,080 | 0.02% |
| 651: KIDNEY TRANSPLANT WITH HEMODIALYSIS WITHOUT MCC | 1,978 | 0.01% |
| 652: KIDNEY TRANSPLANT | 17,177 | 0.05% |
| 653: MAJOR BLADDER PROCEDURES WITH MCC | 3,788 | 0.01% |
| 654: MAJOR BLADDER PROCEDURES WITH CC | 11,300 | 0.03% |
| 655: MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 4,383 | 0.01% |
| 656: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITH MCC | 6,576 | 0.02% |
| 657: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITH CC | 20,638 | 0.06% |
| 658: KIDNEY AND URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 20,240 | 0.06% |
| 659: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 23,347 | 0.07% |
| 660: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 63,008 | 0.19% |
| 661: KIDNEY AND URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 60,241 | 0.18% |
| 662: MINOR BLADDER PROCEDURES WITH MCC | 1,499 | 0.00% |

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | • |
|---|---|
| Weighted Frequency Distribution for DRG_NOPOA | |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 663: MINOR BLADDER PROCEDURES WITH CC | 3,440 | 0.01% |
| 664: MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 1,328 | 0.00% |
| 665: PROSTATECTOMY WITH MCC | 1,354 | 0.00% |
| 666: PROSTATECTOMY WITH CC | 2,915 | 0.01% |
| 667: PROSTATECTOMY WITHOUT CC/MCC | 838 | 0.00% |
| 668: TRANSURETHRAL PROCEDURES WITH MCC | 4,413 | 0.01% |
| 669: TRANSURETHRAL PROCEDURES WITH CC | 10,908 | 0.03% |
| 670: TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 3,602 | 0.01% |
| 671: URETHRAL PROCEDURES WITH CC/MCC | 914 | 0.00% |
| 672: URETHRAL PROCEDURES WITHOUT CC/MCC | 654 | 0.00% |
| 673: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITH MCC | 45,007 | 0.13% |
| 674: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITH CC | 22,219 | 0.07% |
| 675: OTHER KIDNEY AND URINARY TRACT PROCEDURES WITHOUT CC/MCC | 1,524 | 0.00% |
| 682: RENAL FAILURE WITH MCC | 210,759 | 0.63% |
| 683: RENAL FAILURE WITH CC | 243,800 | 0.73% |
| 684: RENAL FAILURE WITHOUT CC/MCC | 29,829 | 0.09% |
| 686: KIDNEY AND URINARY TRACT NEOPLASMS WITH MCC | 4,306 | 0.01% |
| 687: KIDNEY AND URINARY TRACT NEOPLASMS WITH CC | 5,666 | 0.02% |
| 688: KIDNEY AND URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 909 | 0.00% |
| 689: KIDNEY AND URINARY TRACT INFECTIONS WITH MCC | 140,105 | 0.42% |
| 690: KIDNEY AND URINARY TRACT INFECTIONS WITHOUT MCC | 252,352 | 0.76% |
| 693: URINARY STONES WITH MCC | 3,736 | 0.01% |
| 694: URINARY STONES WITHOUT MCC | 25,140 | 0.08% |
| 695: KIDNEY AND URINARY TRACT SIGNS AND SYMPTOMS WITH MCC | 2,541 | 0.01% |
| 696: KIDNEY AND URINARY TRACT SIGNS AND SYMPTOMS WITHOUT MCC | 11,002 | 0.03% |
| 697: URETHRAL STRICTURE | 1,154 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 698: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITH MCC | 143,626 | 0.43% |
| 699: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITH CC | 83,208 | 0.25% |
| 700: OTHER KIDNEY AND URINARY TRACT DIAGNOSES WITHOUT CC/MCC | 10,551 | 0.03% |
| 707: MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 10,251 | 0.03% |
| 708: MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 23,833 | 0.07% |
| 709: PENIS PROCEDURES WITH CC/MCC | 1,580 | 0.00% |
| 710: PENIS PROCEDURES WITHOUT CC/MCC | 1,324 | 0.00% |
| 711: TESTES PROCEDURES WITH CC/MCC | 2,134 | 0.01% |
| 712: TESTES PROCEDURES WITHOUT CC/MCC | 1,855 | 0.01% |
| 713: TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 9,577 | 0.03% |
| 714: TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 3,110 | 0.01% |
| 715: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY WITH CC/MCC | 1,066 | 0.00% |
| 716: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES FOR MALIGNANCY WITHOUT CC/MCC | 305 | 0.00% |
| 717: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES EXCEPT MALIGNANCY WITH CC/MCC | 5,577 | 0.02% |
| 718: OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURES EXCEPT MALIGNANCY WITHOUT CC/MCC | 1,923 | 0.01% |
| 722: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 2,037 | 0.01% |
| 723: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 3,147 | 0.01% |
| 724: MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 351 | 0.00% |
| 725: BENIGN PROSTATIC HYPERTROPHY WITH MCC | 1,709 | 0.01% |
| 726: BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 6,088 | 0.02% |
| 727: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 3,434 | 0.01% |
| 728: INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 13,797 | 0.04% |
| 729: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES WITH CC/MCC | 1,915 | 0.01% |
| 730: OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSES WITHOUT CC/MCC | 741 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 734: PELVIC EVISCERATION, RADICAL HYSTERECTOMY AND RADICAL VULVECTOMY WITH CC/MCC | 2,833 | 0.01% |
| 735: PELVIC EVISCERATION, RADICAL HYSTERECTOMY AND RADICAL VULVECTOMY WITHOUT CC/MCC | 1,500 | 0.00% |
| 736: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 1,851 | 0.01% |
| 737: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 9,974 | 0.03% |
| 738: UTERINE AND ADNEXA PROCEDURES FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 2,773 | 0.01% |
| 739: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG WITH MCC | 1,541 | 0.00% |
| 740: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG WITH CC | 8,234 | 0.02% |
| 741: UTERINE AND ADNEXA PROCEDURES FOR NON-OVARIAN AND NON-ADNEXAL MALIG W/O CC/MCC | 5,712 | 0.02% |
| 742: UTERINE AND ADNEXA PROCEDURES FOR NON-MALIGNANCY WITH CC/MCC | 41,491 | 0.12% |
| 743: UTERINE AND ADNEXA PROCEDURES FOR NON-MALIGNANCY WITHOUT CC/MCC | 73,617 | 0.22% |
| 744: D&C, CONIZATION, LAPAROSCOPY AND TUBAL INTERRUPTION WITH CC/MCC | 6,065 | 0.02% |
| 745: D&C, CONIZATION, LAPAROSCOPY AND TUBAL INTERRUPTION WITHOUT CC/MCC | 1,406 | 0.00% |
| 746: VAGINA, CERVIX AND VULVA PROCEDURES WITH CC/MCC | 4,215 | 0.01% |
| 747: VAGINA, CERVIX AND VULVA PROCEDURES WITHOUT CC/MCC | 3,504 | 0.01% |
| 748: FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 2,660 | 0.01% |
| 749: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 4,073 | 0.01% |
| 750: OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1,308 | 0.00% |
| 754: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 5,370 | 0.02% |
| 755: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 7,806 | 0.02% |
| 756: MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1,109 | 0.00% |
| 757: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 2,708 | 0.01% |
| 758: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 8,111 | 0.02% |
| 759: INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 8,326 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 760: MENSTRUAL AND OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 12,185 | 0.04% |
| 761: MENSTRUAL AND OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 5,752 | 0.02% |
| 768: VAGINAL DELIVERY WITH O.R. PROCEDURES EXCEPT STERILIZATION AND/OR D&C | 88,070 | 0.26% |
| 769: POSTPARTUM AND POST ABORTION DIAGNOSES WITH O.R. PROCEDURES | 12,710 | 0.04% |
| 770: ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 6,439 | 0.02% |
| 776: POSTPARTUM AND POST ABORTION DIAGNOSES WITHOUT O.R. PROCEDURES | 70,395 | 0.21% |
| 779: ABORTION WITHOUT D&C | 7,384 | 0.02% |
| 783: CESAREAN SECTION WITH STERILIZATION WITH MCC | 18,369 | 0.05% |
| 784: CESAREAN SECTION WITH STERILIZATION WITH CC | 48,521 | 0.15% |
| 785: CESAREAN SECTION WITH STERILIZATION WITHOUT CC/MCC | 103,911 | 0.31% |
| 786: CESAREAN SECTION WITHOUT STERILIZATION WITH MCC | 121,450 | 0.36% |
| 787: CESAREAN SECTION WITHOUT STERILIZATION WITH CC | 264,657 | 0.79% |
| 788: CESAREAN SECTION WITHOUT STERILIZATION WITHOUT CC/MCC | 575,082 | 1.72% |
| 789: NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 49,783 | 0.15% |
| 790: EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 94,541 | 0.28% |
| 791: PREMATURITY WITH MAJOR PROBLEMS | 96,624 | 0.29% |
| 792: PREMATURITY WITHOUT MAJOR PROBLEMS | 172,164 | 0.52% |
| 793: FULL TERM NEONATE WITH MAJOR PROBLEMS | 212,856 | 0.64% |
| 794: NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 1,104,311 | 3.30% |
| 795: NORMAL NEWBORN | 1,916,906 | 5.74% |
| 796: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITH MCC | 2,621 | 0.01% |
| 797: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITH CC | 9,118 | 0.03% |
| 798: VAGINAL DELIVERY WITH STERILIZATION AND/OR D&C WITHOUT CC/MCC | 21,596 | 0.06% |
| 799: SPLENECTOMY WITH MCC | 2,035 | 0.01% |
| 800: SPLENECTOMY WITH CC | 1,332 | 0.00% |
| 801: SPLENECTOMY WITHOUT CC/MCC | 942 | 0.00% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 802: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITH MCC | 1,833 | 0.01% |
| 803: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITH CC | 2,898 | 0.01% |
| 804: OTHER O.R. PROCEDURES OF THE BLOOD AND BLOOD FORMING ORGANS WITHOUT CC/MCC | 1,934 | 0.01% |
| 805: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITH MCC | 152,536 | 0.46% |
| 806: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITH CC | 424,204 | 1.27% |
| 807: VAGINAL DELIVERY WITHOUT STERILIZATION OR D&C WITHOUT CC/MCC | 1,656,904 | 4.96% |
| 808: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITH MCC | 21,819 | 0.07% |
| 809: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITH CC | 44,354 | 0.13% |
| 810: MAJOR HEMATOL/IMMU DIAG EXC SICKLE CELL CRISIS AND COAGUL DISO WITHOUT CC/MCC | 6,103 | 0.02% |
| 811: RED BLOOD CELL DISORDERS WITH MCC | 80,018 | 0.24% |
| 812: RED BLOOD CELL DISORDERS WITHOUT MCC | 171,484 | 0.51% |
| 813: COAGULATION DISORDERS | 43,967 | 0.13% |
| 814: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITH MCC | 6,190 | 0.02% |
| 815: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITH CC | 10,369 | 0.03% |
| 816: RETICULOENDOTHELIAL AND IMMUNITY DISORDERS WITHOUT CC/MCC | 4,670 | 0.01% |
| 817: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITH MCC | 6,354 | 0.02% |
| 818: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITH CC | 7,614 | 0.02% |
| 819: OTHER ANTEPARTUM DIAGNOSES WITH O.R. PROCEDURES WITHOUT CC/MCC | 7,215 | 0.02% |
| 820: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITH MCC | 3,397 | 0.01% |
| 821: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITH CC | 3,926 | 0.01% |
| 822: LYMPHOMA AND LEUKEMIA WITH MAJOR O.R. PROCEDURES WITHOUT CC/MCC | 3,115 | 0.01% |
| 823: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITH MCC | 7,308 | 0.02% |
| 824: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITH CC | 7,479 | 0.02% |
| 825: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH OTHER PROCEDURES WITHOUT CC/MCC | 2,381 | 0.01% |
| 826: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITH MCC | 2,957 | 0.01% |
| 827: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITH CC | 6,168 | 0.02% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 828: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH MAJOR O.R. PROC WITHOUT CC/MCC | 4,513 | 0.01% |
| 829: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH OTHER PROC WITH CC/MCC | 7,849 | 0.02% |
| 830: MYELOPROLIF DISORD OR POORLY DIFF NEOPLASMS WITH OTHER PROC WITHOUT CC/MCC | 1,271 | 0.00% |
| 831: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITH MCC | 38,512 | 0.12% |
| 832: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITH CC | 68,108 | 0.20% |
| 833: OTHER ANTEPARTUM DIAGNOSES WITHOUT O.R. PROCEDURES WITHOUT CC/MCC | 82,478 | 0.25% |
| 834: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITH MCC | 16,961 | 0.05% |
| 835: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITH CC | 7,716 | 0.02% |
| 836: ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURES WITHOUT CC/MCC | 1,742 | 0.01% |
| 837: CHEMO W/ ACUTE LEUKEMIA AS SEC DX OR WITH HIGH DOSE CHEMOTHERAPY AGENT WITH MCC | 10,707 | 0.03% |
| 838: CHEMO W/ ACUTE LEUKEMIA AS SEC DX WITH CC OR HIGH DOSE CHEMOTHERAPY AGENT | 11,370 | 0.03% |
| 839: CHEMO W/ ACUTE LEUKEMIA AS SEC DX WITHOUT CC/MCC | 8,775 | 0.03% |
| 840: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH MCC | 22,873 | 0.07% |
| 841: LYMPHOMA AND NON-ACUTE LEUKEMIA WITH CC | 18,002 | 0.05% |
| 842: LYMPHOMA AND NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 4,038 | 0.01% |
| 843: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITH MCC | 6,613 | 0.02% |
| 844: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITH CC | 5,007 | 0.01% |
| 845: OTHER MYELOPROLIFERATIVE DIS OR POORLY DIFFERENT NEOPLASTIC DIAG WITHOUT CC/MCC | 974 | 0.00% |
| 846: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 16,176 | 0.05% |
| 847: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 70,935 | 0.21% |
| 848: CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 1,992 | 0.01% |
| 849: RADIOTHERAPY | 799 | 0.00% |
| 853: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITH MCC | 240,028 | 0.72% |
| 854: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITH CC | 106,606 | 0.32% |
| 855: INFECTIOUS AND PARASITIC DISEASES WITH O.R. PROCEDURES WITHOUT CC/MCC | 2,092 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 856: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITH MCC | 25,372 | 0.08% |
| 857: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITH CC | 30,538 | 0.09% |
| 858: POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURES WITHOUT CC/MCC | 3,872 | 0.01% |
| 862: POSTOPERATIVE AND POST-TRAUMATIC INFECTIONS WITH MCC | 38,944 | 0.12% |
| 863: POSTOPERATIVE AND POST-TRAUMATIC INFECTIONS WITHOUT MCC | 35,006 | 0.10% |
| 864: FEVER AND INFLAMMATORY CONDITIONS | 27,844 | 0.08% |
| 865: VIRAL ILLNESS WITH MCC | 5,928 | 0.02% |
| 866: VIRAL ILLNESS WITHOUT MCC | 20,368 | 0.06% |
| 867: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITH MCC | 7,950 | 0.02% |
| 868: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITH CC | 7,758 | 0.02% |
| 869: OTHER INFECTIOUS AND PARASITIC DISEASES DIAGNOSES WITHOUT CC/MCC | 2,729 | 0.01% |
| 870: SEPTICEMIA OR SEVERE SEPSIS WITH MV >96 HOURS | 125,575 | 0.38% |
| 871: SEPTICEMIA OR SEVERE SEPSIS WITHOUT MV >96 HOURS WITH MCC | 1,501,735 | 4.49% |
| 872: SEPTICEMIA OR SEVERE SEPSIS WITHOUT MV >96 HOURS WITHOUT MCC | 440,144 | 1.32% |
| 876: O.R. PROCEDURES WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 4,438 | 0.01% |
| 880: ACUTE ADJUSTMENT REACTION AND PSYCHOSOCIAL DYSFUNCTION | 47,698 | 0.14% |
| 881: DEPRESSIVE NEUROSES | 99,176 | 0.30% |
| 882: NEUROSES EXCEPT DEPRESSIVE | 48,315 | 0.14% |
| 883: DISORDERS OF PERSONALITY AND IMPULSE CONTROL | 23,190 | 0.07% |
| 884: ORGANIC DISTURBANCES AND INTELLECTUAL DISABILITY | 67,443 | 0.20% |
| 885: PSYCHOSES | 1,081,288 | 3.24% |
| 886: BEHAVIORAL AND DEVELOPMENTAL DISORDERS | 13,391 | 0.04% |
| 887: OTHER MENTAL DISORDER DIAGNOSES | 3,478 | 0.01% |
| 894: ALCOHOL, DRUG ABUSE OR DEPENDENCE, LEFT AMA | 57,272 | 0.17% |
| 895: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 33,874 | 0.10% |
| 896: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 76,757 | 0.23% |

| DRG_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 897: ALCOHOL, DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 316,473 | 0.95% |
| 901: WOUND DEBRIDEMENTS FOR INJURIES WITH MCC | 2,948 | 0.01% |
| 902: WOUND DEBRIDEMENTS FOR INJURIES WITH CC | 6,420 | 0.02% |
| 903: WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC | 1,851 | 0.01% |
| 904: SKIN GRAFTS FOR INJURIES WITH CC/MCC | 4,174 | 0.01% |
| 905: SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1,061 | 0.00% |
| 906: HAND PROCEDURES FOR INJURIES | 5,500 | 0.02% |
| 907: OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 29,655 | 0.09% |
| 908: OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 29,744 | 0.09% |
| 909: OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 12,245 | 0.04% |
| 913: TRAUMATIC INJURY WITH MCC | 2,822 | 0.01% |
| 914: TRAUMATIC INJURY WITHOUT MCC | 9,361 | 0.03% |
| 915: ALLERGIC REACTIONS WITH MCC | 7,871 | 0.02% |
| 916: ALLERGIC REACTIONS WITHOUT MCC | 14,605 | 0.04% |
| 917: POISONING AND TOXIC EFFECTS OF DRUGS WITH MCC | 134,369 | 0.40% |
| 918: POISONING AND TOXIC EFFECTS OF DRUGS WITHOUT MCC | 88,272 | 0.26% |
| 919: COMPLICATIONS OF TREATMENT WITH MCC | 39,217 | 0.12% |
| 920: COMPLICATIONS OF TREATMENT WITH CC | 36,405 | 0.11% |
| 921: COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 9,975 | 0.03% |
| 922: OTHER INJURY, POISONING AND TOXIC EFFECT DIAGNOSES WITH MCC | 8,891 | 0.03% |
| 923: OTHER INJURY, POISONING AND TOXIC EFFECT DIAGNOSES WITHOUT MCC | 10,150 | 0.03% |
| 927: EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MV >96 HOURS WITH SKIN GRAFT | 1,176 | 0.00% |
| 928: FULL THICKNESS BURN WITH SKIN GRAFT OR INHALATION INJURY WITH CC/MCC | 6,268 | 0.02% |
| 929: FULL THICKNESS BURN WITH SKIN GRAFT OR INHALATION INJURY WITHOUT CC/MCC | 2,982 | 0.01% |
| 933: EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MV >96 HOURS WITHOUT SKIN GRAFT | 312 | 0.00% |
| 934: FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHALATION INJURY | 2,494 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 935: NON-EXTENSIVE BURNS | 13,685 | 0.04% |
| 939: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 2,028 | 0.01% |
| 940: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 4,445 | 0.01% |
| 941: O.R. PROCEDURES WITH DIAGNOSES OF OTHER CONTACT WITH HEALTH SERVICES W/O CC/MCC | 3,245 | 0.01% |
| 945: REHABILITATION WITH CC/MCC | 11,871 | 0.04% |
| 946: REHABILITATION WITHOUT CC/MCC | 2,723 | 0.01% |
| 947: SIGNS AND SYMPTOMS WITH MCC | 25,037 | 0.07% |
| 948: SIGNS AND SYMPTOMS WITHOUT MCC | 76,727 | 0.23% |
| 949: AFTERCARE WITH CC/MCC | 9,299 | 0.03% |
| 950: AFTERCARE WITHOUT CC/MCC | 2,213 | 0.01% |
| 951: OTHER FACTORS INFLUENCING HEALTH STATUS | 30,475 | 0.09% |
| 955: CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 3,971 | 0.01% |
| 956: LIMB REATTACHMENT, HIP AND FEMUR PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA | 25,226 | 0.08% |
| 957: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 23,602 | 0.07% |
| 958: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 20,144 | 0.06% |
| 959: OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 2,704 | 0.01% |
| 963: OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 12,584 | 0.04% |
| 964: OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 20,957 | 0.06% |
| 965: OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 4,455 | 0.01% |
| 969: HIV WITH EXTENSIVE O.R. PROCEDURES WITH MCC | 1,385 | 0.00% |
| 970: HIV WITH EXTENSIVE O.R. PROCEDURES WITHOUT MCC | 357 | 0.00% |
| 974: HIV WITH MAJOR RELATED CONDITION WITH MCC | 15,782 | 0.05% |
| 975: HIV WITH MAJOR RELATED CONDITION WITH CC | 8,198 | 0.02% |
| 976: HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 1,544 | 0.00% |
| 977: HIV WITH OR WITHOUT OTHER RELATED CONDITION | 3,437 | 0.01% |

| DRG_NoPOA | Frequency | Percent of Total |
|--|-----------|---------------------|
| 981: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 69,177 | 0.21% |
| 982: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 40,217 | 0.12% |
| 983: EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 11,883 | 0.04% |
| 987: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 25,199 | 0.08% |
| 988: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 23,902 | 0.07% |
| 989: NON-EXTENSIVE O.R. PROCEDURES UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 4,973 | 0.01% |
| 998: PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 7,884 | 0.02% |
| 999: UNGROUPABLE | 13,299 | 0.04% |

| ELECTIVE | Frequency | Percent of Total |
|---------------------------|------------|---------------------|
| .: Missing | 28,839 | 0.09% |
| .A: Invalid | 239 | 0.00% |
| 0: Non-elective admission | 28,020,489 | 83.84% |
| 1: Elective admission | 5,371,279 | 16.07% |

| FEMALE | Frequency | Percent of Total |
|------------|------------|---------------------|
| 0 : Male | 15,005,773 | 44.90% |
| 1 : Female | 18,415,072 | 55.10% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for FEMALE

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | |
|---|--|
| Weighted Frequency Distribution for HCUP_ED | |

| HCUP_ED | Frequency | Percent of Total |
|--|------------|---------------------|
| 0: Record does not meet any HCUP Emergency Department criteria | 13,088,706 | 39.16% |
| 1: Emergency Department revenue code on record | 13,568,363 | 40.60% |
| 2: Positive Emergency Department charge (when revenue center codes are not available) | 6,630,813 | 19.84% |
| 3: Emergency Department CPT procedure code on record | 6,389 | 0.02% |
| 4: Condition code P7, indication of ED admission, point of origin of ED, or admission source of ED | 126,575 | 0.38% |

| I10_BIRTH | Frequency | Percent of Total |
|---|------------|---------------------|
| 0: No birth diagnosis reported on record | 29,845,576 | 89.30% |
| 1: Birth diagnosis reported on record, born in a hospital | 3,562,332 | 10.66% |
| 2: Birth diagnosis reported on record, born outside hospital | 12,744 | 0.04% |
| 3: Birth diagnosis reported on record, unspecified as to place of birth | 193 | 0.00% |

19:46 Friday, December 29, 2023 51

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for I10_DELIVERY

| I10_DELIVERY | Frequency | Percent of Total |
|-----------------------------------|------------|---------------------|
| 0: No delivery diagnosis reported | 29,908,821 | 89.49% |
| 1: Delivery diagnosis reported | 3,512,024 | 10.51% |

| I10_DX1 | Frequency | Percent of Total |
|------------------------|------------|---------------------|
| Blank | 10,090 | 0.03% |
| Valid DX | 33,410,361 | 99.97% |
| Inconsistent DX (incn) | 117 | 0.00% |
| Invalid DX (invl) | 277 | 0.00% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for I10_DX1

| I10_INJURY | Frequency | Percent of Total |
|--|------------|---------------------|
| 0: No injury diagnoses reported | 30,485,199 | 91.22% |
| 1: Injury is reported in first-listed diagnosis | 1,744,608 | 5.22% |
| 2: Injury is reported in a diagnosis other than the first-listed diagnosis | 1,191,037 | 3.56% |

| I10_MULTINJURY | Frequency | Percent of Total |
|--|------------|---------------------|
| 0: One or no injury diagnosis reported | 32,167,692 | 96.25% |
| 1: More than one injury diagnosis reported, regardless of position | 1,253,153 | 3.75% |

| I10_NDX | Frequency | Percent of Total |
|---------|-----------|---------------------|
| 0 | 10,049 | 0.03% |
| 1 | 540,797 | 1.62% |
| 2 | 1,303,454 | 3.90% |
| 3 | 1,379,806 | 4.13% |
| 4 | 1,446,932 | 4.33% |
| 5 | 1,463,630 | 4.38% |
| 6 | 1,488,341 | 4.45% |
| 7 | 1,499,046 | 4.49% |
| 8 | 1,498,875 | 4.48% |
| 9 | 1,600,726 | 4.79% |
| 10 | 1,450,739 | 4.34% |
| 11 | 1,403,187 | 4.20% |
| 12 | 1,365,194 | 4.08% |
| 13 | 1,337,123 | 4.00% |
| 14 | 1,282,616 | 3.84% |
| 15 | 1,524,666 | 4.56% |
| 16 | 1,202,739 | 3.60% |
| 17 | 1,116,733 | 3.34% |
| 18 | 2,271,868 | 6.80% |
| 19 | 1,029,218 | 3.08% |
| 20 | 825,592 | 2.47% |
| 21 | 712,082 | 2.13% |
| 22 | 600,207 | 1.80% |
| 23 | 563,789 | 1.69% |
| 24 | 815,178 | 2.44% |
| 25 | 1,333,311 | 3.99% |

| I10_NDX | Frequency | Percent of Total |
|---------|-----------|---------------------|
| 26 | 448,018 | 1.34% |
| 27 | 308,208 | 0.92% |
| 28 | 205,823 | 0.62% |
| 29 | 168,818 | 0.51% |
| 30 | 318,973 | 0.95% |
| 31 | 263,376 | 0.79% |
| 32 | 121,641 | 0.36% |
| 33 | 78,222 | 0.23% |
| 34 | 57,723 | 0.17% |
| 35 | 45,708 | 0.14% |
| 36 | 39,108 | 0.12% |
| 37 | 35,299 | 0.11% |
| 38 | 31,395 | 0.09% |
| 39 | 28,365 | 0.08% |
| 40 | 204,271 | 0.61% |

| I10_PR1 | Frequency | Percent of Total |
|------------------------|------------|---------------------|
| Blank | 11,820,294 | 35.37% |
| Valid PR | 21,600,284 | 64.63% |
| Inconsistent PR (incn) | 132 | 0.00% |
| Invalid PR (invl) | 135 | 0.00% |

19:46 Friday, December 29, 2023 58

| I10_SERVICELINE | Frequency | Percent of Total |
|---------------------------------|------------|---------------------|
| 1 : Maternal and Neonatal | 7,451,350 | 22.30% |
| 2 : Mental health/substance use | 1,875,029 | 5.61% |
| 3 : Injury | 1,628,322 | 4.87% |
| 4 : Surgical | 6,125,842 | 18.33% |
| 5 : Medical | 16,340,302 | 48.89% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for I10_SERVICELINE

| LOS | Frequency | Percent of Total |
|------------------|-----------|---------------------|
| . : Missing | <= 50 | *.**% |
| .A: Invalid | <= 50 | *.**% |
| .C: Inconsistent | 1,499 | 0.00% |
| 0 days | 618,962 | 1.85% |
| 1 day | 5,015,483 | 15.01% |
| 2 days | 8,021,644 | 24.00% |
| 3 days | 5,279,279 | 15.80% |
| 4 days | 3,391,378 | 10.15% |
| 5 days | 2,337,617 | 6.99% |
| 6 days | 1,686,996 | 5.05% |
| 7 days | 1,284,906 | 3.84% |
| 8 days | 945,548 | 2.83% |
| 9 days | 710,605 | 2.13% |
| 10 days | 567,666 | 1.70% |
| 11 - 30 days | 3,062,808 | 9.16% |
| 31 - 60 days | 393,801 | 1.18% |
| 61 - 90 days | 63,771 | 0.19% |
| 91 - 120 days | 20,505 | 0.06% |
| 121 - 150 days | 8,564 | 0.03% |
| 151 - 180 days | 3,866 | 0.01% |
| 181 - 210 days | 2,196 | 0.01% |
| 211 - 240 days | 1,258 | 0.00% |
| 241 - 270 days | 886 | 0.00% |
| 271 - 300 days | 533 | 0.00% |
| 301 - 330 days | 399 | 0.00% |
| 331 - 365 days | 629 | 0.00% |

| HCUP Weighted Summary Statistics Report: NRD 2021 Core File | |
|---|--|
| Weighted Frequency Distribution for MDC_NOPOA | |

| MDC_NoPOA | Frequency | Percent of Total |
|---|-----------|---------------------|
| 0: PRINCIPAL DX CAN NOT BE ASSIGNED TO MDC | 13,299 | 0.04% |
| 1: DISEASES & DISORDERS OF THE NERVOUS SYSTEM | 2,071,775 | 6.20% |
| 2: DISEASES & DISORDERS OF THE EYE | 40,755 | 0.12% |
| 3: DISEASES & DISORDERS OF THE EAR, NOSE, MOUTH & THROAT | 221,859 | 0.66% |
| 4: DISEASES & DISORDERS OF THE RESPIRATORY SYSTEM | 3,737,274 | 11.18% |
| 5: DISEASES & DISORDERS OF THE CIRCULATORY SYSTEM | 4,229,583 | 12.66% |
| 6: DISEASES & DISORDERS OF THE DIGESTIVE SYSTEM | 2,537,115 | 7.59% |
| 7: DISEASES & DISORDERS OF THE HEPATOBILIARY SYSTEM & PANCREAS | 1,001,215 | 3.00% |
| 8: DISEASES & DISORDERS OF THE MUSCULOSKELETAL SYSTEM & CONN TISSUE | 2,373,856 | 7.10% |
| 9: DISEASES & DISORDERS OF THE SKIN, SUBCUTANEOUS TISSUE & BREAST | 587,570 | 1.76% |
| 10: ENDOCRINE, NUTRITIONAL & METABOLIC DISEASES & DISORDERS | 1,287,352 | 3.85% |
| 11: DISEASES & DISORDERS OF THE KIDNEY & URINARY TRACT | 1,522,690 | 4.56% |
| 12: DISEASES & DISORDERS OF THE MALE REPRODUCTIVE SYSTEM | 97,538 | 0.29% |
| 13: DISEASES & DISORDERS OF THE FEMALE REPRODUCTIVE SYSTEM | 225,848 | 0.68% |
| 14: PREGNANCY, CHILDBIRTH & THE PUERPERIUM | 3,802,925 | 11.38% |
| 15: NEWBORNS & OTHER NEONATES WITH CONDTN ORIG IN PERINATAL PERIOD | 3,648,424 | 10.92% |
| 16: DISEASES & DISORDERS OF BLOOD, BLOOD FORMING ORGANS, IMMUNOLOG DISORD | 411,024 | 1.23% |
| 17: MYELOPROLIFERATIVE DISEASES & DISORDERS, POORLY DIFFERENTIATED NEOPLASM | 275,694 | 0.82% |
| 18: INFECTIOUS & PARASITIC DISEASES, SYSTEMIC OR UNSPECIFIED SITES | 2,653,374 | 7.94% |
| 19: MENTAL DISEASES & DISORDERS | 1,388,449 | 4.15% |
| 20: ALCOHOL/DRUG USE & ALCOHOL/DRUG INDUCED ORGANIC MENTAL DISORDERS | 486,580 | 1.46% |
| 21: INJURIES, POISONINGS & TOXIC EFFECTS OF DRUGS | 465,074 | 1.39% |
| 22: BURNS | 27,528 | 0.08% |
| 23: FACTORS INFLUENCING HLTH STAT & OTHR CONTACTS WITH HLTH SERVCS | 168,169 | 0.50% |
| 24: MULTIPLE SIGNIFICANT TRAUMA | 115,072 | 0.34% |
| 25: HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 30,802 | 0.09% |

| PAY1 | Frequency | Percent of Total |
|-----------------------|------------|---------------------|
| . : Missing | 64,157 | 0.19% |
| .A: Invalid | 3,932 | 0.01% |
| 1 : Medicare | 13,546,377 | 40.53% |
| 2 : Medicaid | 7,706,465 | 23.06% |
| 3 : Private insurance | 9,802,916 | 29.33% |
| 4 : Self-pay | 1,138,863 | 3.41% |
| 5 : No charge | 103,388 | 0.31% |
| 6 : Other | 1,054,746 | 3.16% |

19:46 Friday, December 29, 2023 62

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for PCLASS_ORPROC

| PCLASS_ORPROC | Frequency | Percent of Total |
|---|------------|---------------------|
| 0 : No major operating room procedure on record | 24,967,174 | 74.71% |
| 1 : Major operating room procedure on record | 8,453,671 | 25.29% |

| PL_NCHS | Frequency | Percent of Total |
|------------------------|-----------|---------------------|
| .: Missing | 187,187 | 0.56% |
| 1: Large Central Metro | 8,008,730 | 23.96% |
| 2: Large Fringe Metro | 9,457,883 | 28.30% |
| 3: Medium Metro | 7,219,769 | 21.60% |
| 4: Small Metro | 3,386,199 | 10.13% |
| 5: Micropolitan | 2,868,014 | 8.58% |
| 6: Noncore | 2,293,063 | 6.86% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for PL_NCHS

| PRDAY1 | Frequency | Percent of Total |
|------------------|------------|---------------------|
| . : Missing | 11,843,879 | 35.44% |
| .C: Inconsistent | 2,657 | 0.01% |
| -4 days | 3,067 | 0.01% |
| -3 days | 31,051 | 0.09% |
| -2 days | 103,118 | 0.31% |
| -1 day | 448,844 | 1.34% |
| 0 days | 10,436,963 | 31.23% |
| 1 day | 5,052,883 | 15.12% |
| 2 days | 2,101,074 | 6.29% |
| 3 days | 1,040,143 | 3.11% |
| 4 days | 627,246 | 1.88% |
| 5 days | 418,347 | 1.25% |
| 6 - 30 days | 1,262,483 | 3.78% |
| 31 - 60 days | 39,065 | 0.12% |
| 61 - 90 days | 5,903 | 0.02% |
| 91 - 210 days | 3,636 | 0.01% |
| 211 - 330 days | 365 | 0.00% |
| 331 - 368 days | 122 | 0.00% |

| тотснб | Frequency | Percent of Total |
|-----------------------|------------|---------------------|
| . : Missing | 204,284 | 0.61% |
| .C: Inconsistent | 1,183 | 0.00% |
| \$100- \$1,000 | 39,640 | 0.12% |
| \$1,001- \$5,000 | 2,300,695 | 6.88% |
| \$5,001- \$10,000 | 2,684,833 | 8.03% |
| \$10,001- \$50,000 | 16,158,987 | 48.35% |
| \$50,001- \$100,000 | 6,527,046 | 19.53% |
| \$100,001- \$200,000 | 3,527,840 | 10.56% |
| \$200,001- \$300,000 | 1,004,086 | 3.00% |
| \$300,001- \$400,000 | 405,214 | 1.21% |
| \$400,001- \$500,000 | 201,912 | 0.60% |
| \$500,001-\$1,000,000 | 280,991 | 0.84% |
| Over \$1,000,000 | 84,135 | 0.25% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for TOTCHG

| YEAR | Frequency | Percent of Total |
|------|------------|---------------------|
| 2021 | 33,420,845 | 100.0% |

| ZIPINC_QRTL | Frequency | Percent of Total |
|---------------------|-----------|---------------------|
| . : Missing | 310,597 | 0.93% |
| .A: Invalid | 235 | 0.00% |
| 1 : First quartile | 9,614,391 | 28.77% |
| 2 : Second quartile | 8,725,789 | 26.11% |
| 3 : Third quartile | 8,029,160 | 24.02% |
| 4 : Fourth quartile | 6,740,674 | 20.17% |

HCUP Weighted Summary Statistics Report: NRD 2021 Core File Weighted Frequency Distribution for ZIPINC_QRTL